QCN Extensions for Monitoring

Feedback Request Straw{man,poll}

Mitch Gusat, IBM ZRL

Dallas Plenary Nov. 12, 2008

What is Fb_Rq? On demand status info

Why: Monitoring, performance profiling... said http://www.ieee802.org/1/files/public/docs2008/au-gusat-dcn-monitoring-fb-rq-0808-v11.ppt)

How: Build on the investment in .1Qau-compliant switches => Deliver the existing load data <u>in clear</u> to the edge nodes

- => RP-driven Fb <u>pull</u> in addition to CP's push
- => Extend scope of .1Qau CM: If congestion still arises, call QCN

Fb_Rq Basics

1. RP: Tx Fb_Rq (CNM)

- 2. CP: Rx Fb_Rq
 - 1. set $P_s=1$
 - 2. dump extended queue status info
 - 1. QCN CNM +
 - 2. Qsizemax, Qeq, Qdelta

How about PngCnt and TxCnt (see here)?

Features @ cost to CP => fine resolution monitoring...

- 3. CP:Tx Fb Rp back to RP
- 4. RP: Rx Fb_Rp
 - 1. send Fb_Rp to upper layer

Concerns about FbRq

1. Cost

- 1. if QCN=True, $\$(Fb_Rq) \rightarrow \epsilon$
- 2. else, $f(Fb_Rq) = O(QCN)$

2. Overhead

- 1. <1% with s/w-driven monitoring
- 2. upper-bounded by CP and RP h/w
- 3. Re-use CNM format and .1Qau-compliant CP h/w

3. Sim results

→ see next page

Simulation results: Contemplative Stability



Observation instead of control...





No algorithm.

Benefits

- 1. Timely: on demand L2 feedback to apps
- 2. Accurate: Detailed Q info is available in CP. Ship it to the RP.
- 3. Cheap: Info already known. Ship it to the RP.
- 4. Self-regulating: RP and CP can decide their ovhd. limits.
- 5. Better / Different from IETF's IPFIX
- 6. Multiplies the ROI on .1Qau to apps that wouldn't care or trust CM w/o an associated monitoring option

Strawpoll: Reason and Question

- Customers find the Fb_Rq useful and desirable
 - > side-effect, increase the acceptance of QCN in 'hostile' markets
- A form of Fb_Rq will likely be de-facto supported by most vendors
 - > ..cat's already out of the bag!
- Question is about its standardization...

Should Fb_Rq be further explored in DCB?

That's all, thank you!