P802.3bu

Submitter Email: <u>david law@ieee.org</u> Type of Project: Amendment to IEEE Standard 802.3-2012 PAR Request Date: 04-Sep-2013 PAR Approval Date: PAR Expiration Date: Status: Unapproved PAR, PAR for an Amendment to an existing IEEE Standard

1.1 Project Number: P802.3bu1.2 Type of Document: Standard1.3 Life Cycle: Full Use

2.1 Title: Standard for Ethernet Amendment: Physical Layer and Management Parameters for 1-Pair Power over Data Lines

3.1 Working Group: Ethernet Working Group (C/LM/WG802.3)
Contact Information for Working Group Chair
Name: David Law
Email Address: david law@ieee.org
Phone: +44 131 665 7264
Contact Information for Working Group Vice-Chair
Name: Adam Healey
Email Address: adam.healey@lsi.com
Phone: 6107123508

3.2 Sponsoring Society and Committee: IEEE Computer Society/LAN/MAN Standards Committee (C/LM)

Contact Information for Sponsor Chair Name: Paul Nikolich Email Address: <u>p.nikolich@ieee.org</u> Phone: 857.205.0050 Contact Information for Standards Representative Name: James Gilb Email Address: <u>gilb@ieee.org</u> Phone: 858-229-4822

4.1 Type of Ballot: Individual

4.2 Expected Date of submission of draft to the IEEE-SA for Initial Sponsor Ballot: 11/2015

4.3 Projected Completion Date for Submittal to RevCom: 10/2016

5.1 Approximate number of people expected to be actively involved in the development of this project: 20

5.2.a. Scope of the complete standard: This standard defines Ethernet local area, access and metropolitan area networks. Ethernet is specified at selected speeds of operation; and uses a common media access control (MAC) specification and management information base (MIB). The Carrier Sense Multiple Access with Collision Detection (CSMA/CD) MAC protocol specifies shared medium (half duplex) operation, as well as full duplex operation. Speed specific Media Independent Interfaces (MIIs) provide an architectural and optional implementation interface to selected Physical Layer entities (PHY). The Physical Layer encodes frames for transmission and decodes received frames with the modulation specified for the speed of operation,

transmission medium and supported link length. Other specified capabilities include: control and management protocols, and the provision of power over selected twisted pair PHY types.

5.2.b. Scope of the project: Define methodology for the provision of power via a single twisted pair to connected Data Terminal Equipment (DTE) with IEEE 802.3 interfaces.

5.3 Is the completion of this standard dependent upon the completion of another standard: No

5.4 Purpose: This document will not include a purpose clause.

5.5 Need for the Project: Single twisted pair Ethernet links are in development (e.g. IEEE P802.3bp) and some applications (e.g., automotive sensors, industrial devices) require power delivery over the link. A new standard is required to provide power over single twisted pair links where IEEE Std 802.3 Clause 33 Data Terminal Equipment (DTE) Power via Media Dependent Interface (MDI) cannot be used.

5.6 Stakeholders for the Standard: Users and producers of systems and components for the automotive, industrial automation, and transportation (aircraft and rail) industries.

Intellectual Property

6.1.a. Is the Sponsor aware of any copyright permissions needed for this project?: No **6.1.b. Is the Sponsor aware of possible registration activity related to this project?:** No

7.1 Are there other standards or projects with a similar scope?: No

7.2 Joint Development

Is it the intent to develop this document jointly with another organization?: No

8.1 Additional Explanatory Notes (Item Number and Explanation):