

## Telugu

Range: 0C00–0C7F

### The Unicode Standard, Version 15.1

This file contains an excerpt from the character code tables and list of character names for *The Unicode Standard, Version 15.1*

This file may be changed at any time without notice to reflect errata, or other updates to the Unicode Standard. See <https://www.unicode.org/errata/> for an up-to-date list of errata.

See <https://www.unicode.org/charts/> for access to a complete list of the latest character code charts. See <https://www.unicode.org/charts/PDF/Unicode-15.1/> for charts showing only the characters added in Unicode 15.1. See <https://www.unicode.org/Public/15.1.0/charts/> for a complete archived file of character code charts for Unicode 15.1. See <https://www.unicode.org/charts/About.html#Conventions> for conventions used in these code charts, and other general information.

### Disclaimer

These charts are provided as the online reference to the character contents of the Unicode Standard, Version 15.1 but do not provide all the information needed to fully support individual scripts using the Unicode Standard. For a complete understanding of the use of the characters contained in this file, please consult the appropriate sections of The Unicode Standard, Version 15.1, online at <https://www.unicode.org/versions/Unicode15.1.0/>, as well as Unicode Standard Annexes #9, #11, #14, #15, #24, #29, #31, #34, #38, #41, #42, #44, #45, and #50, the other Unicode Technical Reports and Standards, and the Unicode Character Database, which are available online.

See <https://www.unicode.org/ucd/> and <http://www.unicode.org/reports/>

A thorough understanding of the information contained in these additional sources is required for a successful implementation.

Copying characters from the character code tables or list of character names is not recommended, because for production reasons the PDF files for the code charts cannot guarantee that the correct character codes will always be copied.

### Fonts

The shapes of the reference glyphs used in these code charts are not prescriptive. Considerable variation is to be expected in actual fonts. The particular fonts used in these charts were provided to the Unicode Consortium by a number of different font designers, who own the rights to the fonts.

See <https://www.unicode.org/charts/fonts.html> for a list.

### Terms of Use

You may freely use these code charts for personal or internal business uses only. You may not incorporate them either wholly or in part into any product or publication, or otherwise distribute them without express written permission from the Unicode Consortium. However, you may provide links to these charts.

The fonts and font data used in production of these code charts may NOT be extracted, or used in any other way in any product or publication, without permission or license granted by the typeface owner(s).

The Unicode Consortium is not liable for errors or omissions in this file or the standard itself. Information on characters added to the Unicode Standard since the publication of the most recent version of the Unicode Standard, as well as on characters currently being considered for addition to the Unicode Standard can be found on the Unicode web site.

See <https://www.unicode.org/pending/pending.html> and <http://www.unicode.org/alloc/Pipeline.html>.

See <https://www.unicode.org/charts/About.html> for more information concerning the conventions and symbols used in these code charts.

Copyright © 1991–2023 Unicode, Inc. All rights reserved. See <https://www.unicode.org/copyright.html>

	0C0	0C1	0C2	0C3	0C4	0C5	0C6	0C7
0	ఁ 0C00	బ 0C10	ర 0C20	ర 0C30	్ 0C40		ఋ 0C60	
1	ఁ 0C01		డ 0C21	ఱ 0C31	్ 0C41		ౠ 0C61	
2	ం 0C02	బ 0C12	డ 0C22	ల 0C32	్ 0C42		ౡ 0C62	
3	ం 0C03	బ 0C13	ణ 0C23	ళ 0C33	్ 0C43		ౢ 0C63	
4	ం 0C04	జ్ 0C14	త 0C24	ణ 0C34	్ 0C44			
5	ఱ 0C05	క 0C15	ణ 0C25	వ 0C35		ం 0C55		
6	ఱ 0C06	ఖ 0C16	ద 0C26	త 0C36	్ 0C46	ం 0C56	ం 0C66	
7	ఱ 0C07	న 0C17	ణ 0C27	ప 0C37	్ 0C47		ం 0C67	ం 0C77
8	ఱ 0C08	పు 0C18	న 0C28	న 0C38	్ 0C48	ఱ 0C58	ం 0C68	ం 0C78
9	ఱ 0C09	జ 0C19		భ 0C39		ఱ 0C59	ం 0C69	ం 0C79
A	ఱ 0C0A	చ 0C1A	ప 0C2A		్ 0C4A	ఱ 0C5A	ం 0C6A	ం 0C7A
B	ఱ 0C0B	ఛ 0C1B	ప 0C2B		్ 0C4B		ం 0C6B	ం 0C7B
C	ఱ 0C0C	జ 0C1C	బ 0C2C	ం 0C3C	్ 0C4C		ం 0C6C	ం 0C7C
D		ఱ 0C1D	ఱ 0C2D	ం 0C3D	్ 0C4D	ం 0C5D	ం 0C6D	ం 0C7D
E	ం 0C0E	ఱ 0C1E	ప 0C2E	్ 0C3E			ం 0C6E	ం 0C7E
F	ం 0C0F	ం 0C1F	ం 0C2F	ం 0C3F			ం 0C6F	ం 0C7F

## Various signs

0C00	◌̆	TELUGU SIGN COMBINING CANDRABINDU ABOVE
0C01	◌̇	TELUGU SIGN CANDRABINDU = arasunna • indicates a contextually elided nasal
0C02	◌̈	TELUGU SIGN ANUSVARA = sunna • used in Prakrit language texts to indicate gemination of the following consonant
0C03	◌̉	TELUGU SIGN VISARGA
0C04	◌̊	TELUGU SIGN COMBINING ANUSVARA ABOVE • used in Prakrit language texts for the linguistic anusvara

## Independent vowels

0C05	అ	TELUGU LETTER A
0C06	ఆ	TELUGU LETTER AA
0C07	ఇ	TELUGU LETTER I
0C08	ఈ	TELUGU LETTER II
0C09	ఉ	TELUGU LETTER U
0C0A	ఊ	TELUGU LETTER UU
0C0B	ఋ	TELUGU LETTER VOCALIC R
0C0C	ౠ	TELUGU LETTER VOCALIC L
0C0D	◌̳	<reserved>
0C0E	ఎ	TELUGU LETTER E
0C0F	ఐ	TELUGU LETTER EE
0C10	ఓ	TELUGU LETTER AI
0C11	◌̴	<reserved>
0C12	ఌ	TELUGU LETTER O
0C13	ౠ	TELUGU LETTER OO
0C14	ఌ̇	TELUGU LETTER AU

## Consonants

0C15	క	TELUGU LETTER KA
0C16	ఖ	TELUGU LETTER KHA
0C17	గ	TELUGU LETTER GA
0C18	ఘ	TELUGU LETTER GHA
0C19	ఙ	TELUGU LETTER NGA
0C1A	చ	TELUGU LETTER CA
0C1B	ఛ	TELUGU LETTER CHA
0C1C	జ	TELUGU LETTER JA
0C1D	ఝ	TELUGU LETTER JHA
0C1E	ఞ	TELUGU LETTER NYA
0C1F	ట	TELUGU LETTER TTA
0C20	ఠ	TELUGU LETTER TTHA
0C21	డ	TELUGU LETTER DDA
0C22	ఢ	TELUGU LETTER DDHA
0C23	ణ	TELUGU LETTER NNA
0C24	త	TELUGU LETTER TA
0C25	థ	TELUGU LETTER THA
0C26	ద	TELUGU LETTER DA
0C27	ధ	TELUGU LETTER DHA
0C28	న	TELUGU LETTER NA
0C29	◌̵	<reserved>
0C2A	ప	TELUGU LETTER PA
0C2B	ఫ	TELUGU LETTER PHA
0C2C	బ	TELUGU LETTER BA
0C2D	భ	TELUGU LETTER BHA
0C2E	మ	TELUGU LETTER MA
0C2F	య	TELUGU LETTER YA
0C30	ర	TELUGU LETTER RA
0C31	ల	TELUGU LETTER RRA

0C32	ల̆	TELUGU LETTER LA
0C33	ల̇	TELUGU LETTER LLA
0C34	ల̈	TELUGU LETTER LLLA
0C35	వ	TELUGU LETTER VA
0C36	శ	TELUGU LETTER SHA
0C37	ష	TELUGU LETTER SSA
0C38	స	TELUGU LETTER SA
0C39	హ	TELUGU LETTER HA

## Sign

0C3C	◌̶	TELUGU SIGN NUKTA • used for Tamil transliteration and Perso-Arabic phonemes • can also appear as a large dot, should be placed sufficiently below the baseline of a consonant to avoid confusion/collision with the aspiration marker
------	----	--

## Addition for Sanskrit

0C3D	◌̷	TELUGU SIGN AVAGRAHA
------	----	----------------------

## Dependent vowel signs

0C3E	◌̸	TELUGU VOWEL SIGN AA
0C3F	◌̹	TELUGU VOWEL SIGN I
0C40	◌̺	TELUGU VOWEL SIGN II
0C41	◌̻	TELUGU VOWEL SIGN U
0C42	◌̼	TELUGU VOWEL SIGN UU
0C43	◌̽	TELUGU VOWEL SIGN VOCALIC R
0C44	◌̾	TELUGU VOWEL SIGN VOCALIC RR
0C45	◌̿	<reserved>
0C46	◌̿̄	TELUGU VOWEL SIGN E
0C47	◌̿̅	TELUGU VOWEL SIGN EE
0C48	◌̿̆	TELUGU VOWEL SIGN AI ≡ 0C46 ◌̿̄ ◌̿̅ 0C56 ◌̿̆
0C49	◌̿̇	<reserved>
0C4A	◌̿̈	TELUGU VOWEL SIGN O
0C4B	◌̿̉	TELUGU VOWEL SIGN OO
0C4C	◌̿̊	TELUGU VOWEL SIGN AU

## Virama

0C4D	◌̻̣	TELUGU SIGN VIRAMA = halant (the preferred name)
------	-----	---

## Various signs

0C55	◌̽̄	TELUGU LENGTH MARK
0C56	◌̽̅	TELUGU AI LENGTH MARK

## Historic phonetic variants

0C58	ఛ̆	TELUGU LETTER TSA
0C59	ఞ̆	TELUGU LETTER DZA
0C5A	ఱ̆	TELUGU LETTER RRRRA • letter for an alveolar consonant whose exact phonetic value is not known

## Consonant

0C5D	◌̻̣̆	TELUGU LETTER NAKAARA POLLU • vowelless form of na → 0CDD ◌̻̣̆ kannada letter nakaara pollu → 0D7B ◌̻̣̆ malayalam letter chillu n
------	------	--

## Additional vowels for Sanskrit


0C60	ఋ̆	TELUGU LETTER VOCALIC RR
0C61	ౠ̆	TELUGU LETTER VOCALIC LL

## Dependent vowels

0C62	◌̻̣̈	TELUGU VOWEL SIGN VOCALIC L
0C63	◌̻̣̉	TELUGU VOWEL SIGN VOCALIC LL

**Reserved**




For viram punctuation, use the generic Indic 0964 and 0965.

- 0C64  <reserved>  
→ 0964 I devanagari danda
- 0C65  <reserved>  
→ 0965 II devanagari double danda

**Digits**

- 0C66 ౦ TELUGU DIGIT ZERO  
0C67 ౧ TELUGU DIGIT ONE  
0C68 ౨ TELUGU DIGIT TWO  
0C69 ౩ TELUGU DIGIT THREE  
0C6A ౪ TELUGU DIGIT FOUR  
0C6B ౫ TELUGU DIGIT FIVE  
0C6C ౬ TELUGU DIGIT SIX  
0C6D ౭ TELUGU DIGIT SEVEN  
0C6E ౮ TELUGU DIGIT EIGHT  
0C6F ౯ TELUGU DIGIT NINE

**Sign**

- 0C77  TELUGU SIGN SIDDHAM  
= siddhirastu  
• used at the beginning of texts as an invocation  
→ A8FC  devanagari sign siddham  
→ 111DB  sharada sign siddham

**Telugu fractions and weights**

- 0C78 ౪ TELUGU FRACTION DIGIT ZERO FOR ODD  
POWERS OF FOUR
- 0C79 ౫ TELUGU FRACTION DIGIT ONE FOR ODD  
POWERS OF FOUR
- 0C7A ౬ TELUGU FRACTION DIGIT TWO FOR ODD  
POWERS OF FOUR
- 0C7B ౭ TELUGU FRACTION DIGIT THREE FOR ODD  
POWERS OF FOUR
- 0C7C ౮ TELUGU FRACTION DIGIT ONE FOR EVEN  
POWERS OF FOUR
- 0C7D ౯ TELUGU FRACTION DIGIT TWO FOR EVEN  
POWERS OF FOUR
- 0C7E ౧౦ TELUGU FRACTION DIGIT THREE FOR EVEN  
POWERS OF FOUR
- 0C7F ౧౧ TELUGU SIGN TUUMU