

## **Miscellaneous Technical**

**Range: 2300–23FF**

### **The Unicode Standard, Version 5.2**

This file contains an excerpt from the character code tables and list of character names for *The Unicode Standard, Version 5.2*.

Characters in this chart that are new for The Unicode Standard, Version 5.2 are shown in conjunction with any existing characters. For ease of reference, the new characters have been highlighted in the chart grid and in the names list.

This file will not be updated with errata, or when additional characters are assigned to the Unicode Standard.  
See <http://www.unicode.org/errata/> for an up-to-date list of errata.

See <http://www.unicode.org/charts/> for access to a complete list of the latest character code charts.

See <http://www.unicode.org/charts/PDF/Unicode-5.2/> for charts showing only the characters added in Unicode 5.2.

See <http://www.unicode.org/Public/5.2.0/charts/> for a complete archived file of character code charts for Unicode 5.2.

### **Disclaimer**

These charts are provided as the online reference to the character contents of the Unicode Standard, Version 5.2 but do not provide all the information needed to fully support individual scripts using the Unicode Standard. For a complete understanding of the use of the characters contained in this file, please consult the appropriate sections of The Unicode Standard, Version 5.2, online at <http://www.unicode.org/versions/Unicode5.2.0/>, as well as Unicode Standard Annexes #9, #11, #14, #15, #24, #29, #31, #34, #38, #41, #42, and #44, the other Unicode Technical Reports and Standards, and the Unicode Character Database, which are available online.

See <http://www.unicode.org/ucd/> and <http://www.unicode.org/reports/>

A thorough understanding of the information contained in these additional sources is required for a successful implementation.

### **Fonts**

The shapes of the reference glyphs used in these code charts are not prescriptive. Considerable variation is to be expected in actual fonts. The particular fonts used in these charts were provided to the Unicode Consortium by a number of different font designers, who own the rights to the fonts.

See <http://www.unicode.org/charts/fonts.html> for a list.

### **Terms of Use**

You may freely use these code charts for personal or internal business uses only. You may not incorporate them either wholly or in part into any product or publication, or otherwise distribute them without express written permission from the Unicode Consortium. However, you may provide links to these charts.

The fonts and font data used in production of these code charts may NOT be extracted, or used in any other way in any product or publication, without permission or license granted by the typeface owner(s).

The Unicode Consortium is not liable for errors or omissions in this file or the standard itself. Information on characters added to the Unicode Standard since the publication of the most recent version of the Unicode Standard, as well as on characters currently being considered for addition to the Unicode Standard can be found on the Unicode web site.

See <http://www.unicode.org/pending/pending.html> and <http://www.unicode.org/alloc/Pipeline.html>.

Copyright © 1991-2009 Unicode, Inc. All rights reserved.

	230	231	232	233	234	235	236	237	238	239	23A	23B	23C	23D	23E	23F	
0	∅	⊠	ſ	ꝑ	Ꝕ	ꝕ	ꝗ	Ꝙ	ꝙ	Ꝛ	ꝛ	Ꝝ	ꝝ	Ꝟ	ꝟ	ꝧ	
1	⚡	□	J	Ꝑ	ꝑ	Ꝓ	ꝓ	Ꝕ	ꝕ	Ꝗ	ꝗ	Ꝙ	ꝙ	Ꝛ	ꝛ	Ꝥ	
2	ꝁ	Ꝃ	ꝃ	Ꝅ	ꝅ	Ꝇ	ꝇ	Ꝉ	ꝉ	Ꝋ	ꝋ	Ꝍ	ꝍ	Ꝏ	ꝏ	Ꝑ	
3	ꝑ	Ꝓ	ꝓ	Ꝕ	ꝕ	Ꝗ	ꝗ	Ꝙ	ꝙ	Ꝛ	ꝛ	Ꝝ	ꝝ	Ꝟ	ꝟ	ꝧ	
4	ꝑ	Ꝓ	ꝓ	Ꝕ	ꝕ	Ꝗ	ꝗ	Ꝙ	ꝙ	Ꝛ	ꝛ	Ꝝ	ꝝ	Ꝟ	ꝟ	ꝧ	
5	ꝑ	Ꝓ	ꝓ	Ꝕ	ꝕ	Ꝗ	ꝗ	Ꝙ	ꝙ	Ꝛ	ꝛ	Ꝝ	ꝝ	Ꝟ	ꝟ	ꝧ	
6	ꝑ	Ꝓ	ꝓ	Ꝕ	ꝕ	Ꝗ	ꝗ	Ꝙ	ꝙ	Ꝛ	ꝛ	Ꝝ	ꝝ	Ꝟ	ꝟ	ꝧ	
7	ꝑ	Ꝓ	ꝓ	Ꝕ	ꝕ	Ꝗ	ꝗ	Ꝙ	ꝙ	Ꝛ	ꝛ	Ꝝ	ꝝ	Ꝟ	ꝟ	ꝧ	
8	ꝑ	Ꝓ	ꝓ	Ꝕ	ꝕ	Ꝗ	ꝗ	Ꝙ	ꝙ	Ꝛ	ꝛ	Ꝝ	ꝝ	Ꝟ	ꝟ	ꝧ	
9	ꝑ	Ꝓ	ꝓ	Ꝕ	ꝕ	Ꝗ	ꝗ	Ꝙ	ꝙ	Ꝛ	ꝛ	Ꝝ	ꝝ	Ꝟ	ꝟ	ꝧ	
A	ꝑ	Ꝓ	ꝓ	Ꝕ	ꝕ	Ꝗ	ꝗ	Ꝙ	ꝙ	Ꝛ	ꝛ	Ꝝ	ꝝ	Ꝟ	ꝟ	ꝧ	
B	ꝑ	Ꝓ	ꝓ	Ꝕ	ꝕ	Ꝗ	ꝗ	Ꝙ	ꝙ	Ꝛ	ꝛ	Ꝝ	ꝝ	Ꝟ	ꝟ	ꝧ	
C	ꝑ	Ꝓ	ꝓ	Ꝕ	ꝕ	Ꝗ	ꝗ	Ꝙ	ꝙ	Ꝛ	ꝛ	Ꝝ	ꝝ	Ꝟ	ꝟ	ꝧ	
D	ꝑ	Ꝓ	ꝓ	Ꝕ	ꝕ	Ꝗ	ꝗ	Ꝙ	ꝙ	Ꝛ	ꝛ	Ꝝ	ꝝ	Ꝟ	ꝟ	ꝧ	
E	ꝑ	Ꝓ	ꝓ	Ꝕ	ꝕ	Ꝗ	ꝗ	Ꝙ	ꝙ	Ꝛ	ꝛ	Ꝝ	ꝝ	Ꝟ	ꝟ	ꝧ	
F	ꝑ	Ꝓ	ꝓ	Ꝕ	ꝕ	Ꝗ	ꝗ	Ꝙ	ꝙ	Ꝛ	ꝛ	Ꝝ	ꝝ	Ꝟ	ꝟ	ꝧ	

**Miscellaneous technical**

- 2300 ♂ DIAMETER SIGN  
→ 2205 Ø empty set
- 2301 ↵ ELECTRIC ARROW  
• from ISO 2047  
• symbol for End of Transmission
- 2302 ⌂ HOUSE
- 2303 ⌃ UP ARROWHEAD  
→ 005E ^ circumflex accent  
→ 02C4 ^ modifier letter up arrowhead  
→ 2038 ^ caret  
→ 2227 ^ logical and
- 2304 ⌄ DOWN ARROWHEAD  
→ 02C5 V modifier letter down arrowhead  
→ 2228 V logical or  
→ 2335 V countersink
- 2305 ⌅ PROJECTIVE  
→ 22BC ⌅ nand
- 2306 ⌆ PERSPECTIVE
- 2307 ⌇ WAVY LINE  
→ 3030 ~ wavy dash

**Ceilings and floors**

*These characters are tall and narrow mathematical delimiters, in contrast to the quine corners or half brackets. They are also distinct from CJK corner brackets, which are wide quotation marks.*

- 2308 ⌈ LEFT CEILING  
= APL upstile  
→ 2E22 ⌈ top left half bracket  
→ 300C ⌈ left corner bracket
- 2309 ⌉ RIGHT CEILING  
→ 20E7 ⌉ combining annuity symbol  
→ 2E23 ⌉ top right half bracket
- 230A ⌋ LEFT FLOOR  
= APL downstile  
→ 2E24 ⌋ bottom left half bracket
- 230B ⌑ RIGHT FLOOR  
→ 300D ⌑ right corner bracket  
→ 2E25 ⌑ bottom right half bracket

**Crops**

- 230C ⌍ BOTTOM RIGHT CROP  
• set of four “crop” corners, arranged facing outward
- 230D ⌎ BOTTOM LEFT CROP
- 230E ⌏ TOP RIGHT CROP
- 230F ⌐ TOP LEFT CROP

**Miscellaneous technical**

- 2310 ⌏ REVERSED NOT SIGN  
= beginning of line  
→ 00AC ⌏ not sign
- 2311 ⌒ SQUARE LOZENGE  
= Kissen (pillow)  
• used as a command delimiter in some very old computers
- 2312 ⌓ ARC  
→ 25E0 ⌓ upper half circle
- 2313 ⌔ SEGMENT
- 2314 ⌕ SECTOR
- 2315 ⌖ TELEPHONE RECORDER
- 2316 ⌘ POSITION INDICATOR

**2317 # VIEWDATA SQUARE**

- 22D5 # equal and parallel to
- 2318 ⌙ PLACE OF INTEREST SIGN  
= command key (1.0)
- 2319 ⌚ TURNED NOT SIGN  
= line marker

**GUI icons**

- 231A ⌘ WATCH
- 231B ⌙ HOURGLASS

**Quine corners**

*These form a set of four quine corners, for quincuncial arrangement. They are also used in upper and lower pairs in mathematic, or more rarely in editorial usage as alternatives to half brackets.*

- 231C ⌊ TOP LEFT CORNER  
→ 2E00 ⌊ right angle substitution marker  
→ 2E22 ⌊ top left half bracket
- 231D ⌋ TOP RIGHT CORNER
- 231E ⌉ BOTTOM LEFT CORNER
- 231F ⌑ BOTTOM RIGHT CORNER

**Integral pieces**

- 2320 ⌂ TOP HALF INTEGRAL  
→ 23AE ⌂ integral extension
- 2321 ⌃ BOTTOM HALF INTEGRAL

**Frown and smile**

- 2322 ⌄ FROWN  
→ 2040 ⌄ character tie
- 2323 ⌅ SMILE  
→ 203F ⌅ undertie

**Keyboard symbols**

- 2324 ⌅ UP ARROWHEAD BETWEEN TWO HORIZONTAL BARS  
= enter key
- 2325 ⌁ OPTION KEY
- 2326 ⌂ ERASE TO THE RIGHT  
= delete to the right key
- 2327 ⌂ X IN A RECTANGLE BOX  
= clear key
- 2328 ⌂ KEYBOARD

**Deprecated angle brackets**

*These characters are deprecated and are strongly discouraged for mathematical use because of their canonical equivalence to CJK punctuation.*

- 2329 ⌂ LEFT-POINTING ANGLE BRACKET  
→ 003C < less-than sign  
→ 2039 < single left-pointing angle quotation mark  
→ 27E8 < mathematical left angle bracket  
≡ 3008 < left angle bracket
- 232A ⌃ RIGHT-POINTING ANGLE BRACKET  
→ 003E > greater-than sign  
→ 203A > single right-pointing angle quotation mark  
→ 27E9 > mathematical right angle bracket  
≡ 3009 > right angle bracket

**Keyboard symbol**

- 232B ⌂ ERASE TO THE LEFT  
= delete to the left key

**Chemistry symbol**232C  BENZENE RING**Drafting symbols**

232D  CYLINDRICITY  
 232E  ALL AROUND-PROFILE  
 232F  SYMMETRY  
 2330  TOTAL RUNOUT  
 2331  DIMENSION ORIGIN  
 2332  CONICAL TAPER  
 2333  SLOPE  
     → 25FA  lower left triangle  
 2334  COUNTERBORE  
     → 2423  open box  
 2335  COUNTERSINK  
     → 2304  down arrowhead

**APL**

2336  APL FUNCTIONAL SYMBOL I-BEAM  
 2337  APL FUNCTIONAL SYMBOL SQUISH QUAD  
     → 2395  apl functional symbol quad  
     → 25AF  white vertical rectangle  
     → 2AFF  n-ary white vertical bar  
 2338  APL FUNCTIONAL SYMBOL QUAD EQUAL  
 2339  APL FUNCTIONAL SYMBOL QUAD DIVIDE  
 233A  APL FUNCTIONAL SYMBOL QUAD DIAMOND  
     → 26CB  white diamond in square  
 233B  APL FUNCTIONAL SYMBOL QUAD JOT  
     → 29C7  squared small circle  
 233C  APL FUNCTIONAL SYMBOL QUAD CIRCLE  
 233D  APL FUNCTIONAL SYMBOL CIRCLE STILE  
 233E  APL FUNCTIONAL SYMBOL CIRCLE JOT  
     → 229A  circled ring operator  
     → 29BE  circled white bullet  
 233F  APL FUNCTIONAL SYMBOL SLASH BAR  
     → 1019A  roman as sign  
 2340  APL FUNCTIONAL SYMBOL BACKSLASH BAR  
     → 29F7  reverse solidus with horizontal stroke  
 2341  APL FUNCTIONAL SYMBOL QUAD SLASH  
     → 29C4  squared rising diagonal slash  
 2342  APL FUNCTIONAL SYMBOL QUAD BACKSLASH  
     → 29C5  squared falling diagonal slash  
 2343  APL FUNCTIONAL SYMBOL QUAD LESS-THAN  
 2344  APL FUNCTIONAL SYMBOL QUAD GREATER-THAN  
 2345  APL FUNCTIONAL SYMBOL LEFTWARDS VANE  
 2346  APL FUNCTIONAL SYMBOL RIGHTWARDS VANE  
 2347  APL FUNCTIONAL SYMBOL QUAD LEFTWARDS ARROW  
 2348  APL FUNCTIONAL SYMBOL QUAD RIGHTWARDS ARROW  
 2349  APL FUNCTIONAL SYMBOL CIRCLE BACKSLASH  
     → 29B0  reversed empty set  
 234A  APL FUNCTIONAL SYMBOL DOWN TACK UNDERBAR  
     = up tack underbar  
     • preferred naming for APL tack symbols now follows the London Convention in ISO/IEC 13751:2000 (APL Extended)  
     → 22A5  up tack  
 234B  APL FUNCTIONAL SYMBOL DELTA STILE  
 234C  APL FUNCTIONAL SYMBOL QUAD DOWN CARET  
 234D  APL FUNCTIONAL SYMBOL QUAD DELTA

234E  APL FUNCTIONAL SYMBOL DOWN TACK JOT  
     = up tack jot  
     → 22A5  up tack  
 234F  APL FUNCTIONAL SYMBOL UPWARDS VANE  
 2350  APL FUNCTIONAL SYMBOL QUAD UPWARDS ARROW  
 2351  APL FUNCTIONAL SYMBOL UP TACK OVERBAR  
     = down tack overbar  
     → 22A4  down tack  
     → 3012  postal mark  
 2352  APL FUNCTIONAL SYMBOL DEL STILE  
 2353  APL FUNCTIONAL SYMBOL QUAD UP CARET  
 2354  APL FUNCTIONAL SYMBOL QUAD DEL  
 2355  APL FUNCTIONAL SYMBOL UP TACK JOT  
     = down tack jot  
     → 22A4  down tack  
 2356  APL FUNCTIONAL SYMBOL DOWNWARDS VANE  
 2357  APL FUNCTIONAL SYMBOL QUAD DOWNWARDS ARROW  
 2358  APL FUNCTIONAL SYMBOL QUOTE UNDERBAR  
 2359  APL FUNCTIONAL SYMBOL DELTA UNDERBAR  
 235A  APL FUNCTIONAL SYMBOL DIAMOND UNDERBAR  
 235B  APL FUNCTIONAL SYMBOL JOT UNDERBAR  
 235C  APL FUNCTIONAL SYMBOL CIRCLE UNDERBAR  
 235D  APL FUNCTIONAL SYMBOL UP SHOE JOT  
     → 2A40  intersection with dot  
 235E  APL FUNCTIONAL SYMBOL QUOTE QUAD  
 235F  APL FUNCTIONAL SYMBOL CIRCLE STAR  
     → 229B  circled asterisk operator  
 2360  APL FUNCTIONAL SYMBOL QUAD COLON  
 2361  APL FUNCTIONAL SYMBOL UP TACK DIAERESIS  
     = down tack diaeresis  
     → 22A4  down tack  
 2362  APL FUNCTIONAL SYMBOL DEL DIAERESIS  
 2363  APL FUNCTIONAL SYMBOL STAR DIAERESIS  
 2364  APL FUNCTIONAL SYMBOL JOT DIAERESIS  
     = hoot  
 2365  APL FUNCTIONAL SYMBOL CIRCLE DIAERESIS  
     = holler  
 2366  APL FUNCTIONAL SYMBOL DOWN SHOE STILE  
 2367  APL FUNCTIONAL SYMBOL LEFT SHOE STILE  
 2368  APL FUNCTIONAL SYMBOL TILDE DIAERESIS  
     = smirk  
 2369  APL FUNCTIONAL SYMBOL GREATER-THAN DIAERESIS  
 236A  APL FUNCTIONAL SYMBOL COMMA BAR  
 236B  APL FUNCTIONAL SYMBOL DEL TILDE  
 236C  APL FUNCTIONAL SYMBOL ZILDE  
 236D  APL FUNCTIONAL SYMBOL STILE TILDE  
 236E  APL FUNCTIONAL SYMBOL SEMICOLON UNDERBAR  
 236F  APL FUNCTIONAL SYMBOL QUAD NOT EQUAL  
 2370  APL FUNCTIONAL SYMBOL QUAD QUESTION  
 2371  APL FUNCTIONAL SYMBOL DOWN CARET TILDE  
 2372  APL FUNCTIONAL SYMBOL UP CARET TILDE  
 2373  APL FUNCTIONAL SYMBOL IOTA  
     → 22A5  up tack  
 2374  APL FUNCTIONAL SYMBOL RHO  
 2375  APL FUNCTIONAL SYMBOL OMEGA  
 2376  APL FUNCTIONAL SYMBOL ALPHA UNDERBAR

2377 Ⓜ APL FUNCTIONAL SYMBOL EPSILON UNDERBAR  
 2378 Ⓝ APL FUNCTIONAL SYMBOL IOTA UNDERBAR  
 2379 Ⓞ APL FUNCTIONAL SYMBOL OMEGA UNDERBAR  
 237A Ⓟ APL FUNCTIONAL SYMBOL ALPHA

#### Graphics for control codes

237B ✕ NOT CHECK MARK  
 • from ISO 2047  
 • symbol for Negative Acknowledge

#### Miscellaneous technical

237C ⌈ RIGHT ANGLE WITH DOWNWARDS ZIGZAG ARROW

#### Graphics for control codes

237D ↘ SHOULDERED OPEN BOX  
 • from ISO 9995-7  
 • keyboard symbol for No Break Space  
 → 2423 ↘ open box  
 237E ⌋ BELL SYMBOL  
 • from ISO 2047  
 237F ⌊ VERTICAL LINE WITH MIDDLE DOT  
 • from ISO 2047  
 • symbol for End of Medium

#### Keyboard symbols from ISO 9995-7

2380 ⌠ INSERTION SYMBOL  
 2381 ⌂ CONTINUOUS UNDERLINE SYMBOL  
 2382 ⌃ DISCONTINUOUS UNDERLINE SYMBOL  
 2383 ⌄ EMPHASIS SYMBOL  
 2384 ⌅ COMPOSITION SYMBOL  
 2385 ⌆ WHITE SQUARE WITH CENTRE VERTICAL LINE  
 = center  
 2386 ⌇ ENTER SYMBOL  
 2387 ⌈ ALTERNATIVE KEY SYMBOL  
 2388 ⌉ HELM SYMBOL  
 = control  
 → 2638 ⌉ wheel of dharma  
 2389 ⌋ CIRCLED HORIZONTAL BAR WITH NOTCH  
 = pause  
 238A ⌑ CIRCLED TRIANGLE DOWN  
 = interrupt, break  
 238B ⌒ BROKEN CIRCLE WITH NORTHWEST ARROW  
 = escape  
 238C ⌔ UNDO SYMBOL

#### Electrotechnical symbols from IR 181

238D ⌎ MONOSTABLE SYMBOL  
 238E ⌏ HYSTERESIS SYMBOL  
 238F ⌐ OPEN-CIRCUIT-OUTPUT H-TYPE SYMBOL  
 238G ⌑ OPEN-CIRCUIT-OUTPUT L-TYPE SYMBOL  
 238H ⌒ PASSIVE-PULL-DOWN-OUTPUT SYMBOL  
 238I ⌓ PASSIVE-PULL-UP-OUTPUT SYMBOL  
 238J ⌔ DIRECT CURRENT SYMBOL FORM TWO  
 238K ⌕ SOFTWARE-FUNCTION SYMBOL

#### APL

2395 ⌚ APL FUNCTIONAL SYMBOL QUAD  
 → 2337 ⌚ apl functional symbol squish quad  
 → 25AF ⌚ white vertical rectangle

#### Keyboard symbols from ISO 9995-7

2396 ⌁ DECIMAL SEPARATOR KEY SYMBOL  
 2397 ⌂ PREVIOUS PAGE  
 2398 ⌃ NEXT PAGE

2399 ⌄ PRINT SCREEN SYMBOL  
 239A ⌅ CLEAR SCREEN SYMBOL  
 → 20E2 ⌅ combining enclosing screen

#### Bracket pieces

239B	LEFT PARENTHESIS UPPER HOOK
239C	LEFT PARENTHESIS EXTENSION
239D	LEFT PARENTHESIS LOWER HOOK
239E	RIGHT PARENTHESIS UPPER HOOK
239F	RIGHT PARENTHESIS EXTENSION
23A0	RIGHT PARENTHESIS LOWER HOOK
23A1	LEFT SQUARE BRACKET UPPER CORNER
23A2	LEFT SQUARE BRACKET EXTENSION
23A3	LEFT SQUARE BRACKET LOWER CORNER
23A4	RIGHT SQUARE BRACKET UPPER CORNER
23A5	RIGHT SQUARE BRACKET EXTENSION
23A6	RIGHT SQUARE BRACKET LOWER CORNER
23A7	LEFT CURLY BRACKET UPPER HOOK
23A8	LEFT CURLY BRACKET MIDDLE PIECE
23A9	LEFT CURLY BRACKET LOWER HOOK
23AA	CURLY BRACKET EXTENSION
23AB	RIGHT CURLY BRACKET UPPER HOOK
23AC	RIGHT CURLY BRACKET MIDDLE PIECE
23AD	RIGHT CURLY BRACKET LOWER HOOK

#### Special character extensions

23AE ⌍ INTEGRAL EXTENSION  
 → 2320 ⌍ top half integral  
 → 2321 ⌍ bottom half integral  
 23AF ⌎ HORIZONTAL LINE EXTENSION  
 • used for extension of arrows  
 → 23D0 ⌎ vertical line extension

#### Bracket pieces

23B0	UPPER LEFT OR LOWER RIGHT CURLY BRACKET SECTION = left moustache
23B1	UPPER RIGHT OR LOWER LEFT CURLY BRACKET SECTION = right moustache

#### Summation sign parts

23B2 ⌊ SUMMATION TOP  
 23B3 ⌋ SUMMATION BOTTOM  
 → 2211 ⌊ n-ary summation

#### Horizontal brackets

*These characters are also used as delimiters of vertical text in non-CJK terminal emulation.*

23B4 ⌎ TOP SQUARE BRACKET  
 → FE47 ⌎ presentation form for vertical left square bracket  
 23B5 ⌏ BOTTOM SQUARE BRACKET  
 → FE48 ⌏ presentation form for vertical right square bracket  
 23B6 ⌐ BOTTOM SQUARE BRACKET OVER TOP SQUARE BRACKET  
 • only used for terminal emulation

#### Terminal graphic characters

23B7 ⌑ RADICAL SYMBOL BOTTOM  
 23B8 ⌒ LEFT VERTICAL BOX LINE  
 23B9 ⌓ RIGHT VERTICAL BOX LINE

**Scan lines for terminal graphics**

The scan line numbers here refer to old, low-resolution technology for terminals, with only 9 scan lines per fixed-size character glyph. Even-numbered scan lines are unified with box-drawing graphics.

- 23BA - HORIZONTAL SCAN LINE-1
- 23BB - HORIZONTAL SCAN LINE-3
- 23BC - HORIZONTAL SCAN LINE-7
- 23BD - HORIZONTAL SCAN LINE-9

**Dentistry notation symbols**

- 23BE ⌈ DENTISTRY SYMBOL LIGHT VERTICAL AND TOP RIGHT  
→ 2308 ⌈ left ceiling
- 23BF ⌋ DENTISTRY SYMBOL LIGHT VERTICAL AND BOTTOM RIGHT  
→ 230A ⌋ left floor
- 23C0 ⌈ DENTISTRY SYMBOL LIGHT VERTICAL WITH CIRCLE
- 23C1 ⌉ DENTISTRY SYMBOL LIGHT DOWN AND HORIZONTAL WITH CIRCLE
- 23C2 ⌊ DENTISTRY SYMBOL LIGHT UP AND HORIZONTAL WITH CIRCLE
- 23C3 ⌈ DENTISTRY SYMBOL LIGHT VERTICAL WITH TRIANGLE
- 23C4 ⌉ DENTISTRY SYMBOL LIGHT DOWN AND HORIZONTAL WITH TRIANGLE
- 23C5 ⌊ DENTISTRY SYMBOL LIGHT UP AND HORIZONTAL WITH TRIANGLE
- 23C6 ⌈ DENTISTRY SYMBOL LIGHT VERTICAL AND WAVE
- 23C7 ⌉ DENTISTRY SYMBOL LIGHT DOWN AND HORIZONTAL WITH WAVE
- 23C8 ⌊ DENTISTRY SYMBOL LIGHT UP AND HORIZONTAL WITH WAVE
- 23C9 ⌉ DENTISTRY SYMBOL LIGHT DOWN AND HORIZONTAL  
→ 22A4 ⌉ down tack  
→ 252C ⌉ box drawings light down and horizontal
- 23CA ⌈ DENTISTRY SYMBOL LIGHT UP AND HORIZONTAL  
→ 22A5 ⌈ up tack  
→ 2534 ⌈ box drawings light up and horizontal
- 23CB ⌈ DENTISTRY SYMBOL LIGHT VERTICAL AND TOP LEFT  
→ 2309 ⌈ right ceiling
- 23CC ⌉ DENTISTRY SYMBOL LIGHT VERTICAL AND BOTTOM LEFT  
→ 230B ⌉ right floor

**Miscellaneous technical**

- 23CD ⌈ SQUARE FOOT

**Keyboard and UI symbols**

- 23CE ↵ RETURN SYMBOL
  - may be shown with either hollow or filled glyph
  - 21B5 ↴ downwards arrow with corner leftwards
- 23CF ▲ EJECT SYMBOL
  - UI symbol to eject media

**Special character extension**

- 23D0 | VERTICAL LINE EXTENSION
  - used for extension of arrows
  - 23AF — horizontal line extension

**Metrical symbols**

- 23D1 ⌈ METRICAL BREVE
- 23D2 ⌉ METRICAL LONG OVER SHORT
- 23D3 ⌊ METRICAL SHORT OVER LONG
- 23D4 ⌈METRICAL LONG OVER TWO SHORTS
- 23D5 ⌉METRICAL TWO SHORTS OVER LONG
- 23D6 ⌈METRICAL TWO SHORTS JOINED
- 23D7 ⌈METRICAL TRISEME  
→ 1D242 ⌈ combining greek musical triseme
- 23D8 ⌈METRICAL TETRASEME  
→ 1D243 ⌈ combining greek musical tetraseme
- 23D9 ⌈METRICAL PENTASEME  
→ 1D244 ⌈ combining greek musical pentaseme

**Electrotechnical symbols**

- 23DA ⌈ EARTH GROUND
- 23DB ⌈ FUSE

**Horizontal brackets**

These are intended for bracketing terms of mathematical expressions where their glyph extends to accommodate the width of the bracketed expression

- 23DC ⌈ TOP PARENTHESIS  
→ FE35 ⌈ presentation form for vertical left parenthesis
- 23DD ⌈ BOTTOM PARENTHESIS  
→ FE36 ⌈ presentation form for vertical right parenthesis
- 23DE ⌈ TOP CURLY BRACKET  
→ FE37 ⌈ presentation form for vertical left curly bracket
- 23DF ⌈ BOTTOM CURLY BRACKET  
→ FE38 ⌈ presentation form for vertical right curly bracket
- 23E0 ⌈ TOP TORTOISE SHELL BRACKET  
→ FE39 ⌈ presentation form for vertical left tortoise shell bracket
- 23E1 ⌈ BOTTOM TORTOISE SHELL BRACKET  
→ FE3A ⌈ presentation form for vertical right tortoise shell bracket

**Miscellaneous technical**

- 23E2 ⌈ WHITE TRAPEZIUM

**Chemistry symbol**

- 23E3 ⌈ BENZENE RING WITH CIRCLE

**Miscellaneous technical**

- 23E4 — STRAIGHTNESS
- 23E5 ⌈ FLATNESS
- 23E6 ⌈ AC CURRENT
- 23E7 ✕ ELECTRICAL INTERSECTION
- 23E8 ⌈ DECIMAL EXPONENT SYMBOL
  - Algol-60 token for scientific notation literals