
**IEEE P802.11
Wireless LANs**

P802_11az_PAR_Modification**Date:** 2017-09-12**Author(s):**

Name	Affiliation	Address	Phone	email
Jon Rosdahl	Qualcomm	10871 N 5750 W Highland, UT 84003	+1-801-492-4023	jrosdahl@ieee.org
Su Khiong Yong	Apple			skyong@apple.com
Jonathan Segev	Intel Corporation		+972-54-2403587	jonathan.segev@intel.com

Abstract

This file contains the PDF output from the IEEE-SA PAR Modification Tool for P802.11az

P802.11az

Submitter Email: jrosdahl@ieee.org

Type of Project: Modify Existing Approved PAR

PAR Request Date: 01-Sep-2017

PAR Approval Date:

PAR Expiration Date:

Status: Unapproved PAR, Modification to a Previously Approved PAR for an Amendment

Root PAR: P802.11az **Approved on:** 03-Sep-2015

1.1 Project Number: P802.11az

1.2 Type of Document: Standard

1.3 Life Cycle: Full Use

2.1 Title: Standard for Information technology--Telecommunications and information exchange between systems Local and metropolitan area networks--Specific requirements Part 11: Wireless LAN Medium Access Control (MAC) and Physical Layer (PHY) Specifications Standard for Information Technology - Telecommunications and Information Exchange Between Systems Local and Metropolitan Area Networks - Specific Requirements Part 11: Wireless LAN Medium Access Control (MAC) and Physical Layer (PHY) Specifications - Enhancements for Positioning

Changes in title: Standard for Information technology--Telecommunications and information exchange between systems Local and metropolitan area networks--Specific requirements Part 11: Wireless LAN Medium Access Control (MAC) and Physical Layer (PHY) Specifications Standard for Information Technology - Telecommunications and Information Exchange Between Systems Local and Metropolitan Area Networks - Specific Requirements Part 11: Wireless LAN Medium Access Control (MAC) and Physical Layer (PHY) Specifications - Enhancements for Positioning

3.1 Working Group: Wireless LAN Working Group (C/LM/WG802.11)

Contact Information for Working Group Chair

Name: Adrian Stephens

Email Address: adrian.p.stephens@ieee.org

Phone: +44 1954 204610

Contact Information for Working Group Vice-Chair

Name: Jon Rosdahl

Email Address: jrosdahl@ieee.org

Phone: 801-492-4023

3.2 Sponsoring Society and Committee: IEEE Computer Society/LAN/MAN Standards Committee (C/LM)

Contact Information for Sponsor Chair

Name: Paul Nikolich

Email Address: p.nikolich@ieee.org

Phone: 8572050050

Contact Information for Standards Representative

Name: James Gilb

Email Address: gilb@ieee.org

Phone: 858-229-4822

4.1 Type of Ballot: Individual

4.2 Expected Date of submission of draft to the IEEE-SA for Initial Sponsor Ballot: 01/2020

4.3 Projected Completion Date for Submittal to RevCom

Note: Usual minimum time between initial sponsor ballot and submission to Revcom is 6 months.: 02/2021

5.1 Approximate number of people expected to be actively involved in the development of this project: 100

5.2.a. Scope of the complete standard: The scope of this standard is to define one medium access control (MAC) and several physical layer (PHY) specifications for wireless connectivity for fixed, portable, and moving stations (STAs) within a local area.

5.2.b. Scope of the project: This amendment defines modifications to both the IEEE 802.11 medium access control layer (MAC) and physical layers (PHY) of High Throughput (HT), Very High Throughput (VHT), Directional Multi Gigabit (DMG) and PHYs under concurrent development (e.g. High Efficiency WLAN (HEW), Next

Changes in scope of the project: This amendment defines modifications to both the IEEE 802.11 medium access control layer (MAC) and physical layers (PHY) of High Throughput (HT), Very High Throughput (VHT), Directional Multi Gigabit (DMG) and PHYs under concurrent development (e.g. High Efficiency WLAN (HEW),

Generation 60GHz (NG60)) that enables determination of absolute and relative position with better accuracy than the Fine Timing Measurement (FTM) protocol executing on the same PHY-type, while reducing existing wireless medium use and power consumption and is scalable to dense deployments. This amendment also defines modifications that enable secured exchange of measurement and positioning information.

This amendment requires backward compatibility and coexistence with legacy devices. Backward compatibility with legacy 802.11 devices implies that devices implementing this amendment shall (a) maintain data communication compatibility and (b) support the Fine Timing Measurement (FTM) protocol.

Next Generation 60GHz (NG60)) that enables determination of absolute and relative position with better accuracy ~~withthan~~ respect to the Fine Timing Measurement (FTM) protocol executing on the same PHY-type, while reducing existing wireless medium use and power consumption and is scalable to dense deployments. **This amendment also defines modifications that enable secured exchange of measurement and positioning information.** This amendment requires backward compatibility and coexistence with legacy devices. Backward compatibility with legacy 802.11 devices implies that devices implementing this amendment shall (a) maintain data communication compatibility and (b) support the Fine Timing Measurement (FTM) protocol.

5.3 Is the completion of this standard dependent upon the completion of another standard: Yes

If yes please explain: The P802.11ax HEW and P802.11ay NG60 task groups are also amending the IEEE Std. 802.11. It is anticipated that the P802.11az NGP, P802.11ax HEW and P802.11ay NG60 amendments will coordinate their drafts in accordance with their expected completion dates.

5.4 Purpose: The purpose of this standard is to provide wireless connectivity for fixed, portable, and moving stations within a local area. This standard also offers regulatory bodies a means of standardizing access to one or more frequency bands for the purpose of local area communication.

5.5 Need for the Project: With the introduction of accurate location support to IEEE Std 802.11, a broad set of mass market applications and Use Cases have been enabled.

However, as the technology penetrates the market, user expectations are for positioning services to be made available anytime, any place at increasing level of performance.

According to market research the year over year market till 2018 for 802.11 based positioning technology is expected to grow by roughly 15% for AP to STA usages and 50% for peer to peer usages year over year for the same period [2]. Thus the opportunity arises for 802.11 based systems to extend their location capabilities to new use case scenarios.

Current standardized technology already enables 802.11 based navigation for pedestrians, yet other usages and use cases are in need of additional positioning services:

* A more robust, accurate and precise location such as guidance to a product on a specific shelf [1,5] while retaining the existing infrastructure deployment density.

* A highly scalable indoor positioning system for crowded metro stations and stadiums [3,4,5].

* Non-AP STA to non-AP STA positioning such as support for peer to peer connectivity and decision making [5].

A secured exchange of ranging and positioning information for security related applications (such as financial transaction, unlocking door and accessing personal computer)[6].

5.6 Stakeholders for the Standard: Manufacturers and users of semiconductors, personal computers, enterprise networking devices, consumer electronic devices, home networking equipment, mobile wearable devices, test and measurement equipment providers.

Intellectual Property

6.1.a. Is the Sponsor aware of any copyright permissions needed for this project?: No

6.1.b. Is the Sponsor aware of possible registration activity related to this project?: No

7.1 Are there other standards or projects with a similar scope?: No

7.2 Joint Development

Is it the intent to develop this document jointly with another organization?: No

8.1 Additional Explanatory Notes: Par Modification explanation:

4.2 and 4.3 - updated new projected completion dates.

5.2b - Clarify the scope to indicate that in addition to ranging methods, it also adds that the project will enable secured exchange of measurement and positioning information.

5.3 - Update references to dependent projects.

5.5 adds sentence to indicate the need for the secured exchange methods.

8.1 update note for 5.2b and add Reference for security document for 5.5

5.2.b: IEEE Std 802.11(TM)-2016 includes a ranging protocol named Fine Timing Measurement

5.3: IEEE Std. 802.11: Standard for Information technology--Telecommunications and information exchange between systems --Local and metropolitan area networks--Specific requirements Part 11: Wireless LAN Medium Access Control (MAC) and Physical Layer (PHY) Specifications

5.5: References for Clause 5.5:

[1] "Indoor Location Positioning Technology: Research, Start-ups and Predictions", by Grizzly Analytics Market Research, March 2013.

[2] "Smartphone Indoor Location Technologies", by ABI Research, June 2013

[3] 11-14/1235r0, "Scalable Location", by Brian Hart (Cisco Systems) et al., <https://mentor.ieee.org/802.11/dcn/14/11-14-1235-00-0wng-scalable-location.pptx>

[4] 11-13/72r1, "Client Positioning using Timing Measurements between Access Points,", by Erik Lindskog (CSR Technology) et al., <https://mentor.ieee.org/802.11/dcn/13/11-13-0072-01-000m-client-positioning-using-timing-measurements-between-access-points.pptx>

[5] 11-14/1464r2, "Next Generation Positioning Overview and Challenges", by Jonathan Segev (Intel) et al., <https://mentor.ieee.org/802.11/dcn/14/11-14-1464-02-0wng-ng-positioning-overview-and-challenges.pptx>

[6] 13 11-17/120r2, "Secured Location Threat Model", by Benny Abramovsky (Intel) et al., <https://mentor.ieee.org/802.11/dcn/17/11-17-0120-02-00az-secured-location-threat-model.pptx>