

WINCHESTER[®]

A M M U N I T I O N



2010 WINCHESTER AMMUNITION



CONTENTS

YEAR IN REVIEW	2-3
NEW PRODUCTS	4-10
CENTERFIRE RIFLE	11-21
CENTERFIRE HANDGUN	22-25
SHOTSHELL SHOTSHELL GAME GUIDE	26-33 31
RIMFIRE	34-37
RELOADING COMPONENTS	38-39

*Oliver F. Winchester*TM



WINCHESTER

1866 HERITAGE + INNOVATION 2010

The legacy of "The American Legend"TM is built on the innovation and entrepreneurship of one man: Oliver F. Winchester. In 2010, we celebrate Oliver's 200th birthday and pay respect to the Winchester[®] brand — one of the most iconic names in America.

As a tribute to Oliver, we've created a limited edition collector's series of ammunition to accompany the limited edition Model 1894TM. It's our heritage that we're anxious to share.

Equally important is our lineup of innovative new products. As an industry leader, Winchester introduces more meaningful products than its competition, delivering engineering excellence in all ammunition

categories. In fact, for the second consecutive year, Winchester Ammunition has been recognized by the National Association of Sporting Goods Wholesalers (NASGW) with the group's "Ammunition Manufacturer of the Year" award.

As we head into a new year, it's also very important that we thank YOU — our loyal customers. While the demand for ammunition products has been extraordinarily high this past year, Winchester operations have literally been working 24/7 to meet the growing needs of our customers.

WINCHESTER®

NEWS & EVENTS | 2010



VERSUSCOUNTRY.COM

WINCHESTER LEGENDS TV IS PROUDLY SPONSORED BY:



WINCHESTER® AMMUNITION—INDUSTRY LEADERSHIP

Winchester Ammunition — Industry Leadership Defined

While we hang our cap on innovative new products each year, there's more to the real story of Winchester Ammunition. Some of the most devout sportsmen and women from all parts of the world know that no other company supports the outdoor and shooting sports industry like Winchester Ammunition. And, we're embracing new ways to reach and support you, our customer.

The NEW world-class Winchester web site is a true destination for hunters and shooters. Visit www.winchester.com and check out the most advanced ballistics calculator in the industry, an online store loaded with Winchester gear and apparel, videos, articles, special offers and, of course, the latest Winchester ammunition products.

Our prominent presence in the world of outdoor television brings the Winchester brand to life. Whether it's whitetail, waterfowl, or another exotic adventure, people are tuning in, and they like what they see.



Check out our newly designed web site at www.winchester.com.



PDX1TM
410

STOP THE THREAT™

**WINCHESTER® SUPREME ELITE® PDX1™
 AMMUNITION FOR PERSONAL DEFENSE**

When it comes to the safety of you or your family, choose the shotshell load that delivers a threat-stopping combination of two distinct personal defense technologies: PDX1™.

Highly effective in both shotguns and 410 compatible handguns, the 410-gauge Supreme Elite PDX1 features a distinctive black hull and black oxide high-base head and combines three plated Defense Disc™ projectiles and 12 pellets of plated BB shot. The result is the ideal personal defense load for short range engagement with the performance needed to stop threats.

As you can imagine, this load is also suitable for varmint hunting and pest control.

Gauge	Symbol	Shell Length	Shot	Defense Disc™ Projectiles
410	S410PDX1	2-1/2"	(12) BB	3



PDX1TM
12

STOP THE THREATTM

**WINCHESTER[®] SUPREME ELITE[®] PDX1TM
AMMUNITION FOR PERSONAL DEFENSE**

Combining proven personal defense technologies, Winchester Ammunition introduces one of the most revolutionary shotshells to the industry in PDX1TM 12.

The 12-gauge Supreme Elite PDX1 features a distinctive black hull, black oxide high-base head and 3 pellets of Grex[®] buffered 00 plated buckshot nested on top of a 1 oz rifled slug. The result is the ideal, tight patterning personal defense load. The slug/buckshot combination provides optimum performance at short and longer ranges while compensating for aim error.



Gauge	Symbol	Shell Length	Slug	Shot Size
12	S12PDX1	2-3/4"	1 oz	00 Buck (3)

NEW PRODUCT: PDX1TM 12

NEW PRODUCT: BONDED PDX1™



Bonded PDX1 tested in 10% ballistic gelatin.



WINCHESTER® SUPREME ELITE® BONDED PDX1™ AMMUNITION FOR PERSONAL DEFENSE

The Winchester® Bonded PDX1™ is engineered to maximize terminal ballistics as defined by the demanding FBI test protocol, which simulates real-world threats.

The proprietary bonding process welds lead and jacket together to work as a unit, controlling expansion and providing superior retained weight upon impact. This bonding process ensures the lead permanently adheres to the jacket for maximum stopping power. Six segment jacket design promotes consistent and programmed expansion at a variety of impact velocities, maximizing expanded diameter.

This year, we're introducing Bonded PDX1 in 380 Auto and 45 Colt – developed specifically to respond to the growing need for technologically superior ammunition for use in new firearms introduced in these calibers.



STOP THE THREAT™

New Offerings in 2010

Symbol	Caliber	Bullet Weight	Bullet Type
S380PDB	380 Auto	95 gr	JHP Bonded
S45CPDB	45 Colt	225 gr	JHP Bonded

To review the complete line of Bonded PDX1 offerings, see page 23.



“Fragmenting core” bullet design delivers explosive impact on 10% ballistic gelatin.

WINCHESTER® SUPREME® BALLISTIC SILVERTIP® LEAD FREE

Winchester® Ammunition is taking varmint hunting to a new level using fragmenting copper core technology to incorporate a lead free bullet in both .223 Rem and 22-250 Rem in the Ballistic Silvertip line.

This new lead free bullet, brought to you by Nosler® and Winchester, features a plastic tip to reduce tip damage and has a gilding metal jacket. The fragmenting copper core is engineered to explode on impact.

Ballistic Silvertip
LEAD FREE

Explosive Technology™

Symbol	Caliber	Bullet Weight	Bullet Type
S223RLF	223 Rem	35 gr	Ballistic Silvertip LF
S22250RLF	22-250 Rem	35 gr	Ballistic Silvertip LF

NEW PRODUCT: DUAL BOND®



WINCHESTER® SUPREME ELITE® DUAL BOND®

No more trade-offs between expansion diameter, penetration and retained weight! The Supreme Elite® Dual Bond® optimizes all three for awesome knock down and deep penetration, and helps ensure a clean, quick kill.

The revolutionary “bullet within a bullet” Dual Bond design and massive hollow point delivers a unique 12-segment design, with 2 times the expansion for maximum stopping power. The proprietary bonding process welds the lead and inner bullet jacket together. The heavy outer jacket is mechanically bonded to the inner bullet, protecting it during penetration through thick hide and heavy bone. This revolutionary design delivers unprecedented knockdown and penetration – retaining nearly 100% of the original weight.


Available in 12 and 20 gauge sabot shotgun slug – and in popular centerfire calibers, Dual Bond is designed for whitetail deer to large, dangerous North American game.

New Centerfire Offerings in 2010

Symbol	Caliber	Bullet Weight	Bullet Type
S44RMDB	44 Rem Mag	240 gr	DJHP Bonded
S4570DB	45-70 Gov't	375 gr	DJHP Bonded

Dual Bond®

To review the complete line of Dual Bond handgun offerings, see page 23. For Dual Bond sabot slug offerings, see page 32.



SUPER-X® POWER MAX BONDED® CENTERFIRE RIFLE

Designed specifically for the whitetail deer hunter, Power Max Bonded® delivers maximum performance at an affordable price.

The proprietary bonding process welds the lead core to a contoured copper alloy jacket. The aerodynamic profile of the protected hollow point (PHP) bullet design promotes long-range accuracy and initiates maximum expansion to provide dramatic knockdown power.

New Offerings in 2010

Symbol	Caliber	Bullet Weight	Bullet Type
X2432BP	243 Win	100 gr	Power Max Bonded® (PHP)
X7MMR1BP	7mm Rem Mag	150 gr	Power Max Bonded (PHP)
X7MMWSMBP	7mm WSM	150 gr	Power Max Bonded (PHP)
X30064BP	30-06 Sprg	180 gr	Power Max Bonded (PHP)
X300WSMBP	300 WSM	180 gr	Power Max Bonded (PHP)
X30WM2BP	300 Win Mag	180 gr	Power Max Bonded (PHP)

PHP = Protected Hollow Point



To review the complete line of Power Max Bonded rifle offerings, see pages 18-19.



Oliver F. Winchester™

200-YEAR COMMEMORATIVE



The legacy of “The American Legend™” is built on the innovation and American entrepreneurship of one man: Oliver F. Winchester.

To celebrate 200 years since Oliver’s birth, Winchester® Ammunition has created a strictly limited edition collector’s series of commemorative ammunition in the classic 30-30 Winchester, 45 Colt and 22 Long Rifle cartridges.

The Oliver F. Winchester limited edition cartridges feature nickel-plated shellcases, specially designed “OFW” headstamps – and all offerings come in collectible vintage packaging featuring the image, signature and biography of the man who helped “win the west.”

Don’t miss out on this chance to own a piece of the legend and celebrate the 200th anniversary of the most famous name in shooting sports history: Winchester!

Symbol	Caliber	Bullet Weight	Bullet Type
X45CBOFW	45 Colt	250 gr	Lead Round Nose
X30306OFW	30-30 Winchester	150 gr	Power Point®
X22LROFW	22 Long Rifle	40 gr	Plated Lead Round Nose

WINCHESTER®

WINCHESTER AMMUNITION | 2010



CENTERFIRE RIFLE

Setting the Standard in Centerfire Rifle

Just one look at the centerfire rifle cartridges on the following pages tells the tale: cutting-edge design and manufacturing technology; strict quality control; incredible on-target performance. Winchester® Centerfire Rifle Ammunition. No matter what your game – it's the best ammunition money can buy.


Always in the Field

As you'd expect, we are constantly looking for ways to make you more successful in the field or on the range.


To this end, Winchester continues to build on its legendary product innovation prowess with the introduction of exciting new centerfire rifle ammunition offerings every year.

Legendary leadership. Legendary innovation. Winchester: The American Legend™.

GAME GUIDE

1  Prairie Dog, Marmots, Coyote, Fox

2  Light Thin Skin Game: Whitetail Deer, Antelope, Mule Deer, Black Bear

3  Large Heavy Game: Elk, Moose, Brown Bear, Caribou, Eland

4  Extra Large, Dangerous African Game: Elephant, Cape Buffalo

SUPREME ELITE® & SUPREME® CENTERFIRE RIFLE BALLISTICS




Cartridge	Symbol	Bullet Wt.		Bullet Type	Game Guide	Muzzle	Velocity in Feet Per Second (fps)					Energy in Foot Pounds (ft-lbs.)					
		(Grs.)	B.C.				100	200	300	400	500	Muzzle	100	200	300	400	500
204 Ruger	SBST204R	32	0.206	Ballistic Silvertip®	1	4050	3482	2984	2537	2132	1767	1165	862	632	457	323	222
▶ LF 22-250 Remington	S22250RLF	35	0.201	Ballistic Silvertip	1	4350	3729	3189	2711	2280	1890	1470	1081	790	571	404	278
22-250 Remington	SBST22250	50	0.238	Ballistic Silvertip	1	3810	3341	2919	2536	2182	1859	1611	1239	946	714	529	384
22-250 Remington	SBST22250B	55	0.267	Ballistic Silvertip	1	3680	3272	2900	2558	2240	1946	1654	1307	1027	799	613	462
▶ LF 223 Remington	S223RLF	35	0.201	Ballistic Silvertip	1	3800	3251	2766	2330	1935	1586	1110	813	588	417	287	193
223 Remington	SBST223	50	0.238	Ballistic Silvertip	1	3410	2982	2593	2235	1907	1613	1291	987	746	555	404	289
223 Remington	SBST223B	55	0.267	Ballistic Silvertip	1	3240	2871	2531	2215	1923	1657	1282	1006	782	599	451	335
223 WSSM	SBST223SS	55	0.276	Ballistic Silvertip	1	3850	3438	3064	2721	2402	2105	1810	1444	1147	904	704	541
243 Winchester	SXP243W	95	0.411	XP®	2	3100	2864	2641	2428	2225	2032	2027	1730	1471	1243	1044	871
243 Winchester	SBST243	55	0.276	Ballistic Silvertip	1	3910	3493	3114	2766	2444	2144	1867	1489	1184	934	729	562
243 Winchester	SBST243A	95	0.400	Ballistic Silvertip	2	3100	2854	2626	2410	2203	2007	2021	1719	1455	1225	1024	850
243 WSSM	SXP243WSS	95	0.411	XP ³	2	3150	2912	2686	2471	2266	2071	2093	1788	1521	1287	1083	904
243 WSSM	SBST243SS	55	0.276	Ballistic Silvertip	1	4060	3628	3237	2880	2550	2243	2013	1607	1280	1013	794	614
243 WSSM	SBST243SSA	95	0.401	Ballistic Silvertip	2	3150	2905	2674	2453	2244	2045	2093	1780	1508	1270	1062	882
25 WSSM	S25WSSCT	110	0.420	AccuBond® CT®	2	3100	2870	2651	2442	2243	2053	2347	2011	1716	1456	1228	1029
25 WSSM	SBST25WSS	85	0.333	Ballistic Silvertip	1	3470	3156	2863	2589	2331	2088	2273	1880	1548	1266	1026	823
25 WSSM	SBST25WSSA	115	0.446	Ballistic Silvertip	2	3060	2844	2639	2442	2254	2074	2392	2066	1778	1523	1298	1099
25-06 Remington	S2506CT	110	0.420	AccuBond CT	2	3100	2870	2651	2442	2243	2053	2347	2011	1716	1456	1228	1029
25-06 Remington	SBST2506A	85	0.333	Ballistic Silvertip	1	3470	3156	2863	2589	2331	2088	2273	1880	1548	1266	1026	823
25-06 Remington	SBST2506	115	0.446	Ballistic Silvertip	2	3060	2844	2639	2442	2254	2074	2392	2066	1778	1523	1298	1099
LF 270 Winchester	S270WET	130	0.459	E-Tip®	2/3	3050	2841	2641	2450	2267	2092	2685	2329	2013	1732	1483	1263
270 Winchester	SXP270WA	130	0.436	XP ³	2/3	3050	2830	2621	2420	2229	2047	2685	2311	1982	1691	1434	1209
270 Winchester	SXP270W	150	0.503	XP ³	2/3	2950	2763	2583	2411	2245	2086	2898	2542	2223	1936	1679	1449
270 Winchester	S270CT	140	0.472	AccuBond CT	2	2950	2751	2560	2378	2203	2035	2705	2352	2038	1757	1508	1287
270 Winchester	SBST270	130	0.433	Ballistic Silvertip	2	3050	2828	2618	2416	2224	2040	2685	2309	1978	1685	1428	1202
LF 270 WSM	S270SET	130	0.459	E-Tip	2/3	3275	3055	2845	2645	2454	2271	3096	2693	2336	2020	1738	1488
270 WSM	SXP270SA	130	0.436	XP ³	2/3	3275	3043	2824	2614	2415	2224	3096	2673	2301	1973	1683	1427
270 WSM	SXP270S	150	0.503	XP ³	2/3	3120	2926	2740	2561	2389	2224	3242	2850	2499	2184	1901	1648
270 WSM	S270WSMCT	140	0.472	AccuBond CT	3	3200	2989	2789	2579	2413	2236	3184	2779	2418	2097	1810	1555
270 WSM	SBST2705	130	0.432	Ballistic Silvertip	2	3275	3041	2820	2609	2408	2215	3096	2669	2295	1964	1673	1416
270 WSM	SBST2705A	150	0.496	Ballistic Silvertip	2	3120	2923	2734	2554	2380	2213	3242	2845	2490	2172	1886	1613
280 Remington	SBST280	140	0.485	Ballistic Silvertip	2	3040	2842	2653	2471	2297	2130	2872	2511	2187	1898	1640	1410
7mm-08 Remington	SBST708	140	0.454	Ballistic Silvertip	2	2770	2572	2382	2200	2026	1860	2386	2056	1764	1504	1276	1076
LF 7mm WSM	S7SET	140	0.498	E-Tip	2/3	3150	2952	2763	2582	2408	2241	3304	2903	2543	2220	1931	1672
7mm WSM	SXP7WSM	160	0.512	XP ³	2/3	3050	2862	2682	2509	2342	2182	3304	2910	2555	2235	1948	1691
7mm WSM	S7MMWSMCTA	140	0.460	AccuBond CT	2	3225	3008	2801	2604	2415	2233	3233	2812	2439	2107	1812	1550
7mm WSM	S7MMWSMCT	160	0.512	AccuBond CT	3	3050	2862	2682	2509	2342	2182	3306	2911	2556	2237	1950	1692
7mm WSM	SBST7MMS	140	0.460	Ballistic Silvertip®	2	3225	3008	2810	2603	2414	2233	3233	2812	2438	2106	1812	1550
LF 7mm Remington Mag.	S7RMET	140	0.498	E-Tip	2/3	3100	2905	2718	2538	2366	2200	3200	2809	2459	2145	1864	1612
7mm Remington Mag.	SXP7RM	160	0.512	XP ³	2/3	2950	2766	2590	2420	2257	2100	3091	2718	2382	2080	1809	1599
7mm Remington Mag.	S7MMCTA	140	0.460	AccuBond CT	2	3180	2965	2760	2565	2377	2197	3143	2733	2368	2044	1756	1501
7mm Remington Mag.	S7MMCT	160	0.512	AccuBond CT	3	2950	2766	2590	2420	2257	2099	3091	2718	2382	2080	1809	1566
7mm Remington Mag.	SBST7A	140	0.460	Ballistic Silvertip	2	3110	2899	2697	2504	2319	2142	3008	2612	2261	1949	1671	1426
7mm Remington Mag.	SBST7	150	0.493	Ballistic Silvertip	2	3100	2903	2714	2533	2359	2192	3200	2806	2453	2136	1853	1600
30-30 Winchester	SBST3030	150	0.232	Ballistic Silvertip	2/3	2390	2040	1723	1447	1225	1072	1902	1386	989	697	499	383

LF = LEAD FREE PROJECTILE

▶ NEW PRODUCT

BALLISTIC COEFFICIENT (BC): The "Ballistic Coefficient" or B.C. of a projectile (bullet) is a measure of its efficiency in flight or how well it is able to overcome air resistance. The higher the ballistic coefficient, the less velocity a bullet will lose over distance – resulting in less drop at longer ranges and more energy on target. So, for long range hunting or target shooting, the higher the B.C. the better. See Winchester's new Ballistic Calculator on the Winchester web site.

Trajectory, Short Range Yards					Trajectory, Long Range Yards				
50	100	200	300	400	100	200	300	400	500
-0.4	0	-1.4	-6.7	-17.5	0.7	0	-4.6	-14.7	-32.6
-0.5	0	-1.0	-5.5	-14.7	0.5	0	-4.0	-12.7	-28.2
-0.4	0	-1.6	-7.4	-18.6	0.8	0	-4.9	-15.2	-32.9
-0.4	0	-1.8	-7.7	-18.9	0.9	0	-5.0	-15.4	-32.8
-0.4	0	-1.8	-8.2	-21.1	0.9	0	-5.5	-17.5	-38.9
-0.3	0	-2.4	-10.1	-24.7	1.2	0	-6.4	-19.8	-42.8
-0.3	0	-2.7	-10.9	-26.3	1.4	0	-6.8	-20.8	-44.3
-0.4	0	-1.5	-6.6	-16.5	0.7	0	-4.4	-13.6	-28.8
-0.3	0	-2.7	-10.5	-24.1	1.4	0	-6.4	-18.7	-38.0
-0.4	0	-1.4	-6.3	-15.9	0.7	0	-4.3	-13.1	-27.7
-0.3	0	-2.8	-10.6	-24.4	1.4	0	-6.4	-18.9	-38.4
-0.3	0	-2.6	-10.0	-23.2	1.3	0	-6.1	-18.0	-36.6
-0.5	0	-1.2	-5.6	-14.3	0.6	0	-3.9	-12.0	-25.5
-0.3	0	-2.6	-10.1	-23.4	1.3	0	-6.2	-18.2	-37.1
-0.3	0	-2.7	-10.4	-24.0	1.4	0	-6.3	-18.5	-37.6
-0.4	0	-2.0	-8.3	-19.7	1.0	0	-5.2	-15.7	-32.5
-0.3	0	-2.8	-10.6	-24.3	1.4	0	-6.4	-18.6	-37.7
-0.3	0	-2.7	-10.4	-24.0	1.4	0	-6.3	-18.5	-37.6
-0.4	0	-2.0	-8.3	-19.7	1.0	0	-5.2	-15.7	-32.5
-0.3	0	-2.8	-10.6	-24.3	1.4	0	-6.4	-18.6	-37.7
-0.2	0	-2.8	-10.6	-24.2	1.4	0	-6.4	-18.6	-37.6
-0.2	0	-2.8	-11.0	-25.0	1.4	0	-6.5	-19.0	-38.0
-0.2	0	-3.1	-11.3	-25.6	1.5	0	-6.7	-19.5	-39.1
-0.2	0	-3.1	-11.5	-26.1	1.6	0	-6.9	-19.9	-40.1
-0.2	0	-2.8	-10.8	-24.7	1.4	0	-6.5	-18.9	-38.4
-0.3	0	-2.2	-8.8	-20.3	1.1	0	-5.4	-15.8	-32.0
-0.3	0	-2.3	-8.9	-20.6	1.1	0	-5.5	-16.1	-32.7
-0.3	0	-2.6	-9.8	-22.3	1.3	0	-5.9	-17.1	-34.5
-0.3	0	-2.4	-9.3	-21.3	1.2	0	-5.7	-16.5	-33.3
-0.3	0	-2.3	-8.9	-20.7	1.1	0	-5.5	-16.1	-32.8
-0.3	0	-2.6	-9.8	-22.4	1.3	0	-5.9	-17.2	-34.7
-0.2	0	-2.8	-10.6	-24.0	1.4	0	-6.3	-18.4	-37.0
-0.1	0	-3.8	-13.7	-30.8	1.9	0	-8.0	-23.2	-46.9
-0.3	0	-2.5	-9.5	-21.8	1.2	0	-5.8	-16.8	-33.9
-0.3	0	-2.7	-10.3	-23.5	1.4	0	-6.2	-18.0	-36.1
-0.3	0	-2.3	-9.1	-21.2	1.2	0	-5.6	-16.4	-33.1
-0.3	0	-2.7	-10.3	-23.5	1.4	0	-6.2	-17.9	-36.0
-0.3	0	-2.3	-9.1	-21.1	1.2	0	-5.6	-16.4	-33.1
-0.3	0	-2.6	-10.0	-22.7	1.3	0	-6.0	-17.5	-35.1
-0.2	0	-3.0	-11.3	-25.5	1.5	0	-6.7	-19.4	-38.9
-0.3	0	-2.5	-9.5	-21.8	1.2	0	-5.8	-16.9	-34.2
-0.2	0	-3.0	-11.3	-25.5	1.5	0	-6.7	-19.4	-38.9
-0.3	0	-2.6	-10.1	-23.1	1.3	0	-6.1	-17.8	-35.9
-0.3	0	-2.6	-10.0	-22.8	1.3	0	-6.0	-17.5	-35.1
0.4	0	-7.5	-27.0	-63.0	3.8	0	-15.6	-47.9	-



SUPREME ELITE® & SUPREME® CENTERFIRE RIFLE BALLISTICS

Cartridge	Symbol	Bullet Wt.		Bullet Type	Game	Velocity in Feet Per Second (fps)						Energy in Foot Pounds (ft.-lbs.)					
		(Grs.)	B.C.			Guide	Muzzle	100	200	300	400	500	Muzzle	100	200	300	400
LF 30-06 Springfield	S3006ETA	150	0.469	E-Tip®	3	2900	2702	2512	2330	2156	1989	2801	2431	2102	1809	1548	1318
LF 30-06 Springfield	S3006ET	180	0.523	E-Tip	3	2750	2578	2412	2252	2099	1951	3022	2655	2325	2027	1760	1521
30-06 Springfield	SXP3006	180	0.527	XP³®	2/3	2750	2579	2414	2280	2103	1957	3022	2658	2330	2034	1768	1530
30-06 Springfield	SXP3006A	150	0.437	XP³	2/3	2925	2712	2508	2313	2127	1950	2849	2448	2095	1782	1507	1266
30-06 Springfield	S3006CT	180	0.509	AccuBond® CT®	3	2750	2573	2403	2239	2082	1931	3022	2646	2308	2004	1732	1491
30-06 Springfield	SBST3006	150	0.435	Ballistic Silvertip®	2	2900	2687	2483	2289	2103	1926	2801	2404	2054	1745	1473	1236
30-06 Springfield	SBST3006A	168	0.475	Ballistic Silvertip	2	2790	2599	2416	2240	2072	1911	2903	2520	2177	1872	1601	1362
30-06 Springfield	SBST3006B	180	0.507	Ballistic Silvertip	2	2750	2572	2402	2237	2080	1928	3022	2644	2305	2001	1728	1486
LF 300 WSM	S300SETA	150	0.469	E-Tip	3	3300	3083	2877	2679	2491	2301	3626	3165	2756	2391	2066	1777
LF 300 WSM	S300SET	180	0.523	E-Tip	3	3010	2827	2652	2484	2321	2165	3621	3195	2811	2465	2153	1873
300 WSM	SXP300S	180	0.527	XP³	2/3	3010	2829	2655	2488	2326	2171	3621	3198	2817	2473	2162	1883
300 WSM	SXP300SA	150	0.437	XP³	2/3	3300	3068	2847	2637	2437	2246	3626	3134	2699	2316	1978	1679
300 WSM	S300WSMCT	180	0.509	AccuBond CT	3	3010	2822	2643	2470	2304	2144	3622	3185	2792	2439	2121	1837
300 WSM	SBST300S	150	0.424	Ballistic Silvertip	2	3300	3061	2834	2619	2414	2218	3628	3121	2676	2285	1941	1638
300 WSM	SBST300SA	180	0.507	Ballistic Silvertip	3	3010	2822	2641	2468	2301	2141	3621	3182	2788	2434	2116	1832
LF 300 Winchester Mag.	S300WMETA	150	0.469	E-Tip	3	3260	3083	2877	2679	2491	2310	3539	3088	2687	2329	2011	1728
LF 300 Winchester Mag.	S300WMET	180	0.523	E-Tip	3	2950	2770	2597	2430	2270	2116	3478	3066	2695	2361	2059	1789
300 Winchester Mag.	SXP300WM	180	0.527	XP³	2/3	3000	2819	2646	2479	2318	2163	3597	3176	2797	2455	2147	1869
300 Winchester Mag.	SXP300WMA	150	0.437	XP³	2/3	3260	3030	2811	2603	2404	2214	3539	3057	2632	2256	1925	1633
300 Winchester Mag.	S300WMCT	180	0.509	AccuBond CT	3	2950	2765	2588	2417	2253	2095	3478	3055	2676	2334	2028	1754
300 Winchester Mag.	SBST300	180	0.507	Ballistic Silvertip	3	2950	2764	2586	2415	2250	2092	3478	3054	2673	2331	2023	1749
LF 308 Winchester	S308ETA	150	0.469	E-Tip	3	2810	2616	2430	2251	2080	1917	2629	2279	1966	1688	1441	1224
308 Winchester	SXP308	150	0.437	XP³	2/3	2825	2616	2417	2226	2044	1871	2658	2279	1945	1650	1392	1166
308 Winchester	SBST308	150	0.435	Ballistic Silvertip	2	2810	2601	2401	2211	2028	1856	2629	2253	1920	1627	1370	1147
308 Winchester	SBST308A	168	0.474	Ballistic Silvertip	2	2670	2484	2306	2134	1971	1815	2659	2301	1983	1699	1449	1229
308 Winchester Match	S308M	168	0.453	Sierra MatchKing™ BTHP-		2680	2485	2297	2118	1948	1786	2680	2303	1970	1674	1415	1190
325 WSM	SXP325S	200	0.500	XP³	3	2950	2762	2581	2408	2241	2081	3864	3387	2959	2574	2230	1923
325 WSM	S325WSMCT	200	0.477	AccuBond CT	3	2950	2753	2565	2384	2210	2044	3866	3367	2922	2524	2170	1856
325 WSM	SBST325S	180	0.439	Ballistic Silvertip	3	3060	2841	2632	2432	2242	2060	3743	3226	2769	2365	2009	1696
338 Winchester Mag.	S338CT	225	0.548	AccuBond CT	3	2800	2634	2474	2319	2170	2026	3918	3467	3058	2688	2353	2052
LF 338 Winchester Mag.	S338ET	200	0.500	E-Tip	3	2950	2729	2519	2319	2127	1945	3864	3292	2805	2376	1999	1671
338 Winchester Mag.	SBST338	200	0.414	Ballistic Silvertip	3	2950	2724	2509	2303	2108	1922	3864	3294	2794	2355	1972	1640
357 Magnum #	S357P•	180	0.132	Partition Gold®	2	1550	1180	965	854	769	698	960	538	372	291	237	195
41 Remington Mag. #	S41PTHP•	240	0.195	Platinum Tip®	2	1830	1488	1219	1047	945	870	1784	1179	792	584	475	403
44 Remington Mag. #	S44PTHP•	250	0.188	Platinum Tip	2	1830	1475	1202	1032	931	857	1859	1208	801	592	481	408
44 Remington Mag. #	S44MP•	250	0.188	Partition Gold	2	1810	1456	1188	1025	926	853	1818	1176	783	583	476	404
45-70 Government	SBST4570	300	TBD	Ballistic Silvertip		TBD						TBD					
45-70 Government	SPG4570	300	0.214	Partition Gold	3	1880	1558	1292	1103	988	910	2355	1616	1112	811	651	551
45-70 Government	S4570DB	375	.267	Dual Bond®	3	1500	1292	1135	1029	-	-	1873	1391	1072	881	-	-
375 H&H	S375SLSP	300	0.398	Nosler® Partition®	3/4	2530	2316	2112	1919	1737	1569	4263	3572	2970	2452	2010	1640
LF 375 H&H	S375SLS	300	0.198	Nosler® Solid	4	2530	2110	1734	1413	1170	1021	4263	2965	2002	1329	911	694
416 Rem-Mag	S416SLSP	400	0.390	Nosler Partition	3/4	2400	2188	1987	1797	1621	1460	5115	4251	3504	2868	2333	1894
LF 416 Rem-Mag	S416SLS	400	0.263	Nosler Solid	4	2400	2089	1806	1547	1328	1157	5115	3876	2896	2124	1565	1190
416 Rigby	S416RSLSP	400	0.390	Nosler Partition	3/4	2370	2159	1960	1772	1598	1439	4988	4141	3410	2788	2266	1840
LF 416 Rigby	S416RSL	400	0.263	Nosler Solid	4	2370	2061	1778	1524	1309	1145	4988	3774	2807	2064	1522	1163
458 Win-Mag	S458WSLSP	500	0.330	Nosler Partition	3/4	2010	1786	1580	1397	1243	1124	4485	3539	2771	2168	1715	1401
LF 458 Win-Mag	S458WSLS	500	0.243	Nosler Solid	4	2010	1710	1447	1233	1083	986	4485	3245	2323	1688	1302	1080

▶ NEW PRODUCT

LF = LEAD FREE PROJECTILE

BALLISTIC COEFFICIENT (BC): The "Ballistic Coefficient" or B.C. of a projectile (bullet) is a measure of its efficiency in flight or how well it is able to overcome air resistance. The higher the ballistic coefficient, the less velocity a bullet will lose over distance – resulting in less drop at longer ranges and more energy on target. So, for long range hunting or target shooting, the higher the B.C. the better. See Winchester's new Ballistic Calculator on the Winchester web site.

• INDICATES BALLISTIC DATA GENERATED FROM 20" BARREL LENGTH. ALL OTHER BALLISTIC DATA GENERATED FROM 24" BARREL LENGTH.

ALSO ACCEPTABLE FOR USE IN PISTOLS AND REVOLVERS.

Trajectory, Short Range Yards

Trajectory, Long Range Yards

50	100	200	300	400	100	200	300	400	500
-0.2	0	-3.3	-12.1	-27.3	1.6	0	-7.2	-20.7	-41.8
-0.1	0	-3.7	-13.5	-30.0	1.9	0	-7.9	-22.6	-45.2
-0.1	0	-3.7	-13.4	-30.0	1.9	0	-7.8	-22.5	-45.1
-0.2	0	-3.2	-12.0	-27.3	1.6	0	-7.2	-20.8	-42.2
-0.1	0	-3.8	-13.5	-30.3	1.9	0	-7.9	-22.8	-45.6
-0.2	0	-3.3	-12.3	-27.9	1.7	0	-7.3	-21.2	-43.0
-0.2	0	-3.6	-13.3	-29.8	1.8	0	-7.8	-22.5	-45.2
-0.1	0	-3.8	-13.6	-30.3	1.9	0	-7.9	-22.8	-45.7
-0.3	0	-2.2	-8.5	-19.8	1.1	0	-5.3	-15.4	-31.2
-0.2	0	-2.9	-10.7	-24.1	1.4	0	-6.4	-18.4	-36.8
-0.2	0	-2.8	-10.6	-24.0	1.4	0	-6.4	-18.3	-36.8
-0.3	0	-2.2	-8.7	-20.2	1.1	0	-5.4	-16.0	-32.0
-0.2	0	-2.9	-10.7	-24.3	1.4	0	-6.4	-18.5	-37.2
-0.3	0	-2.2	-8.8	-20.4	1.1	0	-5.4	-15.9	-32.4
-0.2	0	-2.9	-10.7	-24.3	1.4	0	-6.4	-18.6	-37.3
-0.3	0	-2.3	-8.8	-20.4	1.1	0	-5.4	-15.9	-32.1
-0.2	0	-3.0	-11.2	-25.3	1.5	0	-6.7	-19.2	-38.6
-0.2	0	-2.9	-10.7	-24.2	1.4	0	-6.4	-18.5	-37.0
-0.3	0	-2.3	-9.0	-20.8	1.1	0	-5.6	-16.2	-33.0
-0.2	0	-3.0	-11.3	-25.5	1.5	0	-6.7	-19.4	-39.0
-0.2	0	-3.0	-11.3	-25.5	1.5	0	-6.7	-19.4	-38.9
-0.2	0	-3.6	-13.1	-29.4	1.8	0	-7.7	-22.3	-44.9
-0.2	0	-3.6	-13.1	-29.7	1.8	0	-7.8	-22.6	-45.7
-0.2	0	-3.6	-13.3	-30.2	1.8	0	-7.8	-22.8	-46.2
-0.1	0	-4.1	-14.8	-33.2	2.1	0	-8.6	-24.8	-50.0
-0.1	0	-4.1	-14.9	-33.4	2.1	0	-8.7	-25.1	-50.7
-0.2	0	-3.1	-11.3	-25.6	1.5	0	-6.8	-19.5	-39.2
-0.2	0	-3.1	-11.5	-26.0	1.5	0	-6.8	-19.8	-39.9
-0.3	0	-2.8	-10.7	-24.4	1.4	0	-6.4	-18.7	-38.0
-0.2	0	-3.5	-12.7	-28.4	1.8	0	-7.4	-21.3	-42.6
-0.2	0	-3.2	-11.8	-27.0	1.6	0	-7.1	-20.6	-41.9
-0.2	0	-3.2	-11.9	-27.2	1.6	0	-7.1	-20.8	-42.3
2	0	-24.9	-87.1	-	12.2	0	-49.4	-	-
1.1	0	-15.0	-53.5	-	7.2	0	-30.7	-92.9	-
1.2	0	-15.4	-55.1	-	7.3	0	-31.5	-95.4	-
1.2	0	-15.4	-55.1	-	7.4	0	-32.1	-97.2	-
TBD					TBD				
1.0	0	-13.6	-48.1	-	6.5	0	-27.4	-83.3	-
1.8	0	-20.0	-66.9	-	10.0	0	-37.0	-	-
0	0	-5.0	-17.8	-	2.5	0	-10.3	-30.1	-
0.1	0	-6.4	-24.6	-	3.2	0	-14.9	-47.5	-
0.1	0	-5.8	-20.4	-	2.9	0	-11.7	-34.3	-
0.1	0	-6.2	-23.8	-	3.1	0	-14.5	-43.4	-
0.1	0	-6.0	-21.0	-	3.0	0	-12.1	-35.3	-
0.1	0	-6.7	-24.6	-	3.4	0	-14.5	-44.0	-
0.5	0	-9.5	-32.9	-	4.7	0	-18.7	-55.3	-
0.5	0	-10.5	-37.8	-	5.3	0	-22.0	-66.9	-

POLYCARBONATE TIP

IMPROVES DOWN RANGE BALLISTICS

LEAD ALLOY CORE

FOR CONTROLLED EXPANSION

JACKET

CONTOURED FOR OPTIMUM EXPANSION

POLYCARBONATE TIP

IMPROVES DOWN RANGE BALLISTICS

E²™ ENERGY EXPANSION CAVITY

IMPROVES EXPANSION AT LONG AND SHORT RANGES

GILDING METAL JACKET

LEAD FREE DESIGN



Ballistic Silvertip®



SUPER-X® CENTERFIRE RIFLE BALLISTICS

Cartridge	Symbol	Bullet Wt.			Game Guide	Muzzle	Velocity in Feet Per Second (fps)					Muzzle	Energy in Foot Pounds (ft-lbs.)				
		(Grs.)	B.C.	Bullet Type			100	200	300	400	500		100	200	300	400	500
204 Ruger	X204R	34	0.167	Hollow Point	1	4025	3339	2751	2232	1775	1393	1223	842	571	376	238	146
218 Bee	X218B	46	0.130	Hollow Point	1	2760	2103	1551	1156	961	850	778	451	246	137	94	74
22 Hornet	X22H1	45	0.130	Soft Point	1	2690	2042	1502	1128	947	840	723	416	225	127	90	70
22 Hornet	X22H2	46	0.130	Hollow Point	1	2690	2043	1504	1129	949	841	739	426	231	130	92	72
220 Swift	X220S	50	0.200	Pointed Soft Point	1	3870	3310	2816	2373	1972	1616	1663	1226	881	625	432	290
22-250 Remington	X222501	55	0.197	Pointed Soft Point	1	3680	3137	2656	2222	1832	1493	1654	1201	861	603	410	272
22-250 Remington	X222502	64	0.251	Power-Point®	2	3500	3086	2708	2360	2038	1744	1741	1353	1042	791	590	432
222 Remington	X222R	50	0.175	Pointed Soft Point	1	3140	2602	2123	1700	1350	1107	1094	752	500	321	202	136
223 Remington	X223RH	53	0.223	Hollow Point	1	3330	2882	2477	2106	1770	1475	1305	978	722	522	369	256
LF 223 Remington	X223RT	55	0.197	Pointed Soft Point TIN	1	3240	2747	2304	1905	1554	1270	1282	921	648	443	295	197
223 Remington	X223R	55	0.197	Pointed Soft Point	1	3240	2747	2304	1905	1554	1270	1282	921	648	443	295	197
223 Remington	X223R2**	64	0.257	Power-Point	2	3020	2656	2320	2009	1724	1473	1296	1003	765	574	423	308
223 WSSM	X223WSS	55	0.233	Pointed Soft Point	1	3850	3367	2934	2541	2181	1851	1810	1384	1051	789	581	418
223 WSSM	X223WSS1	64	0.233	Power-Point	2	3600	3144	2732	2356	2011	1698	1841	1404	1061	789	574	410
LF 5.56mm	SC556NT	55	0.147	Tin SP	Training	3090	2457	1912	1455	1133	966	1161	737	446	259	157	114
225 Winchester	X2251	55	0.208	Pointed Soft Point	1	3570	3066	2616	2207	1838	1514	1556	1148	835	595	412	280
243 Winchester	X2431	80	0.255	Pointed Soft Point	1	3350	2955	2594	2259	1951	1670	1993	1551	1195	907	676	495
▶ 243 Winchester	X2432BP	100	0.372	Power Max Bonded®	2	2960	2708	2470	2244	2031	1829	1945	1628	1355	1118	915	743
243 Winchester	X2432	100	0.356	Power-Point	2	2960	2697	2449	2215	1993	1786	1945	1615	1332	1089	882	708
243 WSSM	X243WSS	100	0.356	Power-Point	2	3110	2838	2583	2341	2112	1897	2147	1789	1481	1217	991	799
6mm Remington	X6MMR2	100	0.356	Power-Point	2	3100	2829	2573	2332	2104	1889	2133	1777	1470	1207	983	792
25 WSSM	X25WSS	120	0.344	Positive Exp. Point	2	2990	2717	2459	2216	1987	1773	2383	1967	1612	1309	1053	838
25-06 Remington	X25061	90	0.259	Positive Exp. Point	1	3440	3043	2680	2344	2034	1749	2364	1850	1435	1098	826	611
25-06 Remington	X25062	120	0.344	Positive Exp. Point	2	2990	2717	2459	2216	1987	1773	2382	1967	1612	1309	1053	838
25-20 Winchester	X25202	86	0.191	Soft Point	1	1460	1195	1031	932	859	798	407	273	203	166	141	122
25-35 Winchester	X2535	117	0.213	Soft Point	2	2230	1866	1545	1281	1096	984	1292	904	620	426	312	252
250 Savage	X2503	100	0.254	Silvertip®	2	2820	2467	2140	1839	1569	1339	1765	1351	1017	751	547	398
257 Roberts +P	X257P3	117	0.240	Power-Point	2	2780	2411	2071	1761	1488	1263	2009	1511	1115	806	576	415
264 Winchester Mag.	X2642	140	0.384	Power-Point	2	3030	2782	2548	2326	2114	1914	2854	2406	2018	1682	1389	1139
6.5 x 55 Swedish	X6555	140	0.450	Soft Point	2	2550	2359	2176	2002	1836	1680	2021	1730	1472	1246	1048	877
270 Winchester	X2705BP	130	0.340	Power Max Bonded	2	3060	2779	2515	2266	2032	1814	2702	2229	1826	1482	1191	950
270 Winchester	X2705	130	0.372	Power-Point	2	3060	2802	2559	2329	2110	1904	2702	2267	1890	1565	1285	1046
270 Winchester	X2703	130	0.336	Silvertip	2	3060	2776	2510	2259	2022	1801	2702	2225	1818	1472	1180	936
270 Winchester	X2704	150	0.344	Power-Point	2	2850	2585	2336	2100	1879	1673	2705	2226	1817	1468	1175	932
270 WSM	X270WSM	150	0.344	Power-Point	2	3150	2867	2601	2350	2113	1890	3304	2737	2252	1839	1487	1190
270 WSM	X270SBP	130	.340	Power Max Bonded	2	3275	2980	2704	2445	2200	1968	3096	2563	2111	1725	1396	1119



LF = LEAD FREE PROJECTILE
▶ NEW PRODUCT

BALLISTIC COEFFICIENT (BC): The "Ballistic Coefficient" or B.C. of a projectile (bullet) is a measure of its efficiency in flight or how well it is able to overcome air resistance. The higher the ballistic coefficient, the less velocity a bullet will lose over distance — resulting in less drop at longer ranges and more energy on target. So, for long range hunting or target shooting, the higher the B.C. the better. See Winchester's new Ballistic Calculator on the Winchester web site.

** INTENDED FOR USE IN FAST TWIST BARRELS (E.G., 1 IN 7 TO 1 IN 9). SLOWER TWIST BARRELS MAY NOT SUFFICIENTLY STABILIZE BULLET.

Trajectory, Short Range Yards					Trajectory, Long Range Yards				
50	100	200	300	400	100	200	300	400	500
-0.4	0	-1.7	-8.0	-21.4	0.8	0	-5.5	-18.1	-42.0
0	0	-6.6	-28.2	-75.6	3.3	0	-18.2	-62.4	-
0	0	-7.1	-30.1	-80.3	3.6	0	-19.4	-66.1	-
0	0	-7.1	-30.0	-80.1	3.6	0	-19.4	-65.9	-
-0.4	0	-1.7	-7.8	-20.2	0.8	0	-5.2	-16.7	-37.1
-0.4	0	-2.1	-9.1	-23.3	1.0	0	-6.0	-19.2	-42.8
-0.3	0	-2.2	-9.1	-22.4	1.1	0	-5.9	-18.0	-38.6
-0.2	0	-3.7	-15.3	-39.1	2.2	0	-10.0	-32.3	-73.8
-0.3	0	-2.7	-11.2	-27.5	1.7	0	-7.4	-22.7	-49.1
-0.3	0	-3.2	-12.9	-32.5	1.9	0	-8.5	-26.7	-59.6
-0.3	0	-3.2	-12.9	-32.5	1.9	0	-8.5	-26.7	-59.6
-0.2	0	-3.5	-13.4	-32.1	1.7	0	-8.2	-25.1	-53.6
-0.4	0	-1.6	-7.2	-18.3	0.8	0	-4.9	-15.1	-32.8
-0.4	0	-2.0	-8.8	-21.8	1.0	0	-5.7	-17.7	-38.5
-0.2	0	-4.4	-18.5	-49.3	2.2	0	-7.0	-40.7	-96.4
-0.4	0	-2.2	-9.6	-24.2	1.1	0	-6.2	-19.7	-43.6
-0.4	0	-1.7	-6.9	-15.7	1.3	0	-6.5	-19.8	-42.3
-0.2	0	-3.3	-12.2	-28.1	1.6	0	-7.3	-21.6	-44.3
-0.2	0	-3.3	-12.4	-28.6	1.9	0	-7.8	-22.6	-46.3
-0.3	0	-2.8	-10.9	-25.3	1.4	0	-6.6	-19.7	-40.5
-0.3	0	-2.9	-11.0	-25.5	1.7	0	-7.0	-20.4	-41.7
-0.2	0	-3.2	-12.2	-28.3	1.6	0	-7.4	-21.8	-45.1
-0.3	0	-2.3	-9.4	-22.9	1.1	0	-6.0	-18.4	-39.2
-0.2	0	-3.2	-12.2	-28.3	1.6	0	-7.4	-21.8	-45.1
2.1	0	-23.5	-79.6	-	11.4	0	-44.1	-	-
0.6	0	-9.2	-33.2	-78.4	4.3	0	-19.0	-59.4	-
-0.1	0	-4.3	-16.2	-38.4	2.4	0	-10.1	-30.5	-65.2
-0.1	0	-4.5	-17.2	-41.3	2.6	0	-10.8	-33.0	-70.0
-0.2	0	-3.0	-11.4	-26.2	1.8	0	-7.2	-20.8	-42.2
0	0	-4.8	-16.9	-37.7	2.4	0	-9.7	-28.2	-56.9
-0.2	0	-3.0	-11.5	-26.9	1.5	0	-7.0	-20.8	-42.6
-0.2	0	-2.9	-11.2	-25.9	1.8	0	-7.1	-20.6	-42.0
-0.2	0	-3.0	-11.6	-27.0	1.8	0	-7.4	-21.6	-44.3
-0.2	0	-3.7	-13.8	-31.9	2.2	0	-8.6	-25.0	-51.4
-0.3	0	-2.7	-10.6	-24.9	1.4	0	-6.5	-19.4	-40.1
-0.3	0	-2.4	-9.6	-22.7	1.2	0	-6.0	-17.8	-36.8

POWER-POINT®



SUPER-X® CENTERFIRE RIFLE BALLISTICS

Cartridge	Symbol	Bullet Wt.		Bullet Type	Game Guide	Velocity in Feet Per Second (fps)					Energy in Foot Pounds (ft-lbs.)						
		(Grs.)	B.C.			Muzzle	100	200	300	400	500	Muzzle	100	200	300	400	500
284 Winchester	X2842	150	0.364	Power-Point®	3	2860	2609	2371	2145	1933	1734	2724	2266	1872	1533	1244	1001
7mm-08 Remington	X708	140	0.360	Power-Point	2	2800	2549	2312	2087	1876	1679	2437	2020	1661	1354	1094	876
7mm Mauser (7 x 57)	X7MM1	145	0.355	Power-Point	2	2660	2413	2180	1960	1754	1565	2278	1875	1530	1236	990	788
7mm WSM	X7MMWSMBP	150	0.393	Power Max Bonded®	2	3200	2948	2710	2484	2270	2066	3410	2894	2446	2055	1716	1421
7mm WSM	X7MMWSM	150	0.346	Power-Point	2	3200	2915	2648	2396	2157	1933	3410	2830	2335	1911	1550	1245
7mm Remington Mag.	X7MMR1BP	150	0.393	Power Max Bonded	2	3090	2844	2612	2391	2181	1981	3180	2694	2272	1904	1584	1307
7mm Remington Mag.	X7MMR1	150	0.373	Power-Point	2	3090	2831	2587	2356	2136	1929	3180	2670	2229	1848	1520	1239
7mm Remington Mag.	X7MMR2	175	0.426	Power-Point	3	2860	2644	2439	2243	2055	1878	3178	2717	2311	1954	1641	1370
7.62 x 39mm	X76239•	123	0.244	Soft Point	2	2365	2033	1731	1465	1248	1093	1527	1129	818	586	425	327
30 Carbine	X30M1•	110	0.166	Hollow Soft Point	1	1990	1567	1236	1035	923	842	967	599	373	262	208	173
30-30 Winchester	X30306BP	150	0.224	Power Max Bonded	2	2390	2028	1702	1420	1198	1052	1902	1370	965	672	478	368
30-30 Winchester	X30301	150	0.218	Hollow Point	2	2390	2019	1685	1398	1178	1036	1902	1357	945	651	462	357
30-30 Winchester	X30306	150	0.218	Power-Point	2	2390	2019	1685	1398	1178	1036	1902	1357	945	651	462	357
30-30 Winchester	X30302	150	0.218	Silvertip®	2	2390	2019	1685	1398	1178	1036	1902	1357	945	651	462	357
30-30 Winchester	X30303	170	0.241	Power-Point	2	2200	1879	1591	1346	1158	1034	1827	1332	955	683	506	404
30-30 Winchester	X30304	170	0.278	Silvertip	2	2200	1920	1664	1438	1250	1110	1827	1391	1045	781	590	465
30-06 Springfield	X30061BP	150	0.325	Power Max Bonded	2	2920	2636	2368	2117	1882	1664	2839	2313	1868	1492	1179	922
30-06 Springfield	X30062	125	0.268	Pointed Soft Point	1	3140	2780	2041	1788	1853	1595	2736	2145	1662	1269	953	706
30-06 Springfield	X30061	150	0.294	Power-Point	2	2920	2607	2314	2041	1788	1558	2839	2263	1783	1387	1064	808
30-06 Springfield	X30063	150	0.314	Silvertip	2	2910	2617	2342	2083	1843	1622	2820	2281	1827	1445	1131	876
30-06 Springfield	X30065	165	0.341	Pointed Soft Point	2	2800	2536	2286	2051	1831	1627	2872	2355	1915	1541	1228	970
30-06 Springfield	X30064BP	180	0.394	Power Max Bonded	2	2700	2475	2262	2058	1866	1687	2913	2448	2044	1693	1392	1137
30-06 Springfield	X30064	180	0.381	Power-Point	2	2700	2468	2247	2038	1840	1657	2913	2433	2018	1659	1354	1097
30-06 Springfield	X30066	180	0.383	Silvertip	3	2700	2469	2250	2042	1846	1663	2913	2436	2023	1666	1362	1105
30-40 Krag	X30401	180	0.394	Power-Point	2	2430	2218	2017	1828	1651	1489	2360	1967	1626	1335	1089	886
300 WSM	X300SBP	150	0.325	Power Max Bonded	2	3270	2962	2675	2406	2152	1914	3561	2922	2384	1927	1542	1220
300 WSM	X300WSM1	150	0.294	Power-Point	2	3270	2931	2617	2324	2050	1796	3561	2861	2281	1798	1399	1074
300 WSM	X300WSMBP	180	0.394	Power Max Bonded	3	2970	2731	2505	2290	2085	1892	3525	2982	2508	2096	1738	1430
300 WSM	X300WSM	180	0.438	Power-Point	3	2970	2755	2549	2353	2166	1987	3526	3034	2598	2214	1827	1578
300 Winchester Mag.	X30WM1BP	150	0.325	Power Max Bonded	2	3290	2981	2693	2422	2168	1929	3605	2959	2415	1954	1565	1239
300 Winchester Mag.	X30WM1	150	0.294	Power-Point	2	3290	2950	2634	2340	2065	1813	3605	2898	2311	1824	1420	1095
300 Winchester Mag.	X30WM2BP	180	0.394	Power Max Bonded	3	2960	2722	2496	2281	2077	1884	3501	2961	2490	2080	1724	1419
300 Winchester Mag.	X30WM2	180	0.438	Power-Point	3	2960	2745	2540	2344	2157	1979	3501	3011	2578	2196	1859	1565
300 Savage	X3001	150	0.294	Power-Point	2	2630	2336	2061	1810	1575	1372	2303	1817	1415	1091	826	627
303 British	X303B1	180	0.369	Power-Point	3	2460	2233	2018	1817	1629	1459	2418	1993	1628	1320	1060	851
307 Winchester	X3076	180	0.253	Power-Point	2	2510	2179	1874	1599	1363	1177	2518	1897	1403	1022	742	554
308 Winchester	X3085BP	150	.325	Power Max Bonded	2	2820	2542	2280	2034	1808	1594	2648	2152	1731	1378	1089	846
308 Winchester	X3085	150	0.294	Power-Point	2	2820	2513	2227	1960	1713	1492	2648	2104	1651	1279	977	742
308 Winchester	X3086	180	0.382	Power-Point	2	2620	2392	2176	1971	1779	1600	2743	2287	1892	1553	1264	1023
308 Winchester	X3083	180	0.383	Silvertip	3	2620	2393	2178	1974	1782	1604	2743	2288	1896	1557	1269	1028
32 Winchester Special	X32WS2	170	0.205	Power-Point	2	2250	1870	1537	1266	1081	971	1911	1320	891	605	441	356
32-20 Winchester	X32201	100	0.166	Lead	1	1210	1021	914	835	769	712	325	232	185	155	131	113

BALLISTIC COEFFICIENT (BC): The "Ballistic Coefficient" or B.C. of a projectile (bullet) is a measure of its efficiency in flight or how well it is able to overcome air resistance. The higher the ballistic coefficient, the less velocity a bullet will lose over distance — resulting in less drop at longer ranges and more energy on target. So, for long range hunting or target shooting, the higher the B.C. the better. See Winchester's new Ballistic Calculator on the Winchester web site.

• INDICATES BALLISTIC DATA GENERATED FROM 20" BARREL LENGTH.
ALL OTHER BALLISTIC DATA GENERATED FROM 24" BARREL LENGTH.

Trajectory, Short Range Yards					Trajectory, Long Range Yards				
50	100	200	300	400	100	200	300	400	500
-0.2	0	-3.6	-13.5	-30.9	1.8	0	-8.0	-23.6	-48.6
-0.1	0	-3.9	-14.3	-32.7	1.9	0	-8.5	-24.9	-51.3
-0.1	0	-4.5	-16.3	-37.2	2.2	0	-9.6	-28.3	-58.3
-0.3	0	-2.5	-9.8	-22.7	1.3	0	-6	-17.6	-36.1
-0.3	0	-2.6	-10.2	-23.8	1.3	0	-6.3	-18.6	-38.5
-0.3	0	-2.8	-10.7	-24.7	-1.5	0	-6.5	-19.1	-39.1
-0.3	0	-2.8	-10.9	-25.2	1.4	0	-6.6	-19.5	-40.1
-0.2	0	-3.5	-12.8	-29.1	1.7	0	-7.6	-22.1	-44.9
0.2	0	-7.0	-25.7	-60.7	3.8	0	-15.4	-46.3	-98.4
0.9	0	-13.5	-49.9	-	6.5	0	-29.3	-90.9	-
0.4	0	-7.6	-27.4	-64.6	0	-7.6	-27.4	-64.6	-
0.5	0	-7.7	-27.9	-65.9	3.6	0	-16.0	-49.9	-
0.5	0	-7.7	-27.9	-65.9	3.6	0	-16.0	-49.9	-
0.5	0	-7.7	-27.9	-65.9	3.6	0	-16.0	-49.9	-
0.6	0	-9.0	-32.0	-74.2	4.2	0	-18.1	-55.5	-
0.6	0	-8.6	-29.8	-68.0	4.0	0	-16.6	-50.2	-
-0.2	0	-3.5	-13.3	-30.8	1.8	0	-8	-23.8	-49.4
-0.3	0	-3.0	-11.9	-28.4	1.8	0	-7.7	-23.0	-48.5
-0.2	0	-3.6	-13.8	-32.4	1.8	0	-8.3	-25.1	-52.8
-0.2	0	-3.6	-13.6	-31.6	2.1	0	-8.5	-25.0	-51.8
-0.1	0	-3.9	-14.5	-33.4	2.0	0	-8.6	-25.6	-53.0
-0.1	0	-4.2	-15.2	-34.4	2.1	0	-8.9	-26.1	-53.2
-0.1	0	-4.2	-15.4	-34.9	2.1	0	-9.0	-26.4	-54.2
-0.1	0	-4.2	-15.3	-34.8	2.4	0	-9.3	-27.0	-54.9
0.4	0	-6.2	-20.9	-46.1	2.8	0	-11.4	-33.2	-67.8
-0.3	0	-2.5	-9.8	-23.2	1.2	0	-6.1	-18.3	-37.9
-0.3	0	-2.6	-10.2	-24.4	1.3	0	-6.4	-19.2	-40.4
-0.2	0	-3.2	-11.9	-27.3	1.6	0	-7.1	-20.9	-42.7
-0.2	0	-3.1	-11.5	-26.3	1.5	0	-6.9	-20.1	-40.7
-0.3	0	-2.4	-9.7	-22.9	1.2	0	-6	-18	-37.4
-0.3	0	-2.5	-10.1	-24.0	1.3	0	-6.3	-19.0	-39.3
-0.2	0	-3.2	-12.0	-27.5	1.6	0	-7.2	-21.1	-43.1
-0.2	0	-3.1	-11.6	-26.5	1.6	0	-7.0	-20.3	-41.0
0	0	-4.9	-17.3	-41.9	2.5	0	-10.0	-32.1	-67.6
0	0	-5.5	-19.3	-44.2	2.7	0	-11.0	-33.2	-68.3
0	0	-5.9	-21.8	-51.3	2.9	0	-12.9	-39.6	-85.1
-0.1	0	-3.9	-14.5	-32.9	2.0	0	-8.7	-25.1	-53.6
-0.1	0	-4.0	-15.1	-35.3	2.0	0	-9.1	-27.2	-57.3
-0.1	0	-4.6	-16.6	-37.5	2.3	0	-9.7	-28.3	-58.0
-0.1	0	-4.6	-16.5	-37.4	2.6	0	-9.9	-28.9	-58.8
0.6	0	-9.2	-33.3	-79.1	4.3	0	-19.2	-60.2	-
3.1	0	-32.3	-	-	15.9	0	-57.5	-	-

WINCHESTER® ON-LINE RESOURCE TOOLS

VISIT THE NEW WINCHESTER.COM

WINCHESTER BALLISTICS CALCULATOR!

The award-winning Winchester Ammunition Ballistics Calculator is found on winchester.com, and will also be available as an iPhone® application. Considered the most advanced ballistics calculator program in the industry, users can choose their type of ammunition and compare up to five bullet types with easy to read and high-tech graphs and charts. Enter specific conditions like wind speed and outside temperature, adjust zero marks for sighting in, print out or save the ballistics of your favorite load, and let the Winchester ballistics calculator help improve your shooting ability.

CHOOSE YOUR AMMO

Whether you're a novice or experienced hunter or shooter, Winchester's new interactive "Choose Your Ammo" guide allows you to identify and select the proper ammunition for any game animal or shooting situation.

SUPER-X® CENTERFIRE RIFLE BALLISTICS

Cartridge	Symbol	Bullet Wt.		Bullet Type	Game Guide No.	Muzzle	Velocity in Feet Per Second (fps)					Energy in Foot Pounds (ft-lbs.)					
		(Grs.)	B.C.				100	200	300	400	500	Muzzle	100	200	300	400	500
8mm Mauser (8 x 57)	X8MM	170	0.205	Power-Point®	2	2360	1970	1623	1333	1123	997	2102	1464	994	671	476	375
325 WSM	X325WSM	220	0.388	Power-Point	3	2840	2605	2382	2169	1968	1779	3941	3316	2772	2300	1893	1547
338 Winchester Mag.	X3381	200	0.308	Power-Point	3	2960	2658	2375	2110	1862	1635	3890	3137	2505	1977	1539	1187
348 Winchester	X3483	200	0.289	Silvertip®	3	2520	2215	1931	1672	1443	1293	2820	2178	1656	1241	925	697
35 Remington	X35R1	200	0.193	Power-Point	2	2020	1646	1335	1114	985	901	1812	1203	791	551	431	360
356 Winchester	X3561	200	0.238	Power-Point	2	2460	2114	1797	1517	1284	1113	2688	1985	1434	1022	732	550
357 Magnum #	X3574P•	158	0.163	Jacketed H. P.	2	1830	1427	1138	980	883	809	1175	715	454	337	274	229
357 Magnum #	X3575P•	158	0.163	Jacketed Soft Point	2	1830	1427	1138	980	883	809	1175	715	454	337	274	229
358 Winchester	X3581	200	0.261	Silvertip	3	2490	2171	1876	1610	1379	1194	2753	2093	1563	1151	844	633
375 Winchester	X375W	200	0.214	Power-Point	2	2200	1841	1526	1268	1089	980	2150	1506	1034	714	527	427
38-40 Winchester	X3840	180	0.172	Soft Point	2	1160	999	901	827	764	710	538	399	324	273	233	201
38-55 Winchester	X3855	255	0.354	Soft Point	2	1320	1190	1091	1018	963	917	987	802	674	587	525	476
44 Remington Mag. #	X44MHSP2	240	0.158	Hollow Soft Point	2	1760	1362	1094	953	861	789	1650	988	638	484	395	332
44-40 Winchester	X4440	200	0.161	Soft Point	2	1190	1006	900	822	756	699	629	449	360	300	254	217
45-70 Government	X4570H	300	0.283	Jacketed H. P.	2	1880	1650	1425	1235	1105	1010	2355	1815	1355	1015	810	680
458 Winchester Mag.	X4581	510	0.274	Soft Point	3	2040	1770	1527	1319	1157	1046	4712	3547	2640	1970	1516	1239

USA BRAND RIFLE BALLISTICS

Cartridge	Symbol	Bullet Wt.		Bullet Type	Rounds Per Box	Muzzle	Velocity in Feet Per Second (fps)					Energy in Foot Pounds (ft-lbs.)					
		(Grs.)	B.C.				100	200	300	400	500	Muzzle	100	200	300	400	500
223 Remington	USA2232	45	0.185	Jacketed H. P.	40	3600	3033	2533	2085	1687	1356	1295	919	641	434	284	184
223 Remington	USA223R1	55	0.255	Full Metal Jacket	20	3240	2854	2499	2172	1869	1597	1282	995	763	576	427	311
223 Remington	USA223R3**	62	0.283	Full Metal Jacket	20	3100	2762	2448	2155	1884	1636	1323	1050	825	640	488	368
22-250 Remington	USA222502	45	0.175	Jacketed H. P.	40	4000	3346	2781	2281	1837	1458	1598	1118	773	520	337	212
5.56mm	Q3131	55	0.267	Full Metal Jacket	20	3270	2898	2555	2238	1943	1675	1306	1025	797	611	461	342
30 Carbine	Q3132	110	0.180	Full Metal Jacket	50	1990	1596	1279	1070	952	870	967	622	399	280	221	185
7.62 x 39mm	Q3174	123	0.245	Full Metal Jacket	20	2355	2026	1726	1463	1247	1093	1515	1121	814	584	425	326
30-06 Springfield	USA3006	147	0.421	Full Metal Jacket	20	3020	2794	2579	2374	2178	1992	2976	2548	2171	1839	1549	1295
308 Winchester	USA3081	147	0.415	Full Metal Jacket	20	2800	2582	2374	2176	1987	1812	2559	2176	1840	1545	1289	1072
7.62 x 54R	MC76254R	180	0.486	Full Metal Jacket	20	2580	2401	2230	2066	1909	1760	2658	2304	1987	1706	1457	1238
7.62 x 54R	MC54RSP	180	0.267	Soft Point	20	2625	2302	2003	1729	1485	1281	2751	2117	1603	1195	882	655

BALLISTIC COEFFICIENT (BC): The "Ballistic Coefficient" or B.C. of a projectile (bullet) is a measure of its efficiency in flight or how well it is able to overcome air resistance. The higher the ballistic coefficient, the less velocity a bullet will lose over distance — resulting in less drop at longer ranges and more energy on target. So, for long range hunting or target shooting, the higher the B.C. the better. See Winchester's new Ballistic Calculator on the Winchester web site.

• INDICATES BALLISTIC DATA GENERATED FROM 20" BARREL LENGTH. ALL OTHER BALLISTIC DATA GENERATED FROM 24" BARREL LENGTH.

** INTENDED FOR USE IN FAST TWIST BARRELS (E.G., 1 IN 7 TO 1 IN 9). SLOWER TWIST BARRELS MAY NOT SUFFICIENTLY STABILIZE BULLET.

ALSO ACCEPTABLE FOR USE IN PISTOLS AND REVOLVERS.

WINCHESTER® AMMUNITION... COMMITTED TO CONSERVATION, THE SHOOTING SPORTS AND OUR HUNTING HERITAGE



Trajectory, Short Range Yards

50	100	200	300	400	Trajectory, Long Range Yards	100	200	300	400	500
0.2	0	-7.6	-28.5	-69.2	3.8	0	-17.2	-54.1	-	-
-0.2	0	-3.6	-13.4	-30.6	1.8	0	-8.0	-23.3	-47.6	-
-0.2	0	-3.4	-13.1	-30.6	2.0	0	-8.2	-24.3	-50.4	-
0.3	0	-6.1	-21.4	-48.7	2.8	0	-11.9	-35.8	-75.7	-
0.9	0	-12.1	-43.9	-	5.8	0	-25.4	-78.7	-	-
0.4	0	-7.0	-24.8	-57.9	3.2	0	-14.1	-43.4	-93.9	-
1.2	0	-16.4	-59.6	-	7.9	0	-34.7	-	-	-
1.2	0	-16.4	-59.6	-	7.9	0	-34.7	-	-	-
0.4	0	-6.5	-23.0	-53.0	3.0	0	-12.9	-39.4	-84.2	-
0.6	0	-9.5	-34.1	-80.3	4.4	0	-19.5	-60.8	-	-
3.4	0	-33.8	-	-	16.6	0	-59.4	-	-	-
2.3	0	-23.7	-76.5	-	11.5	0	-40.7	-	-	-
1.4	0	-18.1	-65.0	-	8.7	0	-37.6	-	-	-
3.2	0	-33.2	-	-	16.3	0	-59.2	-	-	-
1.0	0	-12.2	-42.0	-94.6	5.8	0	-23.3	-69.5	-	-
0.5	0	-9.7	-34.4	-79.1	4.8	0	-19.9	-59.8	-	-


Trajectory, Short Range Yards

50	100	200	300	400	Trajectory, Long Range Yards	100	200	300	400	500
-0.4	0	-2.3	-10.1	-26.1	1.2	0	-6.7	-21.4	-48.7	-
-0.3	0	-2.8	-11.2	-27.0	1.4	0	-7.0	-21.4	-45.9	-
-0.2	0	-3.1	-12.0	-28.4	1.5	0	-7.4	-22.3	-47.1	-
-0.4	0	-1.6	-7.8	-20.8	0.8	0	-5.4	-17.5	-40.2	-
-0.3	0	-2.7	-10.7	-25.7	1.6	0	-7.0	-21.0	-44.2	-
0.9	0	-13.0	-47.4	-	6.5	0	-27.9	-86.0	-	-
0.2	0	-7.0	-25.9	-61.1	3.8	0	-15.6	-47.6	-	-
-0.2	0	-3.0	-11.2	-25.5	1.5	0	-6.7	-19.6	-39.9	-
-0.1	0	-3.7	-13.6	-30.9	1.9	0	-8.0	-23.5	-46.6	-
0	0	-4.5	-16.1	-35.8	2.6	0	-9.6	-27.3	-54.6	-
0	0	-5.1	-18.9	-44.5	2.9	0	-11.6	-34.9	-74.1	-

Visit www.winchester.com to learn more about Winchester's support for important projects and events that benefit wildlife habitat and the shooting sports.

WINCHESTER®

WINCHESTER AMMUNITION | 2010



CENTERFIRE HANDGUN

The Finest Handgun Ammunition In The World

At Winchester® Ammunition, we're committed to designing, developing and manufacturing the finest handgun ammunition in the world. We are extremely proud of the products we have designed and manufactured.

Always an innovator, Winchester introduced mainstay cartridges like the .38 Special in the late 1890's and set the standard for handgun ammunition by developing the first cartridges loaded in .357 Magnum in the 1930's.

Since then, Winchester has continuously developed and introduced innovative new handgun products that meet and, in most cases, exceed the toughest requirements of U.S. Military, Law Enforcement – and, just as importantly, sportsmen and women like you.



- Sure Functioning
- Optimum Energy Deposit
- Accurate
- Controlled Recoil



- Massive Energy Deposit
- Accurate
- Optimum Penetration
- Consistent Expansion

Thin Skinned
Game such as
Whitetail Deer
and Boar



- Accurate
- Sure Functioning
- Controlled Recoil

Indoor and
Outdoor Range,
Plinking, Target
and Match

SUPREME ELITE® HANDGUN BALLISTICS

Cartridge	Symbol	Bullet Wt. (Grs.)	Type	User Guide	Velocity (fps)–Yards			Energy (ft-lbs.)–Yards			Barrel Length Inches
					Muzzle	50	100	Muzzle	50	100	
▶ 380 AUTOMATIC	S380PDB	95	BONDED PDX1™	PP	1000	925	—	211	180	—	3-3/4
38 SPECIAL +P	S38PDB	130	BONDED PDX1	PP	950	908	—	260	238	—	4V
9MM LUGER +P	S9MMPDB	124	BONDED PDX1	PP	1200	1095	—	396	330	—	4
9MM LUGER	S9MMPDB1	147	BONDED PDX1	PP	1000	954	—	326	297	—	4
40 SMITH & WESSON	S40SWPDB	165	BONDED PDX1	PP	1140	1049	—	476	403	—	4
40 SMITH & WESSON	S40SWPDB1	180	BONDED PDX1	PP	1025	968	—	420	375	—	4
45 AUTOMATIC	S45PDB	230	BONDED PDX1	PP	920	882	—	432	397	—	5
▶ 45 COLT	S45CPDB	225	BONDED PDX1	PP	850	814	—	361	331	—	3V
▶ 44 REM MAGNUM #	S44RMDB	240	DUAL BOND®	H	1300	1183	1092	900	745	636	6-1/2V
454 CASULL®	S454DB	260	DUAL BOND	H	1800	1605	1430	1870	1488	1181	7-1/2V
460 SMITH & WESSON MAG	S460SWDB	260	DUAL BOND	H	2000	1790	1596	2309	1849	1470	8-3/8V
500 SMITH & WESSON MAG	S500SWDB	375	DUAL BOND	H	1725	1573	1435	2477	2061	1713	8-3/8V

SUPREME® HANDGUN BALLISTICS

Cartridge	Symbol	Bullet Wt. (Grs.)	Type	User Guide	Velocity (fps)–Yards			Energy (ft-lbs.)–Yards			Barrel Length Inches
					Muzzle	50	100	Muzzle	50	100	
380 AUTOMATIC	S380	95	SXT®	PP	955	889	835	192	167	147	3-3/4
38 SPECIAL +P	S38SP	130	SXT	PP	925	887	852	247	227	210	4V
9MM LUGER	S9	147	SXT	PP	990	947	909	320	293	270	4
40 SMITH & WESSON	S401	165	SXT	PP	1130	1041	977	468	397	349	4
40 SMITH & WESSON	S40	180	SXT	PP	1010	954	909	408	364	330	4
45 AUTOMATIC	S45	230	SXT	PP	880	846	816	396	366	340	5
357 MAGNUM #	S357P	180	PARTITION GOLD®	H	1180	1088	1020	557	473	416	8V
41 REM MAGNUM #	S41PTHP	240	PLATINUM TIP®	H	1250	1151	1075	833	706	616	6-1/2V
44 REM MAGNUM #	S44PTHP	250	PLATINUM TIP	H	1250	1148	1070	867	732	635	6-1/2V
44 REM MAGNUM #	S44MP	250	PARTITION GOLD	H	1230	1132	1057	840	711	620	6-1/2V
454 CASULL	S454PTHP	260	PLATINUM TIP	H	1800	1596	1414	1870	1470	1154	7-1/2V
454 CASULL	SPG454	260	PARTITION GOLD	H	1800	1605	1427	1871	1485	1176	7-1/2V
460 SMITH & WESSON MAG	SPG460SW	260	PARTITION GOLD	H	2000	1788	1592	2309	1845	1464	8-3/8V
500 SMITH & WESSON MAG	S500PTHP	400	PLATINUM TIP	H	1675	1531	1400	2491	2082	1741	8-3/8V

ACCEPTABLE FOR USE IN RIFLE HUNTING APPLICATIONS.

SUPERCLEAN NT® (LEAD FREE) HANDGUN BALLISTICS

Cartridge	Symbol	Bullet Wt. (Grs.)	Type	User Guide	Velocity (fps)–Yards		Energy (ft-lbs.)–Yards		Barrel Length Inches
					Muzzle	50	Muzzle	50	
LF 38 SPECIAL	SC38NT	110	JACKETED FLAT POINT	T	975	906	232	201	4V
LF 9MM LUGER	SC9NT	105	JACKETED FLAT POINT	T	1200	1074	336	269	4
LF 357 MAGNUM	SC357NT	110	JACKETED FLAT POINT	T	1275	1105	397	298	4V
LF 357 SIG	SC357SNT	105	JACKETED FLAT POINT	T	1370	1179	438	324	4
LF 40 SMITH & WESSON	SC40NT	140	JACKETED FLAT POINT	T	1155	1039	415	336	4
LF 45 AUTOMATIC	SC45NT	170	JACKETED FLAT POINT	T	1050	982	416	364	5

▶ NEW PRODUCT

LF = LEAD FREE PROJECTILE

BONDED PDX1™



- + EXPANSION 1.5 TIMES ORIGINAL DIAMETER
- + LEAD WELDED TO JACKET IMPROVES RETAINED WEIGHT
- + 6 SEGMENT EXPANSION FOR CONSISTENT TACTICAL PERFORMANCE

DUAL BOND®



- + REVOLUTIONARY BONDED DUAL JACKET DESIGN
- + 12-SEGMENT EXPANSION FOR MAXIMUM STOPPING POWER
- + ENSURES NEAR 100% RETAINED WEIGHT

PLATINUM TIP™



- + PATENTED NOTCHED REVERSE TAPER BULLET JACKET
- + PLATED HEAVY WALL JACKET & 2-PART HOLLOW POINT CAVITY FOR CONSISTENT BULLET EXPANSION
- + MASSIVE ENERGY DEPOSIT
- + EXCELLENT ACCURACY

PARTITION GOLD®



- + PROVEN PARTITION TECHNOLOGY
- + CONSISTENT, DRAMATIC BULLET EXPANSION
- + DEEP PENETRATION REGARDLESS OF BARREL LENGTH
- + MAXIMUM WEIGHT RETENTION
- + EXTREMELY ACCURATE

SUPER-X® HANDGUN BALLISTICS CONTINUED

Cartridge	Symbol	Bullet Wt. (Grs.)	Type	User Guide	Velocity (fps)-Yards			Energy (ft-lbs.)-Yards			Barrel Length Inches
					Muzzle	50	100	Muzzle	50	100	
25 AUTOMATIC	X25AXP	45	EXPANDING POINT	PP	815	729	655	66	53	42	2
30 LUGER (7.65MM)	X30LP	93	FULL METAL JACKET	T	1220	1110	1040	305	255	225	4-1/2
30 CARBINE	X30M1	110	HOLLOW SOFT POINT	H	1790	1601	1430	783	626	500	10
32 SMITH & WESSON	32BL2P	BLK.PWD.	BLANK	-	-	-	-	-	-	-	-
32 SMITH & WESSON	X32SWP	85	LEAD-ROUND NOSE	T	680	645	610	90	81	73	3
32 SMITH & WESSON LONG	X32SWLP	98	LEAD-ROUND NOSE	T	705	670	635	115	98	88	4
32 SHORT COLT	X32SCP	80	LEAD-ROUND NOSE	T	745	665	590	100	79	62	4
32 AUTOMATIC	X32ASHP	60	SILVERTIP® HP	PP	970	895	835	125	107	93	4
38 SMITH & WESSON	X38SWP	145	LEAD-ROUND NOSE	T	685	650	620	150	135	125	4
380 AUTOMATIC	X380ASHP	85	SILVERTIP HP	PP	1000	921	860	189	160	140	3-3/4
38 SPECIAL	38SBLP	SMOKELESS	BLANK	-	-	-	-	-	-	-	-
38 SPECIAL	X38S9HP	110	SILVERTIP HP	PP	945	894	850	218	195	176	4V
38 SPECIAL SUPER MATCH®	X38SMRP	148	LEAD-WAD CUTTER	T	710	634	566	166	132	105	4V
38 SPECIAL	X38S1P	158	LEAD-ROUND NOSE	T	755	723	693	200	183	168	4V
38 SPECIAL	X38WCPSV	158	LEAD-SEMI WC	T	755	721	689	200	182	167	4V
38 SPECIAL +P	X38S7PH	125	JACKETED HP	PP	945	898	858	248	224	204	4V
38 SPECIAL +P	X38S8HP	125	SILVERTIP HP	PP	945	898	858	248	224	204	4V
38 SPECIAL +P	X38SPD	158	LEAD-SEMI WC HP	PP	890	855	823	278	257	238	4V
9MM LUGER	X9MMSHP	115	SILVERTIP HP	PP	1225	1095	1007	383	306	259	4
9MM LUGER	X9MMST147	147	SILVERTIP HP	PP	1010	962	921	333	302	277	4
38 SUPER AUTOMATIC +P	X38ASHP	125	SILVERTIP HP	T/PP	1240	1130	1050	427	354	306	5
9 X 23 WINCHESTER	X923W	125	SILVERTIP HP	T/PP	1450	1249	1103	583	433	338	5
357 MAGNUM	X3576P	125	JACKETED HP	PP	1450	1240	1090	583	427	330	4V
357 MAGNUM	X357SHP	145	SILVERTIP HP	PP	1290	1155	1060	535	428	361	4V
357 MAGNUM #	X3574P	158	JACKETED HP	H/PP	1235	1104	1015	535	428	361	4V
357 MAGNUM #	X3575P	158	JACKETED SOFT POINT	H/PP	1235	1104	1015	535	428	361	4V
40 SMITH & WESSON	X40SWSTHP	155	SILVERTIP HP	PP	1205	1096	1018	500	414	357	4
10MM AUTOMATIC	X10MMSTHP	175	SILVERTIP HP	PP	1290	1141	1037	649	506	418	5-1/2
41 REM MAGNUM	X41MSTHP2	175	SILVERTIP HP	H/PP	1250	1120	1029	607	488	412	4V
44 SMITH & WESSON SPL	X44STHPS2	200	SILVERTIP HP	PP	900	860	822	360	328	300	6-1/2
44 SMITH & WESSON SPL	X44SP	246	LEAD-ROUND NOSE	T	755	725	695	310	285	265	6-1/2
44 REM MAGNUM	X44MS	210	SILVERTIP HP	H/PP	1250	1106	1010	729	570	475	4V
44 REM MAGNUM #	X44MHSP2	240	HOLLOW SOFT POINT	H	1180	1081	1010	741	623	543	4V
45 G.A.P.	X45GSHP	185	SILVERTIP HP	PP	1000	938	887	411	361	323	5
45 AUTOMATIC	X45ASHP2	185	SILVERTIP HP	PP	1000	938	887	411	361	323	5
45 COLT	X45CSHP2	225	SILVERTIP HP	PP	920	877	839	423	384	352	5-1/2V
45 COLT	X45CP2	255	LEAD-ROUND NOSE	T	860	820	780	420	380	345	5-1/2V
45 WINCHESTER MAGNUM	X45WMA	260	JACKETED HP	H	1200	1099	1026	831	698	607	5
RR 454 CASULL®	X454C3	250	JACKETED HP	H	1300	1151	1047	938	735	608	7-1/2V
RR 460 S & W MAG	X460SW	250	JACKETED HP	H	1450	1267	1127	1167	891	705	8-3/8V
RR 500 SMITH & WESSON MAG	X500SW	350	JACKETED HP	H	1350	1192	1077	1416	1104	902	8-3/8V

RR = Reduced Recoil # ACCEPTABLE FOR USE IN RIFLE HUNTING APPLICATIONS.

COWBOY LOADS HANDGUN BALLISTICS

Cartridge	Symbol	Bullet Wt. (Grs.)	Type	User Guide	Velocity (fps)-Yards		Energy (ft-lbs.)-Yards		Barrel Length Inches
					Muzzle	50	Muzzle	50	
38 SPECIAL	USA38CB	158	LEAD	T	800	761	225	203	4V
44-40 WINCHESTER	USA4440CB	225	LEAD	T	750	723	281	261	4V
44 SPECIAL	USA44CB	240	LEAD	T	750	719	300	275	4V
45 COLT	USA45CB	250	LEAD	T	750	720	312	288	5.5V

SILVERTIP®



- > RAPID ENERGY DEPOSIT
- > POSITIVE FUNCTIONING
- > UNIFORM EXPANSION
- > EXCELLENT ACCURACY

V-DATA IS BASED ON VELOCITY OBTAINED FROM VENTED TEST BARRELS FOR REVOLVER CARTRIDGES (38 SPECIAL, 357 MAG., 41 REM. MAG., 44 REM. MAG., 454 CASULL®, 460 S&W MAG. AND 500 S&W MAG.). SPECIFICATIONS ARE NOMINAL. TEST BARRELS ARE USED TO DETERMINE BALLISTICS FIGURES. INDIVIDUAL FIREARMS MAY DIFFER FROM TEST BARREL STATISTICS.

+P AMMUNITION WITH (+P) ON THE CASE HEAD STAMP IS LOADED TO HIGHER PRESSURE. USE ONLY IN FIREARMS DESIGNATED FOR THIS CARTRIDGE AND SO RECOMMENDED BY THE GUN MANUFACTURER.



Visit the **NEW** winchester.com

WINCLEAN® HANDGUN BALLISTICS

Cartridge	Symbol	Bullet Wt. (Grs.)	Type	User Guide	Velocity (fps)–Yards		Energy (ft-lbs.)–Yards		Barrel Length Inches
					Muzzle	50	Muzzle	50	
380 AUTOMATIC	WC3801	95	BRASS ENCLOSED BASE	T	955	881	192	164	3-3/4
38 SPECIAL	WC381	125	JACKETED FLAT POINT	T	775	742	167	153	4V
9MM LUGER	WC91	115	BRASS ENCLOSED BASE	T	1190	1088	362	302	4
9MM LUGER	WC92	124	BRASS ENCLOSED BASE	T	1130	1049	352	303	4
9MM LUGER	WC93	147	BRASS ENCLOSED BASE	T	990	945	320	291	4
357 SIG	WC357SIG	125	BRASS ENCLOSED BASE	T	1350	1183	506	388	4
357 MAGNUM	WC3571	125	JACKETED FLAT POINT	T	1370	1183	521	389	4V
40 SMITH & WESSON	WC401	165	BRASS ENCLOSED BASE	T	1130	1054	468	407	4
40 SMITH & WESSON	WC402	180	BRASS ENCLOSED BASE	T	990	943	392	356	4
45 G.A.P.	WC45G	230	BRASS ENCLOSED BASE	T	875	840	391	360	5
45 AUTOMATIC	WC451	185	BRASS ENCLOSED BASE	T	1000	902	411	334	5
45 AUTOMATIC	WC452	230	BRASS ENCLOSED BASE	T	875	840	391	360	5

USA BRAND HANDGUN BALLISTICS

Cartridge	Symbol	Bullet Wt. (Grs.)	Type	User Guide	Velocity (fps)–Yards		Energy (ft-lbs.)–Yards	
					Muzzle	50	Muzzle	50
25 AUTOMATIC	Q4203	50	FULL METAL JACKET	T	760	707	64	56
32 AUTOMATIC	Q4255	71	FULL METAL JACKET	T	905	855	129	115
380 AUTOMATIC	Q4206	95	FULL METAL JACKET	T	955	865	190	160
38 SUPER AUTOMATIC +P	Q4205	130	FULL METAL JACKET	T	1215	1099	426	348
38 SPECIAL	USA38SP	125	JACKETED FLAT POINT	T	850	804	201	179
38 SPECIAL	Q4171	130	FULL METAL JACKET	T	800	765	185	169
38 SPECIAL	Q4196	150	LEAD ROUND NOSE	T	845	812	238	219
38 SPECIAL +P	USA38JHP	125	JACKETED HOLLOW POINT	PP	945	898	248	224
7.62 X 25 TOKAREV	MC762TOK	85	FULL METAL JACKET	T	1645	1311	511	323
9MM LUGER	USA9JHP	115	JACKETED HOLLOW POINT	PP	1225	1095	383	306
9MM LUGER	USA9JHP2	147	JACKETED HOLLOW POINT	PP	990	945	320	291
9MM LUGER	Q4172	115	FULL METAL JACKET	T	1190	1071	362	293
9MM LUGER (100 RND VALUE PACK)	USA9MMVP	115	FULL METAL JACKET	T	1190	1071	362	293
9MM LUGER	USA9MM	124	FULL METAL JACKET	T	1140	1050	358	303
9MM LUGER	USA9MM1	147	FULL METAL JACKET-FLAT NOSE	T	990	945	320	292
9MM MAKAROV	MC918M	95	FULL METAL JACKET	T	1015	933	216	182
9X23MM WIN	Q4304	124	JACKETED FLAT POINT	T	1460	1308	587	471
357 SIG	USA357SJHP	125	JACKETED HOLLOW POINT	PP	1350	1185	506	390
357 SIG	Q4309	125	FULL METAL JACKET-FLAT NOSE	T	1350	1185	506	390
357 MAGNUM	Q4204	110	JACKETED HOLLOW POINT	PP	1295	1095	410	292
40 SMITH & WESSON	USA40SW	165	FULL METAL JACKET-FLAT NOSE	T	1060	1001	412	367
40 SMITH & WESSON	USA40SWVP	165	FULL METAL JACKET-FLAT NOSE	T	1060	1001	412	367
40 SMITH & WESSON	USA40JHP	180	JACKETED HOLLOW POINT	PP	1010	954	408	364
40 SMITH & WESSON	Q4238	180	FULL METAL JACKET	T	1020	968	416	374
44 REM MAGNUM	Q4240	240	JACKETED SOFT POINT	H	1180	1081	741	623
45 G.A.P.	USA45G	230	FULL METAL JACKET	T	850	814	369	338
45 G.A.P.	USA45GJHP	230	JACKETED HOLLOW POINT	PP	880	842	396	363
45 AUTOMATIC	USA45A	185	FULL METAL JACKET-FLAT NOSE	T	910	861	340	304
45 AUTOMATIC	USA45AVP	230	FULL METAL JACKET	T	835	800	356	326
45 AUTOMATIC	USA45JHP	230	JACKETED HOLLOW POINT	PP	880	842	396	363
45 AUTOMATIC	Q4170	230	FULL METAL JACKET	T	835	800	356	326

WINCLEAN®



- > LEAD & HEAVY-METAL FREE PRIMER
- > EXCELLENT ACCURACY
- > BRASS ENCLOSED BASE ELIMINATES LEAD VAPORIZATION FROM BULLET BASE
- > NO BARREL FOULING
- > POSITIVE FUNCTIONING

FULL METAL JACKET



- > POSITIVE FUNCTIONING
- > NO EXPANSION
- > ACCURATE
- > REDUCED BARREL FOULING

JACKETED SOFT HOLLOW POINT



- > POSITIVE EXPANSION
- > PROVEN ACCURACY
- > NOTCHED JACKET

WINCHESTER

WINCHESTER AMMUNITION | 2010



Olympic medalists of the USA Shooting Shotgun Team take on the world's toughest competition with Winchester® Ammunition. Winchester, the official ammunition of the USA Shooting Shotgun Team since 1999.



World Record Holding "Xtreme" Shooter and Winchester Legends TV Host Patrick Flanigan

SHOTSHELL AMMUNITION

AA® TARGET

Gauge	Symbol	Description	Length of Shell In.	Powder Dram Equivalent	Velocity fps @ 3 ft.	Oz. Shot	Standard Shot Sizes
AA® TARGET							
12	AAHA12	SUPER-HANDICAP®	2 3/4	3	1250	1 1/8	7.5, 8
12	AAM12	HEAVY TARGET LOAD	2 3/4	3	1200	1 1/8	7.5, 8, 9
12	AA12	LIGHT TARGET LOAD	2 3/4	2 3/4	1145	1 1/8	7.5, 8, 8.5, 9
12	AAHLA12	LITE HANDICAP	2 3/4	3 1/4	1290	1	7.5, 8
12	AAL12	XTRA-LITE™	2 3/4	2 3/4	1180	1	7.5, 8, 8.5, 9
12	AANL12	INTERNATIONAL	2 3/4	3 1/4	1325	24 GRAMS	7.5, 9
RR 12	AA12FL	LOW RECOIL/LOW NOISE	2 3/4	1 3/4	980	26 GRAMS	8
20	AAH20	HEAVY TARGET LOAD	2 3/4	2 1/2	1165	1	7.5, 8
20	AA20	TARGET LOAD	2 3/4	2 1/2	1200	7/8	8, 9
28	AA28	TARGET LOAD	2 3/4	2	1200	3/4	8, 9
410	AA41	TARGET LOAD	2 1/2	MAX	1200	1/2	9

RR = Reduced Recoil

AA® TARGET

- > HARD SHOT FOR TIGHT PATTERNS
- > CLEAN BURNING AA PRIMER AND POWDER
- > RELOADABLE HIGH-STRENGTH HULL
- > LOADS FOR EVERY SHOOTER'S NEED



AA® SUPERSPORT™

Gauge	Symbol	Description	Length of Shell In.	Powder Dram Equivalent	Velocity fps @ 3 ft.	Oz. Shot	Standard Shot Sizes
AA® SUPERSPORT™							
12	AASC12	SPORTING CLAYS	2 3/4	3 1/4	1300	1 1/8	7.5, 8, 9
12	AASCL12	SPORTING CLAYS	2 3/4	3 1/2	1350	1	7.5, 8
20	AASC20	SPORTING CLAYS	2 3/4	3	1300	7/8	7.5, 8
28	AASC28	SPORTING CLAYS	2 3/4	MAX	1300	3/4	7.5, 8.5
410	AASC41	SPORTING CLAYS	2 1/2	MAX	1300	1/2	7.5, 8, 8.5

SUPER-TARGET®

Gauge	Symbol	Description	Length of Shell In.	Powder Dram Equivalent	Velocity fps @ 3 ft.	Oz. Shot	Standard Shot Sizes
SUPER-TARGET®							
12	TRGTL12	SUPER-TARGET	2 3/4	2 3/4	1180	1	7.5, 8, 9
12	TRGT12M	SUPER-TARGET	2 3/4	3	1200	1 1/8	7.5, 8
12	TRGT12	SUPER-TARGET	2 3/4	2 3/4	1145	1 1/8	7.5, 8
LF 12	TRGT12S	SUPER-TARGET	2 3/4	3	1200	1 1/8	7 STEEL
20	TRGT20	SUPER-TARGET	2 3/4	2 1/2	1200	7/8	7.5, 8

WINLITE® TARGET

Gauge	Symbol	Description	Length of Shell In.	Powder Dram Equivalent	Velocity fps @ 3 ft.	Oz. Shot	Standard Shot Sizes
WINLITE®							
RR 12	WL12FL8	TARGET	2 3/4	1 3/4	980	26 GRAMS	8
RR 20	WL20FL8	TARGET	2 3/4	1 1/2	980	7/8 OZ.	8

XPERT® STEEL UPLAND GAME & TARGET

Gauge	Symbol	Length of Shell In.	Velocity fps @ 3 ft.	Oz. Shot	Standard Shot Sizes
XPERT® STEEL UPLAND GAME & TARGET					
LF 12	WE12GTH	2 3/4	1280	1 1/8	6, 7
LF 12	WE12GT	2 3/4	1325	1	6, 7
LF 12	WE12	2 3/4	1300	1	6, 7
LF 20	WE20GT	2 3/4	1325	3/4	6, 7
LF 20	WE20	2 3/4	1300	3/4	7
LF 28	WE28GT	2 3/4	1300	5/8	6, 7
LF 410	WE413GT	3	1400	3/8	6

▶ **NEW PRODUCT**

LF = LEAD FREE PROJECTILE

RR = Reduced Recoil

AA® SUPERSPORT™

- > **HIGH VELOCITY**
- > **CLEAN BURNING AA PRIMER AND POWDER**
- > **HARD SHOT FOR TIGHT PATTERNS**
- > **RELOADABLE HIGH-STRENGTH HULL**



SUPER-TARGET™

- > **CONSISTENT PATTERNS**
- > **ONE PIECE PLASTIC WAD**
- > **RELIABLE IGNITION**
- > **VALUE PRICED**



WINLITE® TARGET

- > **UP TO 50 PERCENT REDUCTION IN RECOIL**
- > **EFFECTIVE ON-TARGET PERFORMANCE**
- > **EXTREMELY VERSATILE**



XPERT® STEEL UPLAND GAME & TARGET

- > **UP TO 1400 FPS VELOCITY**
- > **CONSISTENT PATTERNS**
- > **THICKER WAD FOR IMPROVED BARREL PROTECTION**
- > **DESIGNED FOR UPLAND GAME AND TARGET SHOOTING SPECIFICALLY**



SUPREME ELITE® XTENDED RANGE™ HI-DENSITY WATERFOWL

Gauge	Symbol	Length of Shell In.	Velocity fps @ 3 ft.	Oz. Shot	Standard Shot Sizes
SUPREME ELITE® XTENDED RANGE® HI-DENSITY WATERFOWL					
LF 12	SWXR12L	3 1/2	1400	1 5/8	B, 2, 4
LF 12	SWXR123	3	1375	1 3/8	B, 2, 4
LF 12	SWXR12	2 3/4	1425	1 1/4	B, 2, 4
LF 20	SWXR203	3	1350	1 1/16	2, 4

SUPREME® STEEL WATERFOWL

Gauge	Symbol	Length of Shell In.	Velocity fps @ 3 ft.	Oz. Shot	Standard Shot Sizes
SUPREME® HIGH-VELOCITY DRYLOK SUPER STEEL® NON-TOXIC, PLATED WATERFOWL					
10	SSH10	3 1/2	1450	1 3/8	BBB, BB, 2
12	SSH12LH	3 1/2	1475	1 1/2	BBB, BB, 2, 3
12	SSH123	3	1450	1 1/4	BB, 2, 3, 4

SUPER-X® STEEL WATERFOWL & UPLAND

Gauge	Symbol	Length of Shell In.	Velocity fps @ 3 ft.	Oz. Shot	Standard Shot Sizes
SUPER-X® DRYLOK SUPER STEEL® NON-TOXIC PLATED MAGNUM GOOSE					
10	XSC10	3 1/2	1350	1 5/8	T, BBB, BB, 2
12	XSC12L	3 1/2	1300	1 9/16	T, BBB
12	XSC123	3	1400	1 1/4	T, BBB
SUPER-X® DRYLOK SUPER STEEL® NON-TOXIC MAGNUM WATERFOWL					
12	XSM12L	3 1/2	1300	1 9/16	BB, 1, 2, 3
12	XSM123	3	1300	1 3/8	BB, 2, 3, 4
12	XSV123	3	1400	1 1/4	BB, 2, 3, 4
12	XSM12	2 3/4	1300	1 1/4	BB, 2, 3, 4, 6
20	XSM203	3	1330	1	2, 3, 4
SUPER-X® DRYLOK SUPER STEEL® NON-TOXIC WATERFOWL & UPLAND					
20	XS20	2 3/4	1425	3/4	4

XPERT® STEEL WATERFOWL

Gauge	Symbol	Length of Shell In.	Velocity fps @ 3 ft.	Oz. Shot	Standard Shot Sizes
XPERT® HI-VELOCITY WATERFOWL					
12	WEX12L	3 1/2	1550	1 3/8	BB, 2, 3
12	WEX12LM	3 1/2	1625	1 1/4	BB, 2
12	WEX123H	3	1400	1 1/4	BB, 1, 2, 3, 4
12	WEX123	3	1550	1 1/8	BB, 2, 3, 4
12	WEX12H	2 3/4	1400	1 1/8	BB, 2, 3, 4, 6
12	WEX12	2 3/4	1550	1 1/16	BB, 2, 3, 4
20	WEX203	3	1500	7/8	2, 4

LF = LEAD FREE PROJECTILE

SUPREME ELITE® XTENDED RANGE™ HI-DENSITY

- > LEAD-FREE SHOT
- > DENSER THAN LEAD AND STEEL
- > SOFTER THAN MOST BARRELS AND CHOKES
- > HARDER HITTING & DEEPER PENETRATING
- > ROUND SHOT DELIVERS CONSISTENT PATTERNS
- > LONGEST RANGE KNOCK DOWN POWER



SUPREME® DRYLOK® SUPER STEEL® WATERFOWL

- > PATENTED WATER RESISTANT WAD SYSTEM
- > LACQUERED PRIMER FOR WATER RESISTANCE
- > PLATED CORROSION RESISTANT SHOT
- > CONSISTENT PATTERNS
- > HIGH-VELOCITY LOADS



SUPER-X® DRYLOK® SUPER STEEL® WATERFOWL

- > PATENTED WATER RESISTANT WAD SYSTEM
- > LACQUERED PRIMER FOR WATER RESISTANCE
- > CORROSION RESISTANT SHOT
- > CONSISTENT PATTERNS



XPERT® STEEL HI-VELOCITY WATERFOWL

- > UP TO 1,625 SIZZLING FEET PER SECOND VELOCITY
- > VALUE PRICE
- > CORROSION RESISTANT SHOT
- > CONSISTENT PATTERNS



SUPREME ELITE® XTENDED RANGE® HI-DENSITY TURKEY

Gauge	Symbol	Length of Shell In.	Velocity fps @ 3 ft.	Oz. Shot	Standard Shot Sizes
SUPREME ELITE® XTENDED RANGE® HI-DENSITY TURKEY					
LF12	STXS12L	3 1/2	1225	2	4, 5, 6
LF12	STXS123	3	1225	1 3/4	4, 5, 6
LF12	STXS12	2 3/4	1225	1 1/2	5, 6
LF20	STXS203	3	1225	1 1/8	5

SUPREME® LEAD TURKEY

Gauge	Symbol	Length of Shell In.	Velocity fps @ 3 ft.	Oz. Shot	Standard Shot Sizes
SUPREME® HIGH-VELOCITY TURKEY - COPPERPLATED, BUFFERED SHOT					
10	STH10	3 1/2	1300	2	4, 5
12	STH1235	3 1/2	1300	2	4, 5, 6
12	STH123	3	1300	1 3/4	4, 5, 6
12	STH12	2 3/4	1300	1 1/2	4, 5, 6
20	STH203	3	1200	1 5/16	4, 5
SUPREME® DOUBLE X® MAGNUM TURKEY - COPPERPLATED, BUFFERED SHOT					
12	XXT12L	3 1/2	1150	2 1/4	4, 5, 6
12	X123MXCT	3	1125	2	4, 5, 6
12	X12HXCT	2 3/4	1250	1 5/8	4, 5, 6
20	X203XCT	3	1185	1 1/4	4, 5

SUPREME® LEAD GAME

Gauge	Symbol	Length of Shell In.	Velocity fps @ 3 ft.	Oz. Shot	Standard Shot Sizes
SUPREME® HIGH VELOCITY FIELD - COPPERPLATED SHOT					
12	SFH12	2 3/4	1400	1 1/4	4, 5, 6
20	SFH20	2 3/4	1300	1	4, 5, 6, 7.5
SUPREME® DOUBLE X® MAGNUM GAME - COPPERPLATED, BUFFERED SHOT					
12	X123XC	3	1210	1 7/8	4, 6
12	X12MXC	3	1280	1 5/8	4, 6
12	X12XC	2 3/4	1260	1 1/2	4, 5, 6
20	X203XC	3	1185	1 1/4	4, 6
20	X20XC	2 3/4	1175	1 1/8	6, 7.5

LF = LEAD FREE PROJECTILE



SUPREME® ELITE® XTENDED RANGE™ HI-DENSITY

- > LEAD-FREE SHOT
- > DENSER THAN LEAD AND STEEL
- > SOFTER THAN MOST BARRELS AND CHOKES
- > HARDER HITTING & DEEPER PENETRATING
- > ROUND SHOT DELIVERS CONSISTENT PATTERNS
- > LONGEST RANGE KNOCKDOWN POWER




SUPREME® LEAD TURKEY

- > GREX BUFFERING FOR TIGHTEST PATTERN
- > COPPERPLATED HARD SHOT FOR LONG RANGE PATTERNING
- > HARDEST HITTING LEAD
- > HIGH-VELOCITY



SUPREME® LEAD GAME

- > COPPERPLATED SHOT FOR LONG RANGE PATTERNING
- > HARD HITTING LEAD
- > HIGH-VELOCITY



SUPER-X® SUPER-PHEASANT™

Gauge	Symbol	Length of Shell In.	Velocity fps @ 3 ft.	Oz. Shot	Standard Shot Sizes
SUPER-X® SUPER PHEASANT™ – COPPERPLATED SHOT					
12	X123PH	3	1350	1 5/8	4, 5
12	X12PH	2 3/4	1300	1 3/8	4, 5, 6
12	X12PHV	2 3/4	1450	1 3/8	4, 5, 6
LF 12	X123PS	3	1400	1 1/4	4 STEEL
20	X203PH	3	1250	1 1/4	4, 5, 6
20	X20PH	2 3/4	1300	1	5, 6

SUPER-X® HIGH BRASS GAME

Gauge	Symbol	Length of Shell In.	Velocity fps @ 3 ft.	Oz. Shot	Standard Shot Sizes
SUPER-X® PHEASANT					
12	X12P	2 3/4	1220	1 1/4	4, 5
SUPER-X® HIGH BRASS GAME					
12	X12	2 3/4	1330	1 1/4	4, 5, 6, 7.5, 8
16	X16H	2 3/4	1295	1 1/8	4, 6, 7.5
20	X20	2 3/4	1220	1	4, 6, 7.5, 8
28	X28H	2 3/4	1205	1	5, 6, 7.5, 8
410	X413H	3	1100	3/4	4, 6, 7.5, 8.5
410	X413	3	1135	11/16	4, 6, 7.5
410	X41	2 1/2	1245	1/2	4, 6, 7.5

SUPER-X® GAME

Gauge	Symbol	Length of Shell In.	Velocity fps @ 3 ft.	Oz. Shot	Standard Shot Sizes
SUPER-X® HEAVY GAME/FIELD					
12	XU12SP	2 3/4	1220	1 1/4	7.5, 8
12	XU12H	2 3/4	1255	1 1/8	4, 6, 7.5, 8
20	XU20H	2 3/4	1165	1	6, 7.5, 8
SUPER-X® GAME					
12	XU12	2 3/4	1290	1	6, 7.5, 8
16	XU16	2 3/4	1165	1	6, 8
20	XU20	2 3/4	1210	7/8	6, 7.5, 8

SUPER-X® TRIALS & BLANKS

Gauge	Symbol	Length of Shell In.	Powder Type	Standard Shot Sizes
SUPER-X® TRIAL POPPER				
12	XP12	2 3/4	SMOKELESS POWDER	BLANK
SUPER-X® BLANK				
10	XBP10	2 7/8	BLACK POWDER	BLANK
12	XBP12	2 3/4	BLACK POWDER	BLANK

LF = LEAD FREE PROJECTILE

SUPER-X® SUPER PHEASANT™

- > POWERFUL HIGH BRASS MAGNUM CHARGE PERFORMANCE
- > TIGHT-PATTERNING WAD
- > HEAVY GAME SHOT SIZES
- > LONG DISTANCE RELIABILITY



SUPER-X® HIGH BRASS GAME

- > POWERFUL HIGH BRASS PERFORMANCE
- > TIGHT-PATTERNING WAD
- > HEAVY GAME SHOT SIZES
- > LONG DISTANCE RELIABILITY



SUPER-X® GAME

- > HIGH VELOCITY FOR FAST-FLYING GAME BIRDS
- > ONE PIECE PLASTIC WAD
- > CLEAN BURNING
- > RELIABLE IGNITION




SHOTSHELL GAME GUIDE

PATTERN/PELLET DENSITY & ENERGY GUIDE FOR GAME APPLICATIONS

GAME SPECIES	BRAND	SHOT SIZE	CHOKE	GAUGE	
GEESE	STEEL:	SUPER-X® DRYLOK SUPER STEEL® SUPREME® HIGH VEL. STEEL XPERT® HI-VELOCITY	T, BBB, BB, 1, 2 BB, BBB 1, BB	MOD., IMP. MOD. MOD., IMP. MOD. MOD., IMP. MOD.	10, 12 10, 12 12
	HD:	XTENDED RANGE™ HD	B, 2, 4	IMP. CYL., MOD., IMP. MOD., FULL	12, 20
DUCK	STEEL:	SUPER-X® DRYLOK SUPER STEEL® SUPREME® HIGH VEL. STEEL XPERT® HI-VELOCITY	1, 2, 3, 4, 6 2, 3, 4 2, 3, 4	IMP. CYL., MOD., IMP. MOD. FULL, XTRA FULL IMP. CYL., MOD., IMP. MOD.	10, 12, 20 10, 12 12, 20
	HD:	XTENDED RANGE™ HD	2, 4	IMP. CYL., MOD., IMP. MOD.	12, 20
	LEAD:	SUPER-X® DOUBLE X® SUPREME® HIGH VELOCITY	4, 5, 6 4, 5, 6 4, 5, 6	FULL, XTRA FULL FULL, XTRA FULL FULL, XTRA FULL	12, 16, 20 10, 12, 20 10, 12, 20
HD:	XTENDED RANGE™ HD	4, 5, 6	FULL, XTRA FULL	12, 20	
TURKEY	LEAD:	SUPER-X® DOUBLE X® SUPREME® HIGH VELOCITY	4, 5, 6 4, 6 4, 6, 7.5	FULL, XTRA FULL FULL, XTRA FULL FULL, XTRA FULL	12, 16, 20 10, 12, 20 10, 12, 20
	HD:	XTENDED RANGE™ HD	4, 5, 6	FULL, XTRA FULL	12, 20
	STEEL:	SUPER-PHEASANT SUPER-PHEASANT XPERT® HI-VELOCITY	4, 5, 6 4 4	IMP. CYL., MOD., IMP. MOD., FULL IMP. CYL., MOD., IMP. MOD., FULL IMP. CYL., MOD., IMP. MOD., FULL	12, 16, 20, 410 12, 20 12, 20
PHEASANT	LEAD:	SUPER-X® DOUBLE X® SUPREME® HIGH VELOCITY	4, 5, 6, 7.5 4, 6 4, 6, 7.5	IMP. CYL., MOD., IMP. MOD., FULL IMP. CYL., MOD., IMP. MOD., FULL IMP. CYL., MOD., IMP. MOD., FULL	12, 16, 20, 410 12, 20 12, 20
	STEEL:	SUPER-PHEASANT SUPER-PHEASANT XPERT® HI-VELOCITY	4, 5, 6 4 4	IMP. CYL., MOD., IMP. MOD., FULL IMP. CYL., MOD., IMP. MOD., FULL IMP. CYL., MOD., IMP. MOD., FULL	12, 20 12 12, 20
	LEAD:	SUPER-X® AA® SUPER-TARGET®	6, 7.5, 8, 8.5 7.5, 8 7.5, 8	IMP. CYL., MOD., IMP. MOD. IMP. CYL., MOD. IMP. CYL., MOD.	12, 16, 20, 28, 410 12, 20, 28, 410 12, 20
GROUSE, PARTRIDGE, DOVE, WOODCOCK, QUAIL	STEEL:	SUPER-X® DRYLOK SUPER STEEL® XPERT® UPLAND GAME	4, 6 6, 7	IMP. CYL., MOD., IMP. MOD. IMP. CYL., MOD.	12, 20 12, 20
	LEAD:	SUPER-X®	4, 5, 6, 7.5	IMP. CYL., MOD.	12, 16, 20, 28, 410
RABBIT	STEEL:	SUPER-X® DRYLOK SUPER STEEL® XPERT® UPLAND GAME	4, 6 4, 6	IMP. CYL., MOD., IMP. MOD. IMP. CYL., MOD., IMP.	12, 20 12, 20
	LEAD:	SUPER-X®	4, 5, 6	MOD., IMP. MOD., FULL	12, 16, 20, 28, 410
SQUIRREL	STEEL:	SUPER-X® DRYLOK SUPER STEEL® XPERT® UPLAND GAME	4, 6 4, 6	IMP. CYL., MOD., IMP. MOD. IMP. CYL., MOD., IMP.	12, 20 12, 20
	LEAD:	SUPER-X®	4, 5, 6	MOD., IMP. MOD., FULL	12, 16, 20, 28, 410
COYOTE	LEAD:	SUPER-X® HIGH VELOCITY SUPREME® HIGH VELOCITY	BUCKSHOT 4	MOD., FULL FULL	12 12
	HD:	XTENDED RANGE™ HD	COYOTE (B)	MOD., FULL	12

XTENDED RANGE HD-WATERFOWL



STEEL SHOT




LEAD SHOT



TURKEY APPLICATIONS

XTENDED RANGE HD-TURKEY



LEAD SHOT-TURKEY



Look up distance to your game for recommended pellet size. Pellets appropriate for longer distances may also be used at shorter range. Use of pellets at distances surpassing their listing is not recommended.

STANDARD SHOT SIZES

SHOT SIZES	DENSITY	●	●	●	●	●	●	●	●	●	●	●	●	●	●	
Shot Number		9	8.5	8	7.5	7	6	5	4	3	2	1	B	BB	BBB	T
Diameter In Inches		.08	.085	.09	.095	.10	.11	.12	.13	.14	.15	.16	.17	.18	.19	.20
Pellets/Oz., Steel	7.9*	-	-	577	490	420	316	243	191	153	125	103	-	72	61	53
Pellets/Oz., Lead	11.0*	585	500	410	350	300	225	170	135	-	87	-	-	50	-	-
Pellets/Oz. Hi-Density	12.0*	-	-	-	-	-	207	159	125	-	82	-	56	-	-	-

BUCKSHOT SIZES	●	●	●	●	●	●
Shot Number	4	3	1	0	00	000
Diameter In Inches	.24	.25	.30	.32	.33	.36
# Pellets Typical Load	27, 34, 41	20	16, 24	12	9, 12, 15, 18	8, 10

SLUG BALLISTICS

Symbol	Brand/Slug Type	B.C.	Slug Grs./Oz.	Shell Length	Gauge	Velocity in fps-Yards				Energy in ft.-lbs.-Yards				Trajectory height in inches-Yards						Barrel Type	
						Muzzle	50	100	125	Muzzle	50	100	125	25	50	75	100	125	150		175
SUPREME ELITE® SLUGS																					
LF SXP123	XP ³ Tin Core	0.189	300	3	12	2100	1898	1708	1619	2937	2398	1944	1746	-0.2	0.5	0.6	0	-1.3	-3.5	-6.5	FR
LF SXP12	XP ³ Tin Core	0.189	300	2 3/4	12	2000	1807	1622	1537	2665	2176	1753	1573	-0.2	0.8	0.7	0	-1.5	-3.9	-7.3	FR
SSDB123	DUAL BOND	0.210	375	3	12	1850	1674	1512	1438	2849	2333	1904	1720	0	0.8	0.8	0	-1.8	-4.6	-8.6	FR
SSDB12	DUAL BOND	0.210	375	2 3/4	12	1800	1628	1470	1398	2697	2206	1800	1627	0.1	0.9	0.9	0	-1.9	-4.9	-9.2	FR
SSDB203	DUAL BOND	0.175	260	3	20	1850	1651	1471	1389	1976	1574	1249	1114	0	0.9	0.9	0	-1.9	-4.9	-9.1	FR
SSDB20	DUAL BOND	0.175	260	2 3/4	20	1800	1605	1430	1352	1870	1488	1181	1054	0.1	0.9	0.9	0	-2.0	-5.2	-9.7	FR
SUPREME® SLUGS																					
SSP123	PARTITION GOLD®	0.221	385	3	12	2000	1831	1673	1598	3419	2867	2392	2182	-0.2	0.5	0.6	0	-1.4	-3.7	-6.9	FR
SSP12	PARTITION GOLD	0.221	385	2 3/4	12	1900	1737	1585	1514	3086	2579	2148	1959	0	0.7	0.7	0	-1.6	-4.2	-7.8	FR
SSPTH12	PLATINUM TIP™	0.226	400	2 3/4	12	1700	1554	1420	1359	2566	2144	1791	1640	0.2	1.1	1.0	0	-2.1	-5.4	-9.9	FR
RR WL12PTHP	WINLITE® PT	0.226	400	2 3/4	12	1450	1328	1222	1176	1867	1565	1326	1228	0.7	1.7	1.5	0	-3.0	-7.5	-13.8	FR
SSP203	PARTITION GOLD	0.200	260	3	20	2000	1816	1641	1560	2309	1904	1555	1405	-0.2	0.7	0.7	0	-1.5	-3.8	-7.2	FR
SSP20	PARTITION GOLD	0.200	260	2 3/4	20	1900	1721	1555	1478	2084	1709	1395	1260	0.2	0.7	0.8	0	-1.7	-4.3	-8.1	FR
SSPTH20	PLATINUM TIP	0.200	260	2 3/4	20	1700	1536	1388	1321	1668	1362	1112	1008	0.2	1.1	1.1	0	-2.2	-5.6	-10.4	FR
S123SR1	RACKMASTER®	0.072	1 1/8 OZ.	3	12	1700	1287	1039	967	3080	1764	1149	996	0.3	0	-1.6	-4.8	-10.1	-	-	ANY
S12SR1	RACKMASTER	0.072	1 1/8 OZ.	2 3/4	12	1625	1234	1013	948	2815	1623	1094	958	0.3	0	-1.7	-5.2	-10.8	-	-	ANY
S20SR1	RACKMASTER	-	7/8 OZ.	2 3/4	20	1550	1156	962	901	1920	1068	739	649	0.4	0	-2.0	-6.0	-12.3	-	-	ANY
SUPER-X® SLUGS																					
XRS123	BRI SABOT	0.095	1 OZ.	3	12	1400	1153	1007	957	1958	1329	1012	914	1.2	2.5	2.2	0	-4.3	-	-	RCT/FR
XRS12	BRI SABOT	0.095	1 OZ.	2 3/4	12	1350	1121	988	941	1821	1256	975	885	1.3	2.7	2.3	0	-4.6	-	-	RCT/FR
XRS20	BRI SABOT	0.090	5/8 OZ.	2 3/4	20	1400	1143	995	944	1162	774	586	529	1.2	2.6	2.3	0	-4.5	-	-	RCT/FR
X123RS15	RIFLED	0.068	1 OZ.	3	12	1760	1310	1040	965	3010	1667	1052	904	0.2	0	-1.5	-4.6	-9.7	-	-	SB
X12RSPP	POWER-POINT®	0.060	1 OZ.	2 3/4	12	1700	1222	980	911	2810	1453	933	807	0.3	0	-1.7	-5.4	-11.2	-	-	SB
X12PPVP	POWER-POINT	0.060	1 OZ.	2 3/4	12	1700	1222	980	911	2810	1453	933	807	0.3	0	-1.7	-5.4	-11.2	-	-	SB
X12RS15	RIFLED	0.060	1 OZ.	2 3/4	12	1600	1161	953	889	2488	1310	882	768	0.4	0	-1.9	-5.9	-12.1	-	-	SB
RR WL12RS	WINLITE RIFLED	0.060	1 OZ.	2 3/4	12	1200	970	848	800	1400	915	700	623	0.7	0	-3.0	-8.7	-17.4	-	-	SB
X203RS5	RIFLED	0.060	3/4 OZ.	3	20	1800	1288	1008	932	2359	1208	739	632	0.2	0	-1.5	-4.8	-10.2	-	-	SB
X20RSM5	RIFLED	0.060	3/4 OZ.	2 3/4	20	1600	1160	952	889	1865	981	660	575	0.3	0	-2.0	-5.9	-12.1	-	-	SB
X413RS5	RIFLED	0.058	1/4 OZ.	3	410	1800	1288	998	919	788	403	234	205	0.3	0	-1.9	-5.8	-11.0	-	-	SB
X41RS5	RIFLED	0.061	1/5 OZ.	2 1/2	410	1830	1318	1025	946	651	338	204	174	0.3	0	-1.9	-5.8	-12.0	-	-	SB

LF = LEAD FREE PROJECTILE

▶ NEW PRODUCT

RR = Reduced Recoil




Dual Bond®

XP³®


RACK MASTER®

Barrel/Choke Tube Types




FR – FULLY RIFLED SHOTGUN BARREL

ANY – THIS SLUG IS DESIGNED FOR USE IN ANY SHOTGUN BORE, RIFLED CHOKE TUBE OR RIFLED BARREL CONFIGURATION.



RCT – SMOOTH BORE SHOTGUN BARREL WITH RIFLED CHOKE TUBE



SB – SMOOTH BORE SHOTGUN BARREL

New For 2010 – Ammunition For Personal Defense



SUPREME ELITE® PDX1® AMMUNITION FOR PERSONAL DEFENSE

Gauge	Symbol	Shell Length	Velocity	Slug	Shot Size
▶ 12	S12PDX1	2 3/4	1150	1 OZ	00 BUCK (3)
Gauge	Symbol	Shell Length	Velocity	Shot	Defense Disc™ Projectiles
▶ 410	S410PDX1	2 1/2	TBD	(12) BB	3

SUPREME ELITE® XTENDED RANGE™ & SUPREME® BUCKSHOT

Gauge	Symbol	Standard Shot Sizes	Length of Shell In.	Velocity fps @ 3 ft.	Total Pellets
SUPREME ELITE® XTENDED RANGE™ HI-DENSITY COYOTE					
LF 12	SCXR123	B	3	1375	77
SUPREME® HIGH VELOCITY BUCKSHOT – COPPERPLATED, BUFFERED SHOT					
12	SB12L00	00 BUCK	3 1/2	1450	15
12	SB12300	00 BUCK	3	1450	12
12	SB1200	00 BUCK	2 3/4	1450	9
SUPREME® DOUBLE X® MAGNUM BUCKSHOT – COPPERPLATED, BUFFERED SHOT					
12	X123C000B	000 BUCK	3	1225	10
12	X12XC3B5	00 BUCK	3	1210	15
12	X12XC0B5	00 BUCK	2 3/4	1295	12
12	X12XCMB5	4 BUCK	3	1210	41

SUPER-X® & WINLITE® BUCKSHOT

Gauge	Symbol	Standard Shot Sizes	Length of Shell In.	Velocity fps @ 3 ft.	Total Pellets
SUPER-X® BUCKSHOT LOADS WITH BUFFERED SHOT					
12	XB12L4	4 BUCK	3 1/2 MAGNUM	1150	54
12	XB12L00	00 BUCK	3 1/2 MAGNUM	1200	18
12	XB1231	1 BUCK	3 MAGNUM	1040	24
12	XB12300	00 BUCK	3 MAGNUM	1210	15
12	XB1200	00 BUCK	2 3/4	1325	9
12	XB121	1 BUCK	2 3/4	1250	16
12	XB124	4 BUCK	2 3/4	1325	27
20	XB203	3 BUCK	2 3/4	1200	20
SUPER-X® BUCKSHOT					
410	XB41000	000 BUCK	2 1/2	1300	3
410	XB413	000 BUCK	3	1135	5
WINLITE® BUCKSHOT					
RR 12	WL1200	00 BUCK	2 3/4	1125	9

LF = LEAD FREE PROJECTILE

RR = Reduced Recoil

▶ NEW PRODUCT

WINCHESTER®



THE POWER OF WINCHESTER® RIMFIRE AMMUNITION

Rimfire is the world's most popular ammunition – and Winchester has you covered. From target shooting to small game hunting to plinking, Winchester delivers a complete line of high-quality rimfire ammunition.

Supreme® Xpediter® – a lightning fast, accurate round delivering awesome on-target energy and explosive expansion for long-range varmints.

Super-X® 22 Winchester Long Rifle TIN – a lead free 26-grain hollow point round designed and developed by Winchester to meet customer demand in areas with lead-free regulations.

Super-X® Winchester 22 Magnum TIN – a 28-grain jacketed hollow point bullet traveling at 2,200 feet per second ... one of the most flat-shooting and accurate bullets for varmints and target shooting.

Super-X® Power-Point® – a hard-hitting heavy weight featuring a 40-grain copper plated hollow point bullet available in a high velocity cartridge - with the highest velocity of any rimfire load in its class.

Super-X® Super-Speed® – designed for high energy knockdown power coupled with Winchester's legendary accuracy.



WINCHESTER®

WINCHESTER AMMUNITION | 2010



Super-X® Subsonic – a “silent but deadly” subsonic load that packs enough punch for small game and pest control.

As you can see, Winchester rimfire ammunition is on the move! In addition to introducing many new and exciting rimfire products throughout 2009 and 2010, we’ve also introduced dramatic new product packaging – from handy and reusable 50 and 100 round plastic packs to “ready to use” bulk packs for a whole day of shooting fun.

So, on your next trip to the field or range, load up with the ultimate power – the power of Winchester Rimfire Ammunition.



RIMFIRE AMMUNITION

Cartridge	Brand	Symbol	Bullet Wt. (Grs.)	Bullet Type	Rounds Per Box	Features
22 Win Mag	Supreme®	S22WM	34	JHP	50	Our highest energy 22 Win Mag.
22 Win Mag	Supreme	S22M2	30	JHP	50	Lightning fast Jacketed Hollow-Point, flat shooting and accurate.
LF 22 Win Mag	Super-X®	X22MHLF	28	JHP TIN	50***	Lead free Lightning fast Jacketed Hollow-point, flat shooting & accurate.
22 Win Mag	Super-X	X22MH	40	JHP	50	Controlled expansion, flat shooting and accurate.
22 Win Mag	Super-X	X22M	40	FMJ	50	Full Metal Jacket, deep penetration, flat shooting and accurate.
22 Win Mag	USA DynaPoint®	USA22M	45	DP	50	DynaPoint bullet, value priced. .22 Win Mag.
17 HMR	Supreme	S17HMR	17	Poly Tip VMAX®	50***	Lightning fast, flat shooting, plastic tip-varmint.
17 HMR	Super-X	X17HMR2	20	JHP	50***	Super fast, explosive upset, great for varmints, improved wind-bucking characteristics.
22 Long Rifle	Supreme Xpediter™	S22LRUHV	32	LHP Lubaloy® Plated*	50***	Winchester's fastest Lead Long Rifle varmint & small game round. 1640fps Ultra-high velocity load for long range and flat shooting.
LF 22 Long Rifle	Super-X	X22LRHLF	26	THP TIN	50***	Winchester's fastest Lead Free Long Rifle varmint & small game round. TIN Truncated hollow-point for maximum expansion.
22 Long Rifle	Super-X	XHV22LR	40	LHP Lubaloy Plated*	100***	Heavy 40-grain bullet provides plenty of punch at 1435 fps.
22 Long Rifle	Super-X Super Speed®	X22LRSS1	40	LRN Lubaloy Plated*	100***	40-grain bullet with Super Speed velocity is the best plinking round available. Round nose design preserves meat.
22 Long Rifle	Super-X Power-Point®	X22LRPP1	40	PP Lubaloy Plated*	100***	Unique Power-Point hollow-point design for maximum expansion. Highly accurate.
22 Long Rifle	Super-X Power-Point	X22LRPP	40	PP Lubaloy Plated*	50	Unique Power-Point hollow-point design for maximum expansion. Highly accurate.
22 Long Rifle	Super-X	X22LR	40	LRN Lubaloy Plated*	50	Great small game round. 40 grain bullet provides plenty of punch. Round nose design preserves meat.
22 Long Rifle	Super-X Match	XT22LR	40	LRN Standard Velocity	50	Standard velocity. Great competition round.
22 Long Rifle	Super-X Sub-Sonic	X22LRSUBA	40	LHP	50	Quiet but effective at low speeds for pests & small game.
22 Long Rifle	Super-X Super Speed	X22LRHSS1	37	LHP Lubaloy Plated*	100***	37-grain hollow-point bullet with Super Speed velocity.
22 Long Rifle	Super-X	X22LRH	37	LHP Lubaloy Plated*	50	High velocity hollow-point stops them in their tracks.
22 Long Rifle	Super-X	X22LRS	N/A	#12 Shot	50	Awesome pest control.
22 Long Rifle	Wildcat®	WW22LR	40	LRN	50	Value priced, all around 22. Lead round nose bullet design.
22 Long Rifle	Dyna-Point	WD22LRB	40	DP	500	Value priced and accurate. Great choice for target/plinking.
22 Long Rifle	Xpert®	XP22LR	36	LHP	500	Value priced bulk pack for plinking & varmints.
22 Long Rifle	333™	22LR333HP	36	LHP Lubaloy Plated*	333	Value priced bulk pack for plinking & varmints.
22 Long Rifle	555™	22LR555HP	36	LHP Lubaloy Plated*	555	Value priced bulk pack for plinking & varmints.
22 Long	Super-X CB-Match	X22LRCBMA	29	LRN	50	Sub-sonic, low noise pest control or match grade plinking.
22 Short	Super-X	X22S	29	LRN Lubaloy Plated*	50	No better short round for small game, pest-control and plinking, low noise.
22 Short	Super-X	X22SB	N/A	BLANK-BLACK POWDER	50	22 short blank round. Great for dog training.
22 WRF	Super-X	22WRF	45	LFN Lubaloy Plated*	50	Vintage 22 round for antique rifles.

ABBREVIATIONS

LFN-LEAD FLAT NOSE
FMJ-FULL METAL JACKET
*** CONVENIENT PLASTIC PACK

LHP-LEAD HOLLOW POINT
DP-DYNAPOINT
PP-POWER POINT

JHP-JACKETED HOLLOW POINT
* LUBALOY® PLATING REDUCES FOULING
LRN-LEAD ROUND NOSE

THP-TIN HOLLOW POINT

▶ **NEW PRODUCT**
LF = LEAD FREE PROJECTILE

RIMFIRE CARTRIDGE TYPE

GAME GUIDE**					RIFLE					HANDGUN		
Varmint	Small Game	Target/ Plinking	Pest Control	Low Noise/ Training	Velocity		Energy		Mid Range Traj. (100 yards)	Barrel Length (Inches)	Muzzle Velocity (fps)	Muzzle Energy (ft. lbs.)
					Muzzle	100 yds.	Muzzle	100 yds.				
X	X				2120	1435	339	155	1.4	6.5	1690	216
X	X				2250	1450	337	140	1.3	—	—	—
X	X				2200	1394	301	121	1.2	—	—	—
X	X				1910	1326	324	156	1.7	6.5	1480	195
X	X				1910	1326	324	156	1.7	6.5	1480	195
	X				1550	1147	240	131	2.5	6.5	1120	125
X					2550	1915	245	138	0.9	6.5	2040	157
X	X				2375	1776	250	140	1.0	6.5	1830	149
X	X				1640	1078	191	83	2.2	—	—	—
X	X				1650	1023	157	60	2.3	—	—	—
X	X				1435	1070	183	102	2.9	—	—	—
	X	X			1300	1038	150	96	3.3	6	1105	108
	X				1280	1001	145	89	3.5	6	1085	105
	X				1280	1001	145	89	3.5	6	1085	105
	X	X			1255	1017	140	92	3.6	6	1060	100
		X			1150	976	117	85	4.0	6	950	80
	X		X	X	1065	922	101	76	4.5	6	870	67
	X				1330	1038		88	3.2	6	1135	106
	X				1280	1015	135	85	3.5	6	1085	97
			X		N/A	—	—	—	—	—	—	—
		X			1255	1017	140	92	3.5	6	1060	100
	X	X			1150	976	117	85	4.0	6	950	80
X		X			1280	975	131	76	3.7	6	1085	94
X	X	X			1280	975	131	76	3.7	6	1085	94
X	X	X			1280	975	131	76	3.7	6	1085	94
		X	X	X	770	681	38	30	3.9	6	575	21
	X	X	X	X	1095	903	77	52	4.5	6	1010	66
				X								
		X			1300	1023	169	105	3.4	6	1105	122



**GAME GUIDE:

It is important to understand that rimfire ammunition is very versatile and has broad cross-over with many applications. This game/usage guide is a "starting point" for the beginner sportsman to guide the user in product usage applications. As you become more experienced and knowledgeable, broader usage applications are possible. Choosing a round is subjective and will vary depending on personal preference, the gun used, environmental conditions and other factors.

WINCHESTER COMPONENTS

RIFLE & HANDGUN BULLETS

RIFLE BULLETS

Caliber	Nominal Bullet Diameter	Bullet Weight	Bullet Type	Symbol	Qty/Bag
22	.224	46 GR.	HP	WB22HP46	100
22	.224	50 GR.	PSP	WB222PSP50	100
22	.224	55 GR.	FMJBT	WB556MC55	100
22	.224	55 GR.	PSP	WB223PSP55	100
22	.224	64 GR.	PP	WB223PP64	100
243	.243	80 GR.	PSP	WB243PSP80	100
270	.277	130 GR.	PP	WB270PP130	100
7MM	.284	150 GR.	PP	WB7PP150	100
7.62	.310	123 GR.	PP	WB762PP123	100
30	.308	147 GR.	FMJBT	WB762MC147	100
30	.308	150 GR.	PP	WB30PP150	100
30 (30-30)	.308	150 GR.	PPFN	WB30FN150	100
30 (308)	.308	180 GR.	PP	WB308SP180	100
44 (44-40)	.426	200 GR.	SP	WB44SP200	100

HANDGUN BULLETS

Caliber	Nominal Bullet Diameter	Bullet Weight	Bullet Type	Symbol	Qty/Bag
380	.356	95 GR.	FMJ	WB380MC95	100
38	.356	130 GR.	FMJ	WB38MC130	100
9MM	.355	115 GR.	STHP	WB9ST115	100
9MM	.355	115 GR.	FMJ-FLAT BASE	WB9FB115	100
9MM	.355	115 GR.	FMJ-HOLLOW BASE	WB9MC115	100
9MM	.355	115 GR.	JHP-NOTCHED	WB9JHP115	100
9MM	.355	147 GR.	STHP	WB9ST147	100
9MM	.355	147 GR.	JHP-NOTCHED	WB9JHP147	100
9MM	.355	124 GR.	FMJ-FLAT BASE	WB9MC124	100
38/357	.357	110 GR.	JHP-NOTCHED	WB38JHP110	100
38/357	.357	125 GR.	JHP-NOTCHED	WB38JHP125	100
38/357	.357	145 GR.	STHP	WB357ST145	100
38/357	.357	158 GR.	JHP-NOTCHED	WB357HP158	100
40/10MM	.400	155 GR.	STHP	WB40ST155	100
40/10MM	.400	165 GR.	TRUNCATED CONE	WB40TC165	100
40/10MM	.400	175 GR.	STHP	WB40ST175	100
40/10MM	.400	180 GR.	TRUNCATED CONE	WB40TC180	100
40/10MM	.400	180 GR.	JHP-NOTCHED	WB40JHP180	100
44	.430	210 GR.	STHP	WB44ST210	100
44	.430	240 GR.	HSP-NOTCHED	WB44HSP240	100
45	.451	230 GR.	FMJ	WB45MC230	100
45	.451	230 GR.	JHP-NOTCHED	WB45JHP230	100

PRIMERS

Symbol	Primer	Types
W209	#209	SHOTGUN SHELLS
WLR	#8-1/2 - 120	LARGE RIFLE
WLRM	#8-1/2M - 120	LARGE RIFLE MAGNUM
WSR	#6-1/2 - 116	SMALL RIFLE
WSP	#1-1/2 - 108	SMALL REGULAR PISTOL
WLP	#7 - 111	LARGE REGULAR PISTOL
WSPM	#1-1/2M - 108	SMALL MAGNUM PISTOL

MUZZLELOADING PRIMERS

Symbol	Qty/Carton
WINCHESTER® TRIPLE SEVEN® MUZZLELOADING PRIMERS	
SML11	100
SML209T7	100

NEW PRODUCT

RELOADING POWDERS

INFORMATION ON ALL THE WINCHESTER RELOADING POWDERS AND RELOADING DATA IS AVAILABLE AT: WWW.WWPOWDER.COM

WINCHESTER SMOKELESS PROPELLANT
6231 ROBINSON
SHAWNEE MISSION, KS 66202

(913) 362-9455



WINCHESTER COMPONENTS CONTINUED

RIFLE & HANDGUN SHELLCASES

UNPRIMED RIFLE SHELLCASES

Cartridge	Symbol	Qty/Bag	Cartridge	Symbol	Qty/Bag
CONSUMER PACK METALLIC COMPONENTS (PLASTIC BAG)					
204 RUGER	WSC204RU	100	30-30 WIN.	WSC3030WU	50
218 BEE	WSC218BU	100	30-06 SPRINGFIELD	WSC3006SFU	50
22 HORNET	WSC22HU	100	30-40 Krag	WSC3040KU	50
22-250 REM.	WSC22250U	100	300 WSM	WSC300WSMU	50
220 SWIFT	WSC220SU	100	300 WIN. MAG.	WSC300WMMU	50
222 REM.	WSC222RU	100	300 SAVAGE	WSC300SU	50
223 REM.	WSC223RU	100	300 H&H MAG.	WSC300HHU	50
223 WSSM	WSC223WSSU	50	303 BRITISH	WSC303BU	50
225 WIN.	WSC225WU	50	307 WIN.	WSC307U	50
243 WIN.	WSC243WU	50	308 WIN.	WSC308WU	50
243 WSSM	WSC243WSSU	50	32 WIN. SPECIAL	WSC32WSU	50
6MM REM.	WSC6MMRU	50	32-40 WIN.	WSC3240WU	50
25 WSSM	WSC25WSSU	50	7.62X39MM	WSC762X39U	50
25-06 REM.	WSC2506RU	50	32-20 WIN.	WSC3220U	50
25-20 WIN.	WSC2520U	50	8MM MAUSER	WSC8MMAU	50
25-35 WIN.	WSC2535WU	50	325 WSM	WSC325WSMU	50
250 SAVAGE	WSC250SU	50	338 WIN. MAG.	WSC338WMMU	50
257 ROBERTS +P	WSC257PU	50	348 WIN.	WSC348WMMU	50
264 WIN. MAG.	WSC264WMMU	50	35 REM.	WSC35REMU	50
6.5X55 SWEDISH	WSC6555SU	50	356 WIN.	WSC356U	50
270 WIN.	WSC270WU	50	358 WIN.	WSC358U	50
270 WSM	WSC270WSMU	50	375 WIN.	WSC375WU	50
280 REM.	WSC280RU	50	375 H&H MAG.	WSC375HHU	50
284 WIN.	WSC284WU	50	38-40 WIN.	WSC3840U	50
7MM-08 REM.	WSC708RU	50	38-55 WIN.	WSC3855WU	50
7MM MAUSER	WSC7MMAU	50	44-40 WIN.	WSC4440WU	50
7MM REM. MAG.	WSC7MMRU	50	45-70 GOVERNMENT	WSC4570GU	50
7MM WSM	WSC7MMWSMU	50	458 WIN. MAG.	WSC458WMMU	50
30 CARBINE	WSC30CU	100			

UNPRIMED HANDGUN SHELLCASES

Cartridge	Symbol	Qty/Bag
CONSUMER PACK METALLIC COMPONENTS (PLASTIC BAG)		
380 AUTOMATIC	WSC380AU	100
30 LUGER	WSC30LU	100
32 SMITH & WESSON	WSC32SWU	100
32 SHORT COLT	WSC32SCU	100
38 SPECIAL	WSC38SU	100
9MM LUGER	WSC9U	100
38 SUPER AUTO +P	WSC38AS+U	100
9X23MM	WSC923WU	100
357 SIG	WSC357SIGU	100
357 MAGNUM	WSC357MU	100
40 SMITH & WESSON	WSC40SWU	100
10MM AUTO	WSC10MMU	100
41 REM. MAG.	WSC41RMU	100
44 SMITH & WESSON	WSC44SWU	100
44 REM. MAG.	WSC44MU	100
45 AUTOMATIC	WSC45AU	100
45 G.A.P.	WSC45GU	100
45 COLT	WSC45COLTU	100
454 CASULL®	WSC454CU	100
500 SMITH & WESSON	WSC500SWU	50



SHOTSHELL WADS

Symbol	Gauge	Optimum (Oz.)	Description Shot Wt.	Color
WAA12L	12	7/8	FOR 7/8 TO 1 OUNCE LOADS	GRAY
WAA12	12	1-1/8	FOR 1 TO 1-5/8 OUNCE LOADS	WHITE
WAA12SL	12	1 & 1-1/8	FOR 1 TO 1-1/8 OUNCE LOADS BUT CAN BE USED ANYWHERE 1 OUNCE F1 WAD WAS RECOMMENDED	PINK
WT12	12	1-1/8	FOR 1 TO 1-5/8 OUNCE. LOADS	ORANGE
WAA20	20	7/8	FOR 7/8 TO 1-1/4 OUNCE LOADS	WHITE
WAA28HS	28	3/4	USED IN NEW HS HULL ONLY	RED
WAA410HS	.410	1/2	USED IN NEW HS HULL ONLY	RED



Oliver F. Winchester
1810-2010



WINCHESTER
A M M U N I T I O N
WWW.WINCHESTER.COM

THE LEGACY OF "THE AMERICAN LEGEND™" IS BUILT ON ONE MAN'S NAME, OLIVER F. WINCHESTER.

BORN NOVEMBER 30, 1810, IN BOSTON, MASS., OLIVER WINCHESTER STARTED HIS CAREER AS A CLOTHING MANUFACTURER IN NEW YORK CITY. AS FATE WOULD HAVE IT, HOWEVER, "WINCHESTER" WAS DESTINED TO BECOME ONE OF THE MOST ICONIC BRAND NAMES IN HISTORY.

OLIVER ACQUIRED THE VOLCANIC REPEATING ARMS COMPANY IN 1850. HE THEN RELOCATED TO NEW HAVEN, CONN. IN 1856, AND FOLLOWING THE CIVIL WAR, OLIVER RENAMED HIS COMPANY WINCHESTER REPEATING ARMS.

AS PRESIDENT OF WINCHESTER REPEATING ARMS FROM 1866 TO 1880, OLIVER OVERSAW THE DESIGN AND PRODUCTION OF THE MODEL 1866, THE FIRST CENTERFIRE MODEL 1873 AND THE MODEL 1876. TODAY, 200 YEARS AFTER HIS BIRTH, THE MOST FAMOUS NAME IN THE SHOOTING SPORTS HISTORY LIVES ON: WINCHESTER.

"DUCKS UNLIMITED" IS THE TRADEMARK OF DUCKS UNLIMITED, INC. AND IS USED WITH PERMISSION. "THE RUFFED GROUSE SOCIETY" LOGO IS USED WITH PERMISSION BY THE RUFFED GROUSE SOCIETY. "NATIONAL WILD TURKEY FEDERATION" LOGO IS USED WITH PERMISSION BY THE NATIONAL WILD TURKEY FEDERATION. "WHITETAILS UNLIMITED" LOGO IS USED WITH PERMISSION BY WHITETAILS UNLIMITED. "ROCKY MOUNTAIN ELK FOUNDATION" LOGO IS USED WITH PERMISSION BY THE ROCKY MOUNTAIN ELK FOUNDATION. "HUNTING HERITAGE TRUST" LOGO IS USED WITH PERMISSION OF THE HUNTING HERITAGE TRUST, INC. "NATIONAL SKEET SHOOTING ASSOCIATION" LOGO IS USED WITH PERMISSION BY THE NATIONAL SKEET SHOOTING ASSOCIATION. "NATIONAL SPORTING CLAYS ASSOCIATION" LOGO IS USED WITH PERMISSION BY THE NATIONAL SPORTING CLAYS ASSOCIATION. "AMATEUR TRAPSHOOTING ASSOCIATION" LOGO IS USED WITH PERMISSION BY THE AMATEUR TRAPSHOOTING ASSOCIATION. "NATIONAL SHOOTING SPORTS FOUNDATION" LOGO IS USED WITH PERMISSION BY THE NATIONAL SHOOTING SPORTS FOUNDATION. USA SHOOTING LOGO IS USED WITH PERMISSION. U.S.A. BIATHLON IS USED WITH PERMISSION. DELTA WATERFOWL LOGO IS USED WITH PERMISSION. IHEA LOGO IS USED WITH PERMISSION. KIDS 'N CLAYS LOGO IS USED WITH PERMISSION.

SPECIFICATIONS IN THIS PRODUCT CATALOG ARE SUBJECT TO CHANGE WITHOUT NOTICE. FOR SUGGESTED RETAIL PRICING, CONSULT YOUR LOCAL WINCHESTER AMMUNITION DEALER. HODGDON, TRIPLE SE7EN, AND PYRODEX ARE REGISTERED TRADEMARKS OF HODGDON POWDER COMPANY, INC. NOSLER, ACCUBOND, BALLISTIC TIP, PARTITION, E-TIP™ AND E2™ ARE REGISTERED TRADEMARKS OF NOSLER, INC. BALLISTIC SILVERTIP, COMBINED TECHNOLOGY AND PARTITION GOLD ARE JOINT TRADEMARKS OF NOSLER AND OLIN CORP. SIERRA MATCHKING IS A REGISTERED TRADEMARK OF SIERRA BULLETS. CASULL IS A REGISTERED TRADEMARK OF RICHARD J. CASULL. VMAX IS A REGISTERED TRADEMARK OF HORNADY MANUFACTURING, INC.

ALWAYS WEAR EYE AND HEARING PROTECTION WHEN SHOOTING.

Made in USA

Copyright © 2010 Winchester/Olin Corp., East Alton, Illinois 62024