

This working text provides example scenarios utilizing the information flows defined in TR-038, providing values for the data elements included in TR-047. The information flows defined in TR-038 enable automation of the business-to-business interfaces between various operational entities involved in providing DSL service.

The DSL Forum is a non-profit corporation organized to create guidelines for DSL network system development and deployment. This Technical Report has been approved by members of the Forum.

This document provides several example scenarios of end-to-end trading partner interaction involved in the fulfillment of orders DSL Service.

The following Roles are involved in the fulfillment of orders for DSL Service:

- (initiates the service request, although not involved in flow-through interactions)
- (Broadband Service is ordered from this provider)
- (Network Service, Customer Access Transport Service and Physical DSL Service are ordered from this provider)
- (Loop Service is ordered from this provider)
- (RBN Transport Service is ordered from this provider)
- (CPE hardware is ordered from this provider)
- (end-user customer premise Installations and network service installations are ordered from this provider)

For each scenario it is important to identify the trading partners involved in the scenario, the role(s) each trading partner is playing, and to identify who owns the end-user customer.

The "Order Broadband Service" interaction is only used when the owner of the end-user customer is NOT the Broadband Service Provider.

The "Order Network Service" interaction is only used when the owner of the end-user customer is NOT the Access Provider.

Each scenario consists of a set of interactions. Each interaction is accomplished via:

an exchange of messages - Request and Response - between two trading partners, and optionally, one or more subsequent Notification message from the Responder to the original Requestor, and optionally, one or more Requests (to Modify or Cancel the original Request) along with the Response/Notification(s) associated with that Request, OR

an unsolicited Notification message (not associated with any previous Request)

The trading partner who initiates the interaction is called the *Requestor*. The trading partner who is the recipient of the Request is called the *Responder*.


The Order activities (documented in Section 3 through Section 6) each provide two different scenarios, where the trading partners and roles differ. For each type of Order activity, there is a Scenario A and a Scenario B.

The roles are:

- End user customer
- ILuvBB: Broadband Service Provider, Network Service Provider
- CompLEC: Access Provider
- BellTel: Loop Provider
- CoConnect: RBN Provider
- ModemsRUs: CPE Provider

- OnlineModems: CPE Provider
- WeInstall: Field Installer

ILuvBB owns the end-user customer.




The Roles are:

- End user customer
- ILuvBB: Broadband Service Provider, Network Service Provider
- BellTel: Access Provider, Loop Provider, RBN Provider, CPE Provider
- End user customer: Installation Provider

ILuvBB owns the end-user customer.


DSL Flow-Thru Partner Roles SCENARIO B



The activity documented in Section 2 is not an Order activity. It describes a scenario where an Access Provider notifies trading partners in an unsolicited manner about new capabilities.

Roles:

- CompLEC: Access Provider
- ILuvBB: Broadband Service Provider
- BB2: Broadband Service Provider



Notifier = CompLEC



Data Element	Value
NotificationIdentification.NotificationType	Prequalification
NotificationIdentification.NotifierID	CompLEC
NotificationIdentification.NotifierOrderID	
NotificationIdentification.NotificationEventID	1000
NotificationIdentification.NotificationTimestamp	09-25-2002-1133AM PST
NotificationIdentification.InterfaceVersion	A.1
CentralOfficeList.CentralOffice[1].CountryCode	US
CentralOfficeList.CentralOffice[1].CentralOffice.Address.AddressLine1	300 Lakeside Drive
CentralOfficeList.CentralOffice[1].CentralOffice.Address.AddressLine2	
CentralOfficeList.CentralOffice[1].CentralOffice.Address.AddressLine3	
CentralOfficeList.CentralOffice[1].CentralOffice.Address.City	Oakland
CentralOfficeList.CentralOffice[1].CentralOffice.Address.State	CA
CentralOfficeList.CentralOffice[1].CentralOffice.Address.PostalCode	90413
CentralOfficeList.CentralOffice[1].CentralOffice.Address.Country	US
CentralOfficeList.CentralOffice[1].CentralOffice.Address.Latitude	


Data Element	Value
CentralOfficeList.CentralOffice[1].CentralOffice.Address.Longitude	
CentralOfficeList.CentralOffice[1].CentralOffice.OperationalStatus	Operational
CentralOfficeList.CentralOffice[1].CentralOffice.CentralOfficeCode	OAKLCA01
CentralOfficeList.CentralOffice[1].CentralOffice.AcceptingOrders	12-01-1999
CentralOfficeList.CentralOffice[1].CentralOffice.ExpectedActivation	
CentralOfficeList.CentralOffice[2].CountryCode	US
CentralOfficeList.CentralOffice[2].CentralOffice.Address.AddressLine1	1234 Spruce Street
CentralOfficeList.CentralOffice[2].CentralOffice.Address.AddressLine2	
CentralOfficeList.CentralOffice[2].CentralOffice.Address.AddressLine3	
CentralOfficeList.CentralOffice[2].CentralOffice.Address.City	Berkeley
CentralOfficeList.CentralOffice[2].CentralOffice.Address.State	CA
CentralOfficeList.CentralOffice[2].CentralOffice.Address.PostalCode	94709
CentralOfficeList.CentralOffice[2].CentralOffice.Address.Country	US
CentralOfficeList.CentralOffice[2].CentralOffice.Address.Latitude	
CentralOfficeList.CentralOffice[2].CentralOffice.Address.Longitude	
CentralOfficeList.CentralOffice[2].CentralOffice.OperationalStatus	Planned
CentralOfficeList.CentralOffice[2].CentralOffice.CentralOfficeCode	BRKLCA01
CentralOfficeList.CentralOffice[2].CentralOffice.AcceptingOrders	11-01-2001
CentralOfficeList.CentralOffice[2].CentralOffice.ExpectedActivation	12-01-2001

The following lists the order in which the Interactions are initiated. Refer to the diagrams to see how response from one interaction may trigger subsequent interactions:

- ILuvBB to CompLEC: Validate DSL Service Location (Preorder)
- CompLEC to BellTel: Determine Loop Provider (Preorder)
- CompLEC to BellTel: Validate DSL Service Location (Preorder)
- ILuvBB to CompLEC: Determine DSL Capability (Prequalification)
- CompLEC to BellTel: Determine DSL Capability (Prequalification)
- ILuvBB to CompLEC: Determine Available Physical DSL Service (Prequalification)
- CompLEC to BellTel: Determine Available Loop Service (Prequalification)
- ILuvBB to CompLEC: Determine Available Customer Access Transport Service (Prequalification)
- ILuvBB to CompLEC: Determine Available Network Services (Prequalification)
- ILuvBB to CompLEC: Order Physical DSL Service (Order)
- ILuvBB to CompLEC: Order Customer Access Transport Service (Order)
- CompLEC to BellTel: Order Loop Service (Order)
- ILuvBB to CoConnect: Determine RBN Connectivity (Prequalification)
- ILuvBB to CoConnect: Order RBN Transport Service (Order)
- CoConnect to CompLEC: Order RBN Transport Service (Order)
- ILuvBB to CompLEC: Determine Compatible CPE (Prequalification)
- CompLEC to ModemsRUs: Determine Compatible CPE (Prequalification)
- CompLEC to OnlineModems: Determine Compatible CPE (Prequalification)
- ILuvBB to ModemsRUs: Order CPE (Order)
- ILuvBB to CompLEC: Order Installation (Order)
- ILuvBB to CompLEC: Order Network Service (Order)
- CompLEC to WeInstall: Order Network Service (Order)
- CompLEC to WeInstall: Order Installation (Order)

The following figures illustrate the messages involved in all trading partner interactions for this scenario.





The following tables identify setup values used in the interactions:

COMPANY	Interface Version
ILuvBB	A.1
CompLEC	B.1
BellTel	C.1
CoConnect	D.1
ModemsRUs	E-1.1
OnlineModems	E-2.1
WeInstall	F.1

COMPANY	Provider Type	Provider ID Code Type	Provider ID Code
ILuvBB	Service Provider (Broadband Service)	CIC	A201
CompLEC	Service Provider (Network Service)	CIC	B203
CompLEC	Service Provider (Physical DSL Service)	CIC	B201
CompLEC	Access Provider (Customer Access Transport Service)	CIC	B202
BellTel	Loop Provider (Loop Service)	CIC	C201
CoConnect	RBN Provider (RBN Transport Service)	CIC	D201
ModemsRUs	CPE Provider	CIC	E101
OnlineModems	CPE Provider	CIC	E201
WeInstall	Field Installer	CIC	F201

Interaction Number	Requestor	Responder	Interaction	Requestor Order Number	Responder Order Number
	ILuvBB	CompLEC	Validate DSL Service Location	A-01	B-901
	CompLEC	BellTel	Determine Loop Provider	B-01	C-901
	CompLEC	BellTel	Validate DSL Service Location	B-02	C-902
	ILuvBB	CompLEC	Determine DSL Capability	A-02	B-902

Interaction Number	Requestor	Responder	Interaction	Requestor Order Number	Responder Order Number
	CompLEC	BellTel	Determine DSL Capability	B-03	C-903
	ILuvBB	CompLEC	Determine Available Physical DSL Service	A-03	B-903
	CompLEC	BellTel	Determine Available Loop Service	B-04	C-904
	ILuvBB	CompLEC	Determine Available Customer Access Transport	A-04	B-904
	ILuvBB	CompLEC	Determine Available Network Service	A-05	B-905
	ILuvBB	CompLEC	Order Physical DSL Service	A-06	B-906
	ILuvBB	CompLEC	Order Customer Access Transport Service	A-07	B-907
	CompLEC	BellTel	Order Loop Service	B-05	C-905
	ILuvBB	CoConnect	Determine RBN Connectivity	A-08	D-901
	ILuvBB	CoConnect	Order RBN Transport Service	A-09	D-902
	CoConnect	CompLEC	Order RBN Transport Service	D-01	B-908
	ILuvBB	CompLEC	Determine Compatible CPE	A-10	B-909
	CompLEC	ModemsRUs	Determine Compatible CPE	B-06	E-1-901
	CompLEC	Online Modems	Determine Compatible CPE	B-07	E-2-901
	ILuvBB	ModemsRUs	Order CPE	A-11	E-1-902
	ILuvBB	CompLEC	Order Installation	A-12	B-910
	ILuvBB	CompLEC	Order Network Service	A-13	B-911
	CompLEC	WeInstall	Order Installation	B-08	F-901
	CompLEC	WeInstall	Order Network Service	B-09	F-902

Service Type	Services Available	Service Identifier	Service Instance Identifier
Loop Service	HDSL-Qualified Loop SDSL-Qualified Loop	LoopCircuitID	Loop-ADSL-01
RBN Transport Service	ATM Level 1 Frame Relay Level 1	RBNTransportServiceID	RBN-ATM-02-01
Physical DSL Service	BusinessDSL	PhysicalDSLServiceID	DSL-Surf-01
Customer Access Transport Service	Access 1 Access 2	CustomerAccessTransportServiceID	Access-03-01

Service Type	Services Available	Service Identifier	Service Instance Identifier
Network Service	Static 5 Dynamic 1	Network Service ID	Static_1_Cust_A

Interaction #: 1

Requestor = ILuvBB

Responder = CompLEC

This message is sent by ILuvBB.

Data Element	Value
RequestIdentification.RequestType	PreOrder
RequestIdentification.RequestorID	ILuvBB
RequestIdentification.RequestorAffiliateID	
RequestIdentification.RequestorOrderID	A-01
RequestIdentification.RequestorVersionID	
RequestIdentification.RequestTimestamp	09-25-2002-0900AM PST
RequestIdentification.InterfaceVersion	B.1
ServiceAddressInformation.ServiceAddress.AddressFormat	Free-Form
ServiceAddressInformation.ServiceAddress.Address.AddressLine1	500 West. 32nd Street
ServiceAddressInformation.ServiceAddress.Address.AddressLine2	Apt. 12
ServiceAddressInformation.ServiceAddress.Address.AddressLine3	
ServiceAddressInformation.ServiceAddress.Address.City	Oakland
ServiceAddressInformation.ServiceAddress.Address.State	CA
ServiceAddressInformation.ServiceAddress.Address.PostalCode	90413
ServiceAddressInformation.ServiceAddress.Address.Country	USA
ServiceAddressInformation.ServiceAddress.Address.Latitude	
ServiceAddressInformation.ServiceAddress.Address.Longitude	
ServiceAddressInformation.WorkingTelephoneNumber	510-501-1090
ServiceAddressInformation.LoopCircuitID	

Interaction #: 2

Requestor = CompLEC

Responder = BellTel

This message is sent by CompLEC.

Data Element	Value
RequestIdentification.RequestType	PreOrder
RequestIdentification.RequestorID	CompLEC
RequestIdentification.RequestorAffiliateID	
RequestIdentification.RequestorOrderID	B-01
RequestIdentification.RequestorVersionID	
RequestIdentification.RequestTimestamp	09-25-2002-0905AM PST
RequestIdentification.InterfaceVersion	C.1
ServiceAddressInformation.ServiceAddress.AddressFormat	Free-Form
ServiceAddressInformation.ServiceAddress.Address.AddressLine1	500 West. 32nd Street
ServiceAddressInformation.ServiceAddress.Address.AddressLine2	Apt. 12
ServiceAddressInformation.ServiceAddress.Address.AddressLine3	
ServiceAddressInformation.ServiceAddress.Address.City	Oakland
ServiceAddressInformation.ServiceAddress.Address.State	CA
ServiceAddressInformation.ServiceAddress.Address.PostalCode	90413
ServiceAddressInformation.ServiceAddress.Address.Country	USA
ServiceAddressInformation.ServiceAddress.Address.Latitude	
ServiceAddressInformation.ServiceAddress.Address.Longitude	
ServiceAddressInformation.WorkingTelephoneNumber	510-501-1090
ServiceAddressInformation.LoopCircuitID	

Interaction #: 2

Requestor = CompLEC

Responder = BellTel

This message is sent by BellTel.

Data Element	Value
ResponseIdentification.ResponseType	PreOrder
ResponseIdentification.ResponderID	BellTel
ResponseIdentification.ResponderOrderID	C-901
ResponseIdentification.ResponseEventID	C01
ResponseIdentification.RequestorID	CompLEC
ResponseIdentification.RequestorAffiliateID	

Data Element	Value
ResponseIdentification.RequestorOrderID	B-01
ResponseIdentification.RequestorVersionID	
ResponseIdentification.ResponseTimestamp	09-25-2002-0910AM PST
ResponseIdentification.InterfaceVersion	C.1
ResultAttributes.ResultType	success
ResultAttributes.LoopProviderResultCode	Success, Loop Provider Identified
LoopProviderIdentification.ProviderType	Loop Provider
LoopProviderIdentification.ProviderIDTypeCode	CIC
LoopProviderIdentification.ProviderIDCode	C201
CentralOffice.CountryCode	US
CentralOffice.CentralOffice.Address.AddressLine1	300 Lakeside Drive
CentralOffice.CentralOffice.Address.AddressLine2	
CentralOffice.CentralOffice.Address.AddressLine3	
CentralOffice.CentralOffice.Address.City	Oakland
CentralOffice.CentralOffice.Address.State	CA
CentralOffice.CentralOffice.Address.PostalCode	90413
CentralOffice.CentralOffice.Address.Country	US
CentralOffice.CentralOffice.Address.Latitude	
CentralOffice.CentralOffice.Address.Longitude	
CentralOffice.CentralOffice.OperationalStatus	Operational
CentralOffice.CentralOffice.CentralOfficeCode	OAKLCA01
CentralOffice.CentralOffice.AcceptingOrders	12-01-1999
CentralOffice.CentralOffice.ExpectedActivation	
ServiceAddressInformation.ServiceAddress.AddressFormat	Free-Form
ServiceAddressInformation.ServiceAddress.Address.AddressLine1	500 West. 32nd Street
ServiceAddressInformation.ServiceAddress.Address.AddressLine2	Apt. 12
ServiceAddressInformation.ServiceAddress.Address.AddressLine3	
ServiceAddressInformation.ServiceAddress.Address.City	Oakland
ServiceAddressInformation.ServiceAddress.Address.State	CA
ServiceAddressInformation.ServiceAddress.Address.PostalCode	90413
ServiceAddressInformation.ServiceAddress.Address.Country	USA
ServiceAddressInformation.ServiceAddress.Address.Latitude	
ServiceAddressInformation.ServiceAddress.Address.Longitude	
ServiceAddressInformation.WorkingTelephoneNumber	510-501-1090

Data Element	Value
ServiceAddressInformation.LoopCircuitID	

Interaction #: 3

Requestor = CompLEC

Responder = BellTel

This message is sent by CompLEC.

Data Element	Value
RequestIdentification.RequestType	PreOrder
RequestIdentification.RequestorID	CompLEC
RequestIdentification.RequestorAffiliateID	
RequestIdentification.RequestorOrderID	B-02
RequestIdentification.RequestorVersionID	
RequestIdentification.RequestTimestamp	09-25-2002-0915AM PST
RequestIdentification.InterfaceVersion	C.1
ServiceAddressInformation.ServiceAddress.AddressFormat	Parsed
ServiceAddressInformation.ServiceAddress.Address.AddressFormatType	
ServiceAddressInformation.ServiceAddress.Address.ServiceAddressNumberPrefix	
ServiceAddressInformation.ServiceAddress.Address.ServiceAddressNumber	500
ServiceAddressInformation.ServiceAddress.Address.ServiceAddressNumberRange	
ServiceAddressInformation.ServiceAddress.Address.ServiceAddressSuffix	
ServiceAddressInformation.ServiceAddress.Address.ServiceAddressStreetDirectionalPrefix	West
ServiceAddressInformation.ServiceAddress.Address.ServiceAddressStreetName	32nd
ServiceAddressInformation.ServiceAddress.Address.ServiceAddressStreetType	Street
ServiceAddressInformation.ServiceAddress.Address.ServiceAddressStreetDirectionalSuffix	
ServiceAddressInformation.ServiceAddress.Address.LocationDesignator1	APT
ServiceAddressInformation.ServiceAddress.Address.LocationValue1	12
ServiceAddressInformation.ServiceAddress.Address.AddressAdditionalInformation	
ServiceAddressInformation.ServiceAddress.Address.City	Oakland
ServiceAddressInformation.ServiceAddress.Address.State	CA

Data Element	Value
ServiceAddressInformation.ServiceAddress.Address.PostalCode	90413
ServiceAddressInformation.ServiceAddress.Address.ListedAddressLocality	
ServiceAddressInformation.ServiceAddress.Address.ForeignTownship	
ServiceAddressInformation.ServiceAddress.Address.Latitude	
ServiceAddressInformation.ServiceAddress.Address.Longitude	
ServiceAddressInformation.WorkingTelephoneNumber	510-501-1090
ServiceAddressInformation.LoopCircuitID	

Interaction #: 3

Requestor = CompLEC

Responder = BellTel

This message is sent by BellTel.

Data Element	Value
ResponseIdentification.ResponseType	PreOrder
ResponseIdentification.ResponderID	BellTel
ResponseIdentification.ResponderOrderID	C-902
ResponseIdentification.ResponseEventID	C02
ResponseIdentification.RequestorID	CompLEC
ResponseIdentification.RequestorAffiliateID	
ResponseIdentification.RequestorOrderID	B-02
ResponseIdentification.RequestorVersionID	
ResponseIdentification.ResponseTimestamp	09-25-2002-0930AM PST
ResponseIdentification.InterfaceVersion	C.1
ResultAttributes.ResultType	success
ResultAttributes.ServiceLocationResultCode	Success, Address Validated
ServiceAddressList.ServiceAddress[1].AddressFormat	Parsed
ServiceAddressList.ServiceAddress[1].Address.AddressFormatType	
ServiceAddressList.ServiceAddress[1].Address.ServiceAddressNumberPrefix	
ServiceAddressList.ServiceAddress[1].Address.ServiceAddressNumber	500
ServiceAddressList.ServiceAddress[1].Address.ServiceAddressNumberRange	
ServiceAddressList.ServiceAddress[1].Address.ServiceAddressSuffix	

Data Element	Value
ServiceAddressList.ServiceAddress[1].Address.ServiceAddressStreetDirectional-Prefix	West
ServiceAddressList.ServiceAddress[1].Address.ServiceAddressStreetName	32nd
ServiceAddressList.ServiceAddress[1].Address.ServiceAddressStreetType	Street
ServiceAddressList.ServiceAddress[1].Address.ServiceAddressStreetDirectional-Suffix	
ServiceAddressList.ServiceAddress[1].Address.LocationDesignator1	APT
ServiceAddressList.ServiceAddress[1].Address.LocationValue1	12
ServiceAddressList.ServiceAddress[1].Address.AddressAdditionalInformation	beware of dog
ServiceAddressList.ServiceAddress[1].Address.City	Oakland
ServiceAddressList.ServiceAddress[1].Address.State	CA
ServiceAddressList.ServiceAddress[1].Address.PostalCode	90413
ServiceAddressList.ServiceAddress[1].Address.ListedAddressLocality	
ServiceAddressList.ServiceAddress[1].Address.ForeignTownship	
ServiceAddressList.ServiceAddress[1].Address.Latitude	
ServiceAddressList.ServiceAddress[1].Address.Longitude	

Interaction #: 1

Requestor = ILuvBB

Responder = CompLEC

This message is sent by CompLEC.

Data Element	Value
ResponseIdentification.ResponseType	PreOrder
ResponseIdentification.ResponderID	CompLEC
ResponseIdentification.ResponderOrderID	B-901
ResponseIdentification.ResponseEventID	B01
ResponseIdentification.RequestorID	ILuvBB
ResponseIdentification.RequestorAffiliateID	
ResponseIdentification.RequestorOrderID	A-01
ResponseIdentification.RequestorVersionID	
ResponseIdentification.ResponseTimestamp	09-25-2002-1000AM PST
ResponseIdentification.InterfaceVersion	B.1
ResultAttributes.ResultType	success

Data Element	Value
ResultAttributes.ServiceLocationResultCode	Success, Address Validated
ServiceAddressList.ServiceAddress[1].AddressFormat	Parsed
ServiceAddressList.ServiceAddress[1].Address.AddressFormatType	
ServiceAddressList.ServiceAddress[1].Address.ServiceAddressNumberPrefix	
ServiceAddressList.ServiceAddress[1].Address.ServiceAddressNumber	500
ServiceAddressList.ServiceAddress[1].Address.ServiceAddressNumberRange	
ServiceAddressList.ServiceAddress[1].Address.ServiceAddressSuffix	
ServiceAddressList.ServiceAddress[1].Address.ServiceAddressStreetDirectionalPrefix	West
ServiceAddressList.ServiceAddress[1].Address.ServiceAddressStreetName	32nd
ServiceAddressList.ServiceAddress[1].Address.ServiceAddressStreetType	Street
ServiceAddressList.ServiceAddress[1].Address.ServiceAddressStreetDirectionalSuffix	
ServiceAddressList.ServiceAddress[1].Address.LocationDesignator1	APT
ServiceAddressList.ServiceAddress[1].Address.LocationValue1	12
ServiceAddressList.ServiceAddress[1].Address.AddressAdditionalInformation	beware of dog
ServiceAddressList.ServiceAddress[1].Address.City	Oakland
ServiceAddressList.ServiceAddress[1].Address.State	CA
ServiceAddressList.ServiceAddress[1].Address.PostalCode	90413
ServiceAddressList.ServiceAddress[1].Address.ListedAddressLocality	
ServiceAddressList.ServiceAddress[1].Address.ForeignTownship	
ServiceAddressList.ServiceAddress[1].Address.Latitude	
ServiceAddressList.ServiceAddress[1].Address.Longitude	

Interaction #: 4

Requestor = ILuvBB

Responder = CompLEC

This message is sent by ILuvBB.

Data Element	Value
RequestIdentification.RequestType	Prequalification
RequestIdentification.RequestorID	ILuvBB
RequestIdentification.RequestorAffiliateID	
RequestIdentification.RequestorOrderID	A-02
RequestIdentification.RequestorVersionID	

Data Element	Value
RequestIdentification.RequestTimestamp	
RequestIdentification.InterfaceVersion	B.1

Interaction #: 5

Requestor = CompLEC

Responder = BellTel

This message is sent by CompLEC.

Data Element	Value
RequestIdentification.RequestType	Prequalification
RequestIdentification.RequestorID	CompLEC
RequestIdentification.RequestorAffiliateID	
RequestIdentification.RequestorOrderID	B-03
RequestIdentification.RequestorVersionID	
RequestIdentification.RequestTimestamp	
RequestIdentification.InterfaceVersion	C.1

Interaction #: 5

Requestor = CompLEC

Responder = BellTel

This message is sent by BellTel.

Data Element	Value
ResponseIdentification.ResponseType	Prequalification
ResponseIdentification.ResponderID	BellTel
ResponseIdentification.ResponderOrderID	C-903
ResponseIdentification.ResponseEventID	C03
ResponseIdentification.RequestorID	CompLEC
ResponseIdentification.RequestorAffiliateID	
ResponseIdentification.RequestorOrderID	B-03
ResponseIdentification.RequestorVersionID	
ResponseIdentification.ResponseTimestamp	
ResponseIdentification.InterfaceVersion	C.1

Interaction #: 4

Requestor = ILuvBB

Responder = CompLEC

This message is sent by CompLEC.

Data Element	Value
ResponseIdentification.ResponseType	Prequalification
ResponseIdentification.ResponderID	CompLEC
ResponseIdentification.ResponderOrderID	B-902
ResponseIdentification.ResponseEventID	B02
ResponseIdentification.RequestorID	ILuvBB
ResponseIdentification.RequestorAffiliateID	
ResponseIdentification.RequestorOrderID	A-02
ResponseIdentification.RequestorVersionID	
ResponseIdentification.ResponseTimestamp	
ResponseIdentification.InterfaceVersion	B.1

Data Element	Value

Interaction #: 6

Requestor = ILuvBB

Responder = CompLEC

This message is sent by ILuvBB.

Data Element	Value
RequestIdentification.RequestType	Prequalification
RequestIdentification.RequestorID	ILuvBB
RequestIdentification.RequestorAffiliateID	
RequestIdentification.RequestorOrderID	A-02
RequestIdentification.RequestorVersionID	
RequestIdentification.RequestTimestamp	09-25-2002-1005AM PST
RequestIdentification.InterfaceVersion	B.1
ServiceAddress.Address.AddressLine1	500 West. 32nd Street
ServiceAddress.Address.AddressLine2	Apt. 12
ServiceAddress.Address.AddressLine3	
ServiceAddress.Address.City	Oakland
ServiceAddress.Address.State	CA
ServiceAddress.Address.PostalCode	90413
ServiceAddress.Address.Country	USA
ServiceAddress.Address.Latitude	
ServiceAddress.Address.Longitude	
ServiceRequestConstraintList.ServiceRequestConstraint[1].ConstraintType	Price
ServiceRequestConstraintList.ServiceRequestConstraint[1].ConstraintValue	\$10
ServiceRequestConstraintList.ServiceRequestConstraint[2].ConstraintType	availability date
ServiceRequestConstraintList.ServiceRequestConstraint[2].ConstraintValue	10-05-2002

Interaction #: 7

Requestor = CompLEC

Responder = BellTel

This message is sent by CompLEC.

Data Element	Value
RequestIdentification.RequestType	Prequalification
RequestIdentification.RequestorID	CompLEC
RequestIdentification.RequestorAffiliateID	
RequestIdentification.RequestorOrderID	B-03
RequestIdentification.RequestorVersionID	
RequestIdentification.RequestTimestamp	09-25-2002-1010AM PST
RequestIdentification.InterfaceVersion	C.1
CentralOffice.CountryCode	US
CentralOffice.CentralOffice.Address.AddressLine1	300 Lakeside Drive
CentralOffice.CentralOffice.Address.AddressLine2	
CentralOffice.CentralOffice.Address.AddressLine3	
CentralOffice.CentralOffice.Address.City	Oakland
CentralOffice.CentralOffice.Address.State	CA
CentralOffice.CentralOffice.Address.PostalCode	90413
CentralOffice.CentralOffice.Address.Country	US
CentralOffice.CentralOffice.Address.Latitude	
CentralOffice.CentralOffice.Address.Longitude	
CentralOffice.CentralOffice.OperationalStatus	Operational
CentralOffice.CentralOffice.CentralOfficeCode	OAKLCA01
CentralOffice.CentralOffice.AcceptingOrders	
CentralOffice.CentralOffice.ExpectedActivation	

Interaction #: 7

Requestor = CompLEC

Responder = BellTel

This message is sent by BellTel.

Data Element	Value
ResponseIdentification.ResponseType	Prequalification

Data Element	Value
ResponseIdentification.ResponderID	BellTel
ResponseIdentification.ResponderOrderID	C-903
ResponseIdentification.ResponseEventID	C04
ResponseIdentification.RequestorID	
ResponseIdentification.RequestorAffiliateID	
ResponseIdentification.RequestorOrderID	B-03
ResponseIdentification.RequestorVersionID	
ResponseIdentification.ResponseTimestamp	09-25-2002-1015AM PST
ResponseIdentification.InterfaceVersion	C.1
ResultAttributes.ResultType	success
ResultAttributes.PrequalificationResultCode	OK -site qualified for service
LoopServiceList.LoopService[1].NetworkChannelCode	AD01
LoopServiceList.LoopService[1].NetworkChannelInterfaceCode	--
LoopServiceList.LoopService[1].SecondaryNetworkChannelInterfaceCode	050607
LoopServiceList.LoopService[1].ProviderID.ProviderType	Loop Provider
LoopServiceList.LoopService[1].ProviderID.ProviderIDCodeType	CIC
LoopServiceList.LoopService[1].ProviderID.ProviderIDCode	C201
LoopServiceList.LoopService[2].NetworkChannelCode	HD01
LoopServiceList.LoopService[2].NetworkChannelInterfaceCode	--
LoopServiceList.LoopService[2].SecondaryNetworkChannelInterfaceCode	123456
LoopServiceList.LoopService[2].ProviderID.ProviderType	Loop Provider
LoopServiceList.LoopService[12].ProviderID.ProviderIDCodeType	CIC
LoopServiceList.LoopService[2].ProviderID.ProviderIDCode	C201
LoopServiceList.LoopService[3].NetworkChannelCode	SD01
LoopServiceList.LoopService[3].NetworkChannelInterfaceCode	-
LoopServiceList.LoopService[3].SecondaryNetworkChannelInterfaceCode	050403
LoopServiceList.LoopService[3].ProviderID.ProviderType	Loop Provider
LoopServiceList.LoopService[3].ProviderID.ProviderIDCodeType	CIC
LoopServiceList.LoopService[3].ProviderID.ProviderIDCode	C201

Interaction #: 8

Requestor = CompLEC

Responder = BellTel

This message is sent by CompLEC.

Data Element	Value
RequestIdentification.RequestType	Prequalification
RequestIdentification.RequestorID	CompLEC
RequestIdentification.RequestorAffiliateID	
RequestIdentification.RequestorOrderID	B-04
RequestIdentification.RequestorVersionID	
RequestIdentification.RequestTimestamp	09-25-2002-1020AM PST
RequestIdentification.InterfaceVersion	C.1
ServiceAddress.Address.AddressLine1	500 West. 32nd Street
ServiceAddress.Address.AddressLine2	Apt. 12
ServiceAddress.Address.AddressLine3	
ServiceAddress.Address.City	Oakland
ServiceAddress.Address.State	CA
ServiceAddress.Address.PostalCode	90413
ServiceAddress.Address.Country	USA
ServiceAddress.Address.Latitude	
ServiceAddress.Address.Longitude	
ServiceRequestConstraintList.ServiceRequestConstraint[1].ConstraintType	availability date
ServiceRequestConstraintList.ServiceRequestConstraint[1].ConstraintValue	10-5-2002

Interaction #: 8

Requestor = CompLEC

Responder = BellTel

This message is sent by BellTel.

Data Element	Value
ResponseIdentification.ResponseType	Prequalification
ResponseIdentification.ResponderID	BellTel
ResponseIdentification.ResponderOrderID	C-904
ResponseIdentification.ResponseEventID	C05
ResponseIdentification.RequestorID	
ResponseIdentification.RequestorAffiliateID	

Data Element	Value
ResponseIdentification.RequestorOrderID	B-04
ResponseIdentification.RequestorVersionID	
ResponseIdentification.ResponseTimestamp	09-25-2002-1025AM PST
ResponseIdentification.InterfaceVersion	C.1
ResultAttributes.ResultType	success
ResultAttributes.PrequalificationResultCode	OK - site qualified for service
CustomerAccessTransportServiceList.CustomerAccessTransportService[1].Service-Name	Access 1
CustomerAccessTransportServiceList.CustomerAccessTransportService[1].ProviderID.ProviderType	Access Provider
CustomerAccessTransportServiceList.CustomerAccessTransportService[1].ProviderID.ProviderIDCodeType	CIC
CustomerAccessTransportServiceList.CustomerAccessTransportService[1].ProviderID.ProviderIDCode	C201
CustomerAccessTransportServiceList.CustomerAccessTransportService[1].UpstreamSpeed	384
CustomerAccessTransportServiceList.CustomerAccessTransportService[1].DownstreamSpeed	768
CustomerAccessTransportServiceList.CustomerAccessTransportService[1].QOS	best effort
CustomerAccessTransportServiceList.CustomerAccessTransportService[1].SCR	100
CustomerAccessTransportServiceList.CustomerAccessTransportService[1].PCR	768
CustomerAccessTransportServiceList.CustomerAccessTransportService[1].MCR	100
CustomerAccessTransportServiceList.CustomerAccessTransportService[1].MBS	
CustomerAccessTransportServiceList.CustomerAccessTransportService[1].CDVT	
CustomerAccessTransportServiceList.CustomerAccessTransportService[2].Service-Name	Access 2
CustomerAccessTransportServiceList.CustomerAccessTransportService[2].ProviderID.ProviderType	Access Provider
CustomerAccessTransportServiceList.CustomerAccessTransportService[2].ProviderID.ProviderIDCodeType	CIC
CustomerAccessTransportServiceList.CustomerAccessTransportService[2].ProviderID.ProviderIDCode	C201
CustomerAccessTransportServiceList.CustomerAccessTransportService[2].UpstreamSpeed	768
CustomerAccessTransportServiceList.CustomerAccessTransportService[2].DownstreamSpeed	768
CustomerAccessTransportServiceList.CustomerAccessTransportService[2].QOS	best effort
CustomerAccessTransportServiceList.CustomerAccessTransportService[2].SCR	384
CustomerAccessTransportServiceList.CustomerAccessTransportService[2].PCR	768

Data Element	Value
CustomerAccessTransportServiceList.CustomerAccessTransportService[2].MCR	768
CustomerAccessTransportServiceList.CustomerAccessTransportService[2].MBS	
CustomerAccessTransportServiceList.CustomerAccessTransportService[2].CDVT	
CustomerAccessTransportServiceList.CustomerAccessTransportService[3].Service-Name	Access 3
CustomerAccessTransportServiceList.CustomerAccessTransportService[3].ProviderID.ProviderType	Access Provider
CustomerAccessTransportServiceList.CustomerAccessTransportService[3].ProviderID.ProviderIDCodeType	CIC
CustomerAccessTransportServiceList.CustomerAccessTransportService[3].ProviderID.ProviderIDCode	C201
CustomerAccessTransportServiceList.CustomerAccessTransportService[3].UpstreamSpeed	384
CustomerAccessTransportServiceList.CustomerAccessTransportService[3].DownstreamSpeed	768
CustomerAccessTransportServiceList.CustomerAccessTransportService[3].QOS	guaranteed
CustomerAccessTransportServiceList.CustomerAccessTransportService[3].SCR	384
CustomerAccessTransportServiceList.CustomerAccessTransportService[3].PCR	768
CustomerAccessTransportServiceList.CustomerAccessTransportService[3].MCR	768
CustomerAccessTransportServiceList.CustomerAccessTransportService[3].MBS	
CustomerAccessTransportServiceList.CustomerAccessTransportService[3].CDVT	

Interaction #: 6

Requestor = ILuvBB

Responder = CompLEC

This message is sent by CompLEC.

Data Element	Value
ResponseIdentification.ResponseType	Prequalification
ResponseIdentification.ResponderID	CompLEC
ResponseIdentification.ResponderOrderID	B-902
ResponseIdentification.ResponseEventID	B03
ResponseIdentification.RequestorID	ILuvBB
ResponseIdentification.RequestorAffiliateID	
ResponseIdentification.RequestorOrderID	A-02

Data Element	Value
ResponseIdentification.RequestorVersionID	
ResponseIdentification.ResponseTimestamp	09-25-2002-1030AM PST
ResponseIdentification.InterfaceVersion	B.1
ResultAttributes.ResultType	success
ResultAttributes.PrequalificationResultCode	Success
DSLServiceList.DSLService[1].ServiceName	SurfOn
DSLServiceList.DSLService[1].ProviderID.ProviderType	Service Provider
DSLServiceList.DSLService[1].ProviderID.ProviderIDCodeType	CIC
DSLServiceList.DSLService[1].ProviderID.ProviderIDCode	B201
DSLServiceList.DSLService[2].ServiceName	BusinessDSL
DSLServiceList.DSLService[2].ProviderID.ProviderType	Service Provider
DSLServiceList.DSLService[2].ProviderID.ProviderIDCodeType	CIC
DSLServiceList.DSLService[2].ProviderID.ProviderIDCode	B201
AvailableUpstreamSpeed	768
AvailableDownstreamSpeed	768

Interaction #: 9

Requestor = ILuvBB

Responder = CompLEC

This message is sent by ILuvBB.

Data Element	Value
RequestIdentification.RequestType	Prequalification
RequestIdentification.RequestorID	ILuvBB
RequestIdentification.RequestorAffiliateID	
RequestIdentification.RequestorOrderID	A-05
RequestIdentification.RequestorVersionID	
RequestIdentification.RequestTimestamp	
RequestIdentification.InterfaceVersion	B.1

Data Element	Value

Interaction #: 9

Requestor = ILuvBB

Responder = CompLEC

This message is sent by CompLEC.

Data Element	Value
ResponseIdentification.ResponseType	Prequalification
ResponseIdentification.ResponderID	CompLEC
ResponseIdentification.ResponderOrderID	B-905
ResponseIdentification.ResponseEventID	B04
ResponseIdentification.RequestorID	ILuvBB
ResponseIdentification.RequestorAffiliateID	
ResponseIdentification.RequestorOrderID	A-05
ResponseIdentification.RequestorVersionID	
ResponseIdentification.ResponseTimestamp	
ResponseIdentification.InterfaceVersion	B.1

Interaction #: 10

Requestor = ILuvBB

Responder = CompLEC

This message is sent by ILuvBB.

Data Element	Value
RequestIdentification.RequestType	New Service
RequestIdentification.RequestorID	ILuvBB
RequestIdentification.RequestorAffiliateID	
RequestIdentification.RequestorOrderID	A-03
RequestIdentification.RequestorVersionID	
RequestIdentification.RequestTimestamp	09-25-2002-1035AM PST
RequestIdentification.InterfaceVersion	B.1
ServiceName	SurfOn
PhysicalDSLServiceConfigurationInformation.CentralOffice.CountryCode	US
PhysicalDSLServiceConfigurationInformation.CentralOffice.CentralOffice.Address.AddressLine1	300 Lakeside Drive
PhysicalDSLServiceConfigurationInformation.CentralOffice.CentralOffice.Address.AddressLine2	
PhysicalDSLServiceConfigurationInformation.CentralOffice.CentralOffice.Address.AddressLine3	
PhysicalDSLServiceConfigurationInformation.CentralOffice.CentralOffice.Address.City	Oakland
PhysicalDSLServiceConfigurationInformation.CentralOffice.CentralOffice.Address.State	CA
PhysicalDSLServiceConfigurationInformation.CentralOffice.CentralOffice.Address.PostalCode	90413
PhysicalDSLServiceConfigurationInformation.CentralOffice.CentralOffice.Address.Country	US
PhysicalDSLServiceConfigurationInformation.CentralOffice.CentralOffice.Address.Latitude	
PhysicalDSLServiceConfigurationInformation.CentralOffice.CentralOffice.Address.Longitude	
PhysicalDSLServiceConfigurationInformation.CentralOffice.CentralOffice.OperationalStatus	Operational
PhysicalDSLServiceConfigurationInformation.CentralOffice.CentralOffice.CentralOfficeCode	OAKLCA01
PhysicalDSLServiceConfigurationInformation.CentralOffice.CentralOffice.AcceptingOrders	12-01-1999
PhysicalDSLServiceConfigurationInformation.CentralOffice.CentralOffice.ExpectedActivation	
PhysicalDSLServiceConfigurationInformation.ServiceLevelAgreement	
PhysicalDSLServiceConfigurationInformation.ConditioningLevel	
PhysicalDSLServiceConfigurationInformation.CPEConfigurerID.ProviderType	Field Installer

Data Element	Value
PhysicalDSLServiceConfigurationInformation.CPEConfigurerID.ProviderIDCode-Type	
PhysicalDSLServiceConfigurationInformation.CPEConfigurerID.ProviderIDCode	
PhysicalDSLServiceConfigurationInformation.Layer1CPEConfigurationInformation.ServiceType	
PhysicalDSLServiceConfigurationInformation.Layer1CPEConfigurationInformation.ADSLConfigProfile	
PhysicalDSLServiceConfigurationInformation.Layer1CPEConfigurationInformation.LoopCircuitID	Loop-ADSL-01 ?? This may not be known at the time the order for Physical DSL Service is placed.
PhysicalDSLServiceConfigurationInformation.Layer1CPEConfigurationInformation.Name.PersonName.PersonName (Free-Form Name)	
PhysicalDSLServiceConfigurationInformation.Layer1CPEConfigurationInformation.Name.OrganizationName	
PhysicalDSLServiceConfigurationInformation.Layer1CPEConfigurationInformation.Name.Department	
PhysicalDSLServiceConfigurationInformation.Layer1CPEConfigurationInformation.Name.LanguagePreference	
PhysicalDSLServiceConfigurationInformation.Layer1CPEConfigurationInformation.ServiceAddress.AddressFormat	
PhysicalDSLServiceConfigurationInformation.Layer1CPEConfigurationInformation.ServiceAddress.Address.AddressLine1	
PhysicalDSLServiceConfigurationInformation.Layer1CPEConfigurationInformation.ServiceAddress.Address.AddressLine2	
PhysicalDSLServiceConfigurationInformation.Layer1CPEConfigurationInformation.ServiceAddress.Address.AddressLine3	
PhysicalDSLServiceConfigurationInformation.Layer1CPEConfigurationInformation.ServiceAddress.Address.City	
PhysicalDSLServiceConfigurationInformation.Layer1CPEConfigurationInformation.ServiceAddress.Address.State	
PhysicalDSLServiceConfigurationInformation.Layer1CPEConfigurationInformation.ServiceAddress.Address.PostalCode	
PhysicalDSLServiceConfigurationInformation.Layer1CPEConfigurationInformation.ServiceAddress.Address.Country	
PhysicalDSLServiceConfigurationInformation.Layer1CPEConfigurationInformation.ServiceAddress.Address.Latitude	
PhysicalDSLServiceConfigurationInformation.Layer1CPEConfigurationInformation.ServiceAddress.Address.Longitude	
PhysicalDSLServiceConfigurationInformation.RequestedServiceStartDate.Year	2002
PhysicalDSLServiceConfigurationInformation.RequestedServiceStartDate.Month	10
PhysicalDSLServiceConfigurationInformation.RequestedServiceStartDate.Day	5

Data Element	Value
ServiceLocationAppointmentAvailability.PreferredTimeslotList.PreferredTimeslot[1].FromDate	10-1-2002
ServiceLocationAppointmentAvailability.PreferredTimeslotList.PreferredTimeslot[1].ToDate	10-5-2002
ServiceLocationAppointmentAvailability.PreferredTimeslotList.PreferredTimeslot[1].DayOfWeek	weekdays
ServiceLocationAppointmentAvailability.PreferredTimeslotList.PreferredTimeslot[1].FromTime	8am PST
ServiceLocationAppointmentAvailability.PreferredTimeslotList.PreferredTimeslot[1].ToTime	10am PST
ServiceLocationAppointmentAvailability.PreferredTimeslotList.PreferredTimeslot[2].FromDate	10-1-2002
ServiceLocationAppointmentAvailability.PreferredTimeslotList.PreferredTimeslot[2].ToDate	10-5-2002
ServiceLocationAppointmentAvailability.PreferredTimeslotList.PreferredTimeslot[2].DayOfWeek	weekdays
ServiceLocationAppointmentAvailability.PreferredTimeslotList.PreferredTimeslot[2].FromTime	2pm PST
ServiceLocationAppointmentAvailability.PreferredTimeslotList.PreferredTimeslot[2].ToTime	5pm PST
ServiceLocationAppointmentAvailability.UnavailableTimeslotList.UnavailableTimeslot[1].FromDate	
ServiceLocationAppointmentAvailability.UnavailableTimeslotList.UnavailableTimeslot[1].ToDate	
ServiceLocationAppointmentAvailability.UnavailableTimeslotList.UnavailableTimeslot[1].DayOfWeek	
ServiceLocationAppointmentAvailability.UnavailableTimeslotList.UnavailableTimeslot[1].FromTime	
ServiceLocationAppointmentAvailability.UnavailableTimeslotList.UnavailableTimeslot[1].ToTime	

Interaction #: 11

Requestor = ILuvBB

Responder = CompLEC

This message is sent by ILuvBB.

Data Element	Value
RequestIdentification.RequestType	New Service
RequestIdentification.RequestorID	ILuvBB

Data Element	Value
RequestIdentification.RequestorAffiliateID	
RequestIdentification.RequestorOrderID	A-07
RequestIdentification.RequestorVersionID	
RequestIdentification.RequestTimestamp	09-25-2002-1105AM PST
RequestIdentification.InterfaceVersion	B.1
ServiceName	Access 3
CustomerAccessTransportServiceConfigurationInformation.CPEConfigurerID.ProviderType	Field Installer
CustomerAccessTransportServiceConfigurationInformation.CPEConfigurerID.ProviderIDType-Code	CIC
CustomerAccessTransportServiceConfigurationInformation.CPEConfigurerID.ProviderIDCode	F201
CustomerAccessTransportServiceConfigurationInformation.Layer2CPEConfigurationInformation.ServiceType	
CustomerAccessTransportServiceConfigurationInformation.Layer2CPEConfigurationInformation.Encapsulation	
CustomerAccessTransportServiceConfigurationInformation.Layer2CPEConfigurationInformation.VirtualCircuit.VCType	
CustomerAccessTransportServiceConfigurationInformation.Layer2CPEConfigurationInformation.VirtualCircuit.VPI	
CustomerAccessTransportServiceConfigurationInformation.Layer2CPEConfigurationInformation.VirtualCircuit.VCI	
CustomerAccessTransportServiceConfigurationInformation.Layer2CPEConfigurationInformation.VirtualCircuit.DLCI	
CustomerAccessTransportServiceConfigurationInformation.Layer2CPEConfigurationInformation.ServiceName	
CustomerAccessTransportServiceConfigurationInformation.Layer2CPEConfigurationInformation.ATMTrafficParameters	
CustomerAccessTransportServiceConfigurationInformation.Layer2CPEConfigurationInformation.BridgingProtocol	
CustomerAccessTransportServiceConfigurationInformation.Layer2CPEConfigurationInformation.ClientProtocol	
CustomerAccessTransportServiceConfigurationInformation.RequestedServiceStartDate.Year	2002
CustomerAccessTransportServiceConfigurationInformation.RequestedServiceStartDate.Month	10
CustomerAccessTransportServiceConfigurationInformation.RequestedServiceStartDate.Day	1
ServiceLocationAppointmentAvailability.PreferredTimeslotList.PreferredTimeslot[1].FromDate	
ServiceLocationAppointmentAvailability.PreferredTimeslotList.PreferredTimeslot[1].ToDate	
ServiceLocationAppointmentAvailability.PreferredTimeslotList.PreferredTimeslot[1].DayOf-Week	
ServiceLocationAppointmentAvailability.PreferredTimeslotList.PreferredTimeslot[1].FromTime	
ServiceLocationAppointmentAvailability.PreferredTimeslotList.PreferredTimeslot[1].ToTime	

Data Element	Value
ServiceLocationAppointmentAvailability.PreferredTimeslotList.PreferredTimeslot[2].FromDate	
ServiceLocationAppointmentAvailability.PreferredTimeslotList.PreferredTimeslot[2].ToDate	
ServiceLocationAppointmentAvailability.PreferredTimeslotList.PreferredTimeslot[2].DayOf-Week	
ServiceLocationAppointmentAvailability.PreferredTimeslotList.PreferredTimeslot[2].FromTime	
ServiceLocationAppointmentAvailability.PreferredTimeslotList.PreferredTimeslot[2].ToTime	
ServiceLocationAppointmentAvailability.UnavailableTimeslotList.UnavailableTimeslot[1].From-Date	
ServiceLocationAppointmentAvailability.UnavailableTimeslotList.UnavailableTimeslot[1].ToDate	
ServiceLocationAppointmentAvailability.UnavailableTimeslotList.UnavailableTimeslot[1].DayOf-Week	
ServiceLocationAppointmentAvailability.UnavailableTimeslotList.UnavailableTimeslot[1].From-Time	
ServiceLocationAppointmentAvailability.UnavailableTimeslotList.UnavailableTimeslot[1].ToTime	

Interaction #: 12

Requestor = CompLEC

Responder = BellTel

This message is sent by CompLEC.

Data Element	Value
RequestIdentification.RequestType	New Service
RequestIdentification.RequestorID	CompLEC
RequestIdentification.RequestorAffiliateID	
RequestIdentification.RequestorOrderID	B-05
RequestIdentification.RequestorVersionID	
RequestIdentification.RequestTimestamp	09-25-2002-1100AM PST
RequestIdentification.InterfaceVersion	C.1
LoopService.NetworkChannelCode	AD01
LoopService.NetworkChannelInterfaceCode	--
LoopService.SecondaryNetworkChannelInterfaceCode	050607
LoopService.ProviderID.ProviderType	Loop Provider
LoopService.ProviderID.ProviderIDCodeType	CIC
LoopService.ProviderID.ProviderIDCode	C201

Data Element	Value
LoopServiceConfigurationInformation.OrderingCodeList.OrderingCode[1]	17
LoopServiceConfigurationInformation.OrderingCodeList.OrderingCode[2]	18
LoopServiceConfigurationInformation.LineSharingRequest	False
LoopServiceConfigurationInformation.RequestedServiceStartDate.Year	2002
LoopServiceConfigurationInformation.RequestedServiceStartDate.Month	10
LoopServiceConfigurationInformation.RequestedServiceStartDate.Day	1
ServiceLocationAppointmentAvailability.PreferredTimeslotList.PreferredTimeslot[1].FromDate	
ServiceLocationAppointmentAvailability.PreferredTimeslotList.PreferredTimeslot[1].ToDate	
ServiceLocationAppointmentAvailability.PreferredTimeslotList.PreferredTimeslot[1].DayOfWeek	
ServiceLocationAppointmentAvailability.PreferredTimeslotList.PreferredTimeslot[1].FromTime	
ServiceLocationAppointmentAvailability.PreferredTimeslotList.PreferredTimeslot[1].ToTime	
ServiceLocationAppointmentAvailability.PreferredTimeslotList.PreferredTimeslot[2].FromDate	
ServiceLocationAppointmentAvailability.PreferredTimeslotList.PreferredTimeslot[2].ToDate	
ServiceLocationAppointmentAvailability.PreferredTimeslotList.PreferredTimeslot[2].DayOfWeek	
ServiceLocationAppointmentAvailability.PreferredTimeslotList.PreferredTimeslot[2].FromTime	
ServiceLocationAppointmentAvailability.PreferredTimeslotList.PreferredTimeslot[2].ToTime	
ServiceLocationAppointmentAvailability.UnavailableTimeslotList.UnavailableTimeslot[1].FromDate	
ServiceLocationAppointmentAvailability.UnavailableTimeslotList.UnavailableTimeslot[1].ToDate	
ServiceLocationAppointmentAvailability.UnavailableTimeslotList.UnavailableTimeslot[1].DayOfWeek	
ServiceLocationAppointmentAvailability.UnavailableTimeslotList.UnavailableTimeslot[1].FromTime	
ServiceLocationAppointmentAvailability.UnavailableTimeslotList.UnavailableTimeslot[1].ToTime	

Interaction #: 12

Requestor = CompLEC

Responder = BellTel

This message is sent by BellTel.

Data Element	Value
ResponseIdentification.ResponseType	New Service
ResponseIdentification.ResponderID	BellTel
ResponseIdentification.ResponderOrderID	C-905
ResponseIdentification.ResponseEventID	C06
ResponseIdentification.RequestorID	CompLEC
ResponseIdentification.RequestorAffiliateID	
ResponseIdentification.RequestorOrderID	B-05
ResponseIdentification.RequestorVersionID	
ResponseIdentification.ResponseTimestamp	09-25-2002-1115AM PST
ResponseIdentification.InterfaceVersion	C.1
ResultAttributes.ResultType	success
ResultAttributes.OrderResultCode	Success
ResultAttributes.Description	
SuccessAttributes.OrderReceivedTimestamp	09-25-2002-1100AM PST
SuccessAttributes.DueDate.Year	2002
SuccessAttributes.DueDate.Month	10
SuccessAttributes.DueDate.Day	1
SuccessAttributes.LoopCircuitID	Loop-ADSL-01
SuccessAttributes.ProviderID.ProviderType	Loop Provider
SuccessAttributes.ProviderID.ProviderIDCodeType	CIC
SuccessAttributes.ProviderID.ProviderIDCode	C201
SuccessAttributes.ProviderInformationList.ProviderInformation[1].ProviderType	
SuccessAttributes.ProviderInformationList.ProviderInformation[1].ProviderIDCodeType	
SuccessAttributes.ProviderInformationList.ProviderInformation[1].ProviderIDCode	
SuccessAttributes.ServiceLocationAppointmentAvailability.PreferredTimeslotList.PreferredTimeslot[1].FromDate	
SuccessAttributes.ServiceLocationAppointmentAvailability.PreferredTimeslotList.PreferredTimeslot[1].ToDate	
SuccessAttributes.ServiceLocationAppointmentAvailability.PreferredTimeslotList.PreferredTimeslot[1].DayOfWeek	
SuccessAttributes.ServiceLocationAppointmentAvailability.PreferredTimeslotList.PreferredTimeslot[1].FromTime	

Data Element	Value
SuccessAttributes.ServiceLocationAppointmentAvailability.PreferredTimeslot-List.PreferredTimeslot[1].ToTime	
SuccessAttributes.ServiceLocationAppointmentAvailability.PreferredTimeslot-List.PreferredTimeslot[2].FromDate	
SuccessAttributes.ServiceLocationAppointmentAvailability.PreferredTimeslot-List.PreferredTimeslot[2].ToDate	
SuccessAttributes.ServiceLocationAppointmentAvailability.PreferredTimeslot-List.PreferredTimeslot[2].DayOfWeek	
SuccessAttributes.ServiceLocationAppointmentAvailability.PreferredTimeslot-List.PreferredTimeslot[2].FromTime	
SuccessAttributes.ServiceLocationAppointmentAvailability.PreferredTimeslot-List.PreferredTimeslot[2].ToTime	
SuccessAttributes.ServiceLocationAppointmentAvailability.UnavailableTimeslot-List.UnavailableTimeslot[1].FromDate	
SuccessAttributes.ServiceLocationAppointmentAvailability.UnavailableTimeslot-List.UnavailableTimeslot[1].ToDate	
SuccessAttributes.ServiceLocationAppointmentAvailability.UnavailableTimeslot-List.UnavailableTimeslot[1].DayOfWeek	
SuccessAttributes.ServiceLocationAppointmentAvailability.UnavailableTimeslot-List.UnavailableTimeslot[1].FromTime	
SuccessAttributes.ServiceLocationAppointmentAvailability.UnavailableTimeslot-List.UnavailableTimeslot[1].ToTime	

Interaction #: 11

Requestor = ILuvBB

Responder = CompLEC

This message is sent by CompLEC.

Data Element	Value
ResponseIdentification.ResponseType	New Service
ResponseIdentification.ResponderID	CompLEC
ResponseIdentification.ResponderOrderID	B-907
ResponseIdentification.ResponseEventID	B05
ResponseIdentification.RequestorID	ILuvBB
ResponseIdentification.RequestorAffiliateID	
ResponseIdentification.RequestorOrderID	A-07
ResponseIdentification.RequestorVersionID	

Data Element	Value
ResponseIdentification.ResponseTimestamp	09-25-2002-1110AM PST
ResponseIdentification.InterfaceVersion	B.1
ResultAttributes.ResultType	success
ResultAttributes.OrderResultCode	Success
ResultAttributes.Description	
SuccessAttributes.OrderReceivedTimestamp	09-25-2002-1105AM PST
SuccessAttributes.DueDate.Year	2002
SuccessAttributes.DueDate.Month	10
SuccessAttributes.DueDate.Day	1
SuccessAttributes.CustomerAccessTransportServiceID	Access-03-01
SuccessAttributes.ProviderID.ProviderType	Access Provider
SuccessAttributes.ProviderID.ProviderIDCodeType	CIC
SuccessAttributes.ProviderID.ProviderIDCode	C201
SuccessAttributes.ProviderInformationList.ProviderInformation[1].ProviderType	
SuccessAttributes.ProviderInformationList.ProviderInformation[1].ProviderIDCode-Type	
SuccessAttributes.ProviderInformationList.ProviderInformation[1].ProviderIDCode	
SuccessAttributes.ServiceLocationAppointmentAvailability.PreferredTimeslotList.PreferredTimeslot[1].FromDate	
SuccessAttributes.ServiceLocationAppointmentAvailability.PreferredTimeslotList.PreferredTimeslot[1].ToDate	
SuccessAttributes.ServiceLocationAppointmentAvailability.PreferredTimeslotList.PreferredTimeslot[1].DayOfWeek	
SuccessAttributes.ServiceLocationAppointmentAvailability.PreferredTimeslotList.PreferredTimeslot[1].FromTime	
SuccessAttributes.ServiceLocationAppointmentAvailability.PreferredTimeslotList.PreferredTimeslot[1].ToTime	
SuccessAttributes.ServiceLocationAppointmentAvailability.PreferredTimeslotList.PreferredTimeslot[2].FromDate	
SuccessAttributes.ServiceLocationAppointmentAvailability.PreferredTimeslotList.PreferredTimeslot[2].ToDate	
SuccessAttributes.ServiceLocationAppointmentAvailability.PreferredTimeslotList.PreferredTimeslot[2].DayOfWeek	
SuccessAttributes.ServiceLocationAppointmentAvailability.PreferredTimeslotList.PreferredTimeslot[2].FromTime	
SuccessAttributes.ServiceLocationAppointmentAvailability.PreferredTimeslotList.PreferredTimeslot[2].ToTime	
SuccessAttributes.ServiceLocationAppointmentAvailability.UnavailableTimeslotList.UnavailableTimeslot[1].FromDate	

Data Element	Value
SuccessAttributes.ServiceLocationAppointmentAvailability.UnavailableTimeslot-List.UnavailableTimeslot[1].ToDate	
SuccessAttributes.ServiceLocationAppointmentAvailability.UnavailableTimeslot-List.UnavailableTimeslot[1].DayOfWeek	
SuccessAttributes.ServiceLocationAppointmentAvailability.UnavailableTimeslot-List.UnavailableTimeslot[1].FromTime	
SuccessAttributes.ServiceLocationAppointmentAvailability.UnavailableTimeslot-List.UnavailableTimeslot[1].ToTime	

Interaction #: 10

Requestor = ILuvBB

Responder = CompLEC

This message is sent by CompLEC.

Data Element	Value
ResponseIdentification.ResponseType	New Service
ResponseIdentification.ResponderID	CompLEC
ResponseIdentification.ResponderOrderID	B-906
ResponseIdentification.ResponseEventID	B06
ResponseIdentification.RequestorID	ILuvBB
ResponseIdentification.RequestorAffiliateID	
ResponseIdentification.RequestorOrderID	A-06
ResponseIdentification.RequestorVersionID	
ResponseIdentification.ResponseTimestamp	09-25-2002-1120AM PST
ResponseIdentification.InterfaceVersion	B.1
ResultAttributes.ResultType	
ResultAttributes.OrderResultCode	
ResultAttributes.Description	
SuccessAttributes.OrderReceivedTimestamp	09-25-2002-1035AM PST
SuccessAttributes.DueDate.Year	2002
SuccessAttributes.DueDate.Month	10
SuccessAttributes.DueDate.Day	5
SuccessAttributes.ATUCTerminationInformation.ATUCTerminationInformationFormat	US

Data Element	Value
SuccessAttributes.ATUCTerminationInformation.ATUCTerminationInformation.CentralOfficeCode	OAKLCA01
SuccessAttributes.ATUCTerminationInformation.ATUCTerminationInformation.DSLAMLocation	(not needed - DSLAM is located in Central Office)
SuccessAttributes.ATUCTerminationInformation.ATUCTerminationInformation.DSLAMID	OAKLCA01A10
SuccessAttributes.ATUCTerminationInformation.ATUCTerminationInformation.DSLAMPortID.Rack	
SuccessAttributes.ATUCTerminationInformation.ATUCTerminationInformation.DSLAMPortID.Shelf	
SuccessAttributes.ATUCTerminationInformation.ATUCTerminationInformation.DSLAMPortID.Slot	
SuccessAttributes.ATUCTerminationInformation.ATUCTerminationInformation.DSLAMPortID.Sub-slot	
SuccessAttributes.ATUCTerminationInformation.ATUCTerminationInformation.DSLAMPortID.PortNumber	
SuccessAttributes.ATUCTerminationInformation.ATUCTerminationInformation.DSLAMPortID.TechnologySupportedList.TechnologySupported[1]	
SuccessAttributes.ATUCTerminationInformation.ATUCTerminationInformation.DSLAMPortID.TechnologySupportedList.TechnologySupported[2]	
SuccessAttributes.ATUCTerminationInformation.ATUCTerminationInformation.DSLAMPortID.TechnologySupportedList.TechnologySupported[3]	
SuccessAttributes.PhysicalDSLServiceID	
SuccessAttributes.ProviderID.ProviderType	
SuccessAttributes.ProviderID.ProviderIDCodeType	
SuccessAttributes.ProviderID.ProviderIDCode	
SuccessAttributes.ProviderInformationList.ProviderInformation[1].ProviderType	
SuccessAttributes.ProviderInformationList.ProviderInformation[1].ProviderIDCodeType	
SuccessAttributes.ProviderInformationList.ProviderInformation[1].ProviderIDCode	
SuccessAttributes.ServiceLocationAppointmentAvailability.PreferredTimeslotList.PreferredTimeslot[1].FromDate	
SuccessAttributes.ServiceLocationAppointmentAvailability.PreferredTimeslotList.PreferredTimeslot[1].ToDate	
SuccessAttributes.ServiceLocationAppointmentAvailability.PreferredTimeslotList.PreferredTimeslot[1].DayOfWeek	
SuccessAttributes.ServiceLocationAppointmentAvailability.PreferredTimeslotList.PreferredTimeslot[1].FromTime	
SuccessAttributes.ServiceLocationAppointmentAvailability.PreferredTimeslotList.PreferredTimeslot[1].ToTime	

Data Element	Value
SuccessAttributes.ServiceLocationAppointmentAvailability.PreferredTimeslotList.PreferredTimeslot[2].FromDate	
SuccessAttributes.ServiceLocationAppointmentAvailability.PreferredTimeslotList.PreferredTimeslot[2].ToDate	
SuccessAttributes.ServiceLocationAppointmentAvailability.PreferredTimeslotList.PreferredTimeslot[2].DayOfWeek	
SuccessAttributes.ServiceLocationAppointmentAvailability.PreferredTimeslotList.PreferredTimeslot[2].FromTime	
SuccessAttributes.ServiceLocationAppointmentAvailability.PreferredTimeslotList.PreferredTimeslot[2].ToTime	
SuccessAttributes.ServiceLocationAppointmentAvailability.UnavailableTimeslotList.UnavailableTimeslot[1].FromDate	
SuccessAttributes.ServiceLocationAppointmentAvailability.UnavailableTimeslotList.UnavailableTimeslot[1].ToDate	
SuccessAttributes.ServiceLocationAppointmentAvailability.UnavailableTimeslotList.UnavailableTimeslot[1].DayOfWeek	
SuccessAttributes.ServiceLocationAppointmentAvailability.UnavailableTimeslotList.UnavailableTimeslot[1].FromTime	
SuccessAttributes.ServiceLocationAppointmentAvailability.UnavailableTimeslotList.UnavailableTimeslot[1].ToTime	

Interaction #: 12

Requestor = CompLEC

Responder = BellTel

This message is sent by BellTel.

Data Element	Value
NotificationIdentification.NotificationType	New Service
NotificationIdentification.NotifierID	BellTel
NotificationIdentification.NotifierOrderID	C-905
NotificationIdentification.NotificationEventID	C07
NotificationIdentification.RequestorID	CompLEC
NotificationIdentification.RequestorAffiliateID	
NotificationIdentification.RequestorOrderID	B-05
NotificationIdentification.RequestorVersionID	
NotificationIdentification.NotificationTimestamp	09-25-2002-1125AM PST
NotificationIdentification.InterfaceVersion	C.1

Data Element	Value
SuccessAttributes.OrderReceivedTimestamp	09-25-2002-1100AM PST
SuccessAttributes.DueDate.Year	2002
SuccessAttributes.DueDate.Month	10
SuccessAttributes.DueDate.Day	1
SuccessAttributes.LoopCircuitID	
SuccessAttributes.ProviderID.ProviderType	
SuccessAttributes.ProviderID.ProviderIDCodeType	
SuccessAttributes.ProviderID.ProviderIDCode	
SuccessAttributes.ProviderInformationList.ProviderInformation[1].ProviderType	
SuccessAttributes.ProviderInformationList.ProviderInformation[1].ProviderID-CodeType	
SuccessAttributes.ProviderInformationList.ProviderInformation[1].ProviderID-Code	
SuccessAttributes.ServiceLocationAppointmentAvailability.PreferredTimeslot-List.PreferredTimeslot[1].FromDate	
SuccessAttributes.ServiceLocationAppointmentAvailability.PreferredTimeslot-List.PreferredTimeslot[1].ToDate	
SuccessAttributes.ServiceLocationAppointmentAvailability.PreferredTimeslot-List.PreferredTimeslot[1].DayOfWeek	
SuccessAttributes.ServiceLocationAppointmentAvailability.PreferredTimeslot-List.PreferredTimeslot[1].FromTime	
SuccessAttributes.ServiceLocationAppointmentAvailability.PreferredTimeslot-List.PreferredTimeslot[1].ToTime	
SuccessAttributes.ServiceLocationAppointmentAvailability.PreferredTimeslot-List.PreferredTimeslot[2].FromDate	
SuccessAttributes.ServiceLocationAppointmentAvailability.PreferredTimeslot-List.PreferredTimeslot[2].ToDate	
SuccessAttributes.ServiceLocationAppointmentAvailability.PreferredTimeslot-List.PreferredTimeslot[2].DayOfWeek	
SuccessAttributes.ServiceLocationAppointmentAvailability.PreferredTimeslot-List.PreferredTimeslot[2].FromTime	
SuccessAttributes.ServiceLocationAppointmentAvailability.PreferredTimeslot-List.PreferredTimeslot[2].ToTime	
SuccessAttributes.ServiceLocationAppointmentAvailability.UnavailableTimeslot-List.UnavailableTimeslot[1].FromDate	
SuccessAttributes.ServiceLocationAppointmentAvailability.UnavailableTimeslot-List.UnavailableTimeslot[1].ToDate	
SuccessAttributes.ServiceLocationAppointmentAvailability.UnavailableTimeslot-List.UnavailableTimeslot[1].DayOfWeek	

Data Element	Value
SuccessAttributes.ServiceLocationAppointmentAvailability.UnavailableTimeslot-List.UnavailableTimeslot[1].FromTime	
SuccessAttributes.ServiceLocationAppointmentAvailability.UnavailableTimeslot-List.UnavailableTimeslot[1].ToTime	

Interaction #: 10

Requestor = ILuvBB

Responder = CompLEC

This message is sent by CompLEC

Data Element	Value
NotificationIdentification.NotificationType	New Service
NotificationIdentification.NotifierID	CompLEC
NotificationIdentification.NotifierOrderID	B-908
NotificationIdentification.NotificationEventID	B04
NotificationIdentification.RequestorID	ILuvBB
NotificationIdentification.RequestorAffiliateID	
NotificationIdentification.RequestorOrderID	A-06
NotificationIdentification.RequestorVersionID	
NotificationIdentification.NotificationTimestamp	09-25-2002-1130AM PST
NotificationIdentification.InterfaceVersion	B.1
SuccessAttributes.OrderReceivedTimestamp	09-25-2002-1035AM PST
SuccessAttributes.DueDate.Year	2002
SuccessAttributes.DueDate.Month	10
SuccessAttributes.DueDate.Day	5
SuccessAttributes.ATUCTerminationInformation.ATUCTerminationInformation-Format	US
SuccessAttributes.ATUCTerminationInformation.ATUCTerminationInformation.CentralOfficeCode	OAKLCA01
SuccessAttributes.ATUCTerminationInformation.ATUCTerminationInformation.DSLAMLocation	(not needed - DSLAM is located in Central Office)
SuccessAttributes.ATUCTerminationInformation.ATUCTerminationInformation.DSLAMID	OAKLCA01A10
SuccessAttributes.ATUCTerminationInformation.ATUCTerminationInformation.DSLAMPortID.Rack	

Data Element	Value
SuccessAttributes.ATUCTerminationInformation.ATUCTerminationInformation.DSLAMPortID.Shelf	
SuccessAttributes.ATUCTerminationInformation.ATUCTerminationInformation.DSLAMPortID.Slot	
SuccessAttributes.ATUCTerminationInformation.ATUCTerminationInformation.DSLAMPortID.Sub-slot	
SuccessAttributes.ATUCTerminationInformation.ATUCTerminationInformation.DSLAMPortID.PortNumber	
SuccessAttributes.ATUCTerminationInformation.ATUCTerminationInformation.DSLAMPortID.TechnologySupportedList.TechnologySupported[1]	
SuccessAttributes.ATUCTerminationInformation.ATUCTerminationInformation.DSLAMPortID.TechnologySupportedList.TechnologySupported[2]	
SuccessAttributes.ATUCTerminationInformation.ATUCTerminationInformation.DSLAMPortID.TechnologySupportedList.TechnologySupported[3]	
SuccessAttributes.PhysicalDSLServiceID	
SuccessAttributes.ProviderID.ProviderType	
SuccessAttributes.ProviderID.ProviderIDCodeType	
SuccessAttributes.ProviderID.ProviderIDCode	
SuccessAttributes.ProviderInformationList.ProviderInformation[1].ProviderType	
SuccessAttributes.ProviderInformationList.ProviderInformation[1].ProviderIDCodeType	
SuccessAttributes.ProviderInformationList.ProviderInformation[1].ProviderIDCode	
SuccessAttributes.ServiceLocationAppointmentAvailability.PreferredTimeslotList.PreferredTimeslot[1].FromDate	
SuccessAttributes.ServiceLocationAppointmentAvailability.PreferredTimeslotList.PreferredTimeslot[1].ToDate	
SuccessAttributes.ServiceLocationAppointmentAvailability.PreferredTimeslotList.PreferredTimeslot[1].DayOfWeek	
SuccessAttributes.ServiceLocationAppointmentAvailability.PreferredTimeslotList.PreferredTimeslot[1].FromTime	
SuccessAttributes.ServiceLocationAppointmentAvailability.PreferredTimeslotList.PreferredTimeslot[1].ToTime	
SuccessAttributes.ServiceLocationAppointmentAvailability.PreferredTimeslotList.PreferredTimeslot[2].FromDate	
SuccessAttributes.ServiceLocationAppointmentAvailability.PreferredTimeslotList.PreferredTimeslot[2].ToDate	
SuccessAttributes.ServiceLocationAppointmentAvailability.PreferredTimeslotList.PreferredTimeslot[2].DayOfWeek	
SuccessAttributes.ServiceLocationAppointmentAvailability.PreferredTimeslotList.PreferredTimeslot[2].FromTime	

Data Element	Value
SuccessAttributes.ServiceLocationAppointmentAvailability.PreferredTimeslot-List.PreferredTimeslot[2].ToTime	
SuccessAttributes.ServiceLocationAppointmentAvailability.UnavailableTimeslot-List.UnavailableTimeslot[1].FromDate	
SuccessAttributes.ServiceLocationAppointmentAvailability.UnavailableTimeslot-List.UnavailableTimeslot[1].ToDate	
SuccessAttributes.ServiceLocationAppointmentAvailability.UnavailableTimeslot-List.UnavailableTimeslot[1].DayOfWeek	
SuccessAttributes.ServiceLocationAppointmentAvailability.UnavailableTimeslot-List.UnavailableTimeslot[1].FromTime	
SuccessAttributes.ServiceLocationAppointmentAvailability.UnavailableTimeslot-List.UnavailableTimeslot[1].ToTime	

Interaction #: 13

Requestor = ILuvBB

Responder = CoConnect

This message is sent by ILuvBB

Data Element	Value
RequestIdentification.RequestType	Prequalification
RequestIdentification.RequestorID	ILuvBB
RequestIdentification.RequestorAffiliateID	
RequestIdentification.RequestorOrderID	A-08
RequestIdentification.RequestorVersionID	
RequestIdentification.RequestTimestamp	09-25-2002-1135AM PST
RequestIdentification.InterfaceVersion	D.1
CentralOffice.CountryCode	US
CentralOffice.Address.AddressLine1	300 Lakeside Drive
CentralOffice.Address.AddressLine2	
CentralOffice.Address.AddressLine3	
CentralOffice.Address.City	Oakland
CentralOffice.Address.State	CA
CentralOffice.Address.PostalCode	90413
CentralOffice.Address.Country	US
CentralOffice.Address.Latitude	

Data Element	Value
CentralOffice.CentralOffice.Address.Longitude	
CentralOffice.CentralOffice.OperationalStatus	Operational
CentralOffice.CentralOffice.CentralOfficeCode	OAKLCA01
CentralOffice.CentralOffice.AcceptingOrders	
CentralOffice.CentralOffice.ExpectedActivation	

Interaction #: 13

Requestor = ILuvBB

Responder = CoConnect

This message is sent by CoConnect

Data Element	Value
ResponseIdentification.ResponseType	Prequalification
ResponseIdentification.ResponderID	CoConnect
ResponseIdentification.ResponderOrderID	D-901
ResponseIdentification.ResponseEventID	D01
ResponseIdentification.RequestorID	ILuvBB
ResponseIdentification.RequestorAffiliateID	
ResponseIdentification.RequestorOrderID	A-08
ResponseIdentification.RequestorVersionID	
ResponseIdentification.ResponseTimestamp	09-25-2002-1140AM PST
ResponseIdentification.InterfaceVersion	D.1
ResultAttributes.ResultType	
ResultAttributes.PrequalificationResultCode	
RBNTransportServiceIDList.RBNTransportServiceID[1]	
RBNTransportServiceIDList.RBNTransportServiceID[2]	

Interaction #: 14

Requestor = ILuvBB

Responder = CoConnect

This message is sent by ILuvBB

The request for RBN Transport connectivity is sent to CoConnect, as they are the RBN

Provider. The actual connectivity is being established between ILuvBB and CompLEC.

Data Element	Value
RequestIdentification.RequestType	New Service
RequestIdentification.RequestorID	ILuvBB
RequestIdentification.RequestorAffiliateID	
RequestIdentification.RequestorOrderID	A-09
RequestIdentification.RequestorVersionID	
RequestIdentification.RequestTimestamp	09-25-2002-1145AM PST
RequestIdentification.InterfaceVersion	D.1
ServiceName	
RBNTransportServiceConfigurationInformation.APVirtualCircuit.VCType	
RBNTransportServiceConfigurationInformation.APVirtualCircuit.VPI	
RBNTransportServiceConfigurationInformation.APVirtualCircuit.VCI	
RBNTransportServiceConfigurationInformation.APVirtualCircuit.DLCI	
RBNTransportServiceConfigurationInformation.SPVirtualCircuit.VCType	
RBNTransportServiceConfigurationInformation.SPVirtualCircuit.VPI	
RBNTransportServiceConfigurationInformation.SPVirtualCircuit.VCI	
RBNTransportServiceConfigurationInformation.SPVirtualCircuit.DLCI	
RBNTransportServiceConfigurationInformation.RequestedServiceStartDate.Year	
RBNTransportServiceConfigurationInformation.RequestedServiceStartDate.Month	
RBNTransportServiceConfigurationInformation.RequestedServiceStartDate.Day	

Interaction #: 15

Requestor = CoConnect

Responder = CompLEC

This message is sent by CoConnect

The actual connectivity is being established from ILuvBB to CompLEC.

Data Element	Value
RequestIdentification.RequestType	New Service
RequestIdentification.RequestorID	CoConnect
RequestIdentification.RequestorAffiliateID	
RequestIdentification.RequestorOrderID	D-01

Data Element	Value
RequestIdentification.RequestorVersionID	
RequestIdentification.RequestTimestamp	09-25-2002-1145AM PST
RequestIdentification.InterfaceVersion	B.1
ServiceName	
RBNTransportServiceConfigurationInformation.APVirtualCircuit.VCType	
RBNTransportServiceConfigurationInformation.APVirtualCircuit.VPI	
RBNTransportServiceConfigurationInformation.APVirtualCircuit.VCI	
RBNTransportServiceConfigurationInformation.APVirtualCircuit.DLCI	
RBNTransportServiceConfigurationInformation.SPVirtualCircuit.VCType	
RBNTransportServiceConfigurationInformation.SPVirtualCircuit.VPI	
RBNTransportServiceConfigurationInformation.SPVirtualCircuit.VCI	
RBNTransportServiceConfigurationInformation.SPVirtualCircuit.DLCI	
RBNTransportServiceConfigurationInformation.RequestedServiceStartDate.Year	
RBNTransportServiceConfigurationInformation.RequestedServiceStartDate.Month	
RBNTransportServiceConfigurationInformation.RequestedServiceStartDate.Day	

Interaction #: 15

Requestor = CoConnect

Responder = CompLEC

This message is sent by CompLEC

Data Element	Value
ResponseIdentification.ResponseType	New Service
ResponseIdentification.ResponderID	CompLEC
ResponseIdentification.ResponderOrderID	B-908
ResponseIdentification.ResponseEventID	B07
ResponseIdentification.RequestorID	CoConnect
ResponseIdentification.RequestorAffiliateID	
ResponseIdentification.RequestorOrderID	D-01
ResponseIdentification.RequestorVersionID	
ResponseIdentification.ResponseTimestamp	09-25-2002-1150AM PST
ResponseIdentification.InterfaceVersion	B.1
ResultAttributes.ResultType	

Data Element	Value
ResultAttributes.OrderResultCode	
ResultAttributes.Description	
SuccessAttributes.OrderReceivedTimestamp	09-25-2002-1145AM PST
SuccessAttributes.DueDate.Year	2002
SuccessAttributes.DueDate.Month	10
SuccessAttributes.DueDate.Day	3
SuccessAttributes.RBNTransportServiceID	
SuccessAttributes.ProviderID.ProviderType	
SuccessAttributes.ProviderID.ProviderIDCodeType	
SuccessAttributes.ProviderID.ProviderIDCode	
SuccessAttributes.ProviderInformationList.ProviderInformation[1].ProviderType	
SuccessAttributes.ProviderInformationList.ProviderInformation[1].ProviderIDCodeType	
SuccessAttributes.ProviderInformationList.ProviderInformation[1].ProviderIDCode	
SuccessAttributes.ServiceLocationAppointmentAvailability.PreferredTimeslot-List.PreferredTimeslot[1].FromDate	
SuccessAttributes.ServiceLocationAppointmentAvailability.PreferredTimeslot-List.PreferredTimeslot[1].ToDate	
SuccessAttributes.ServiceLocationAppointmentAvailability.PreferredTimeslot-List.PreferredTimeslot[1].DayOfWeek	
SuccessAttributes.ServiceLocationAppointmentAvailability.PreferredTimeslot-List.PreferredTimeslot[1].FromTime	
SuccessAttributes.ServiceLocationAppointmentAvailability.PreferredTimeslot-List.PreferredTimeslot[1].ToTime	
SuccessAttributes.ServiceLocationAppointmentAvailability.PreferredTimeslot-List.PreferredTimeslot[2].FromDate	
SuccessAttributes.ServiceLocationAppointmentAvailability.PreferredTimeslot-List.PreferredTimeslot[2].ToDate	
SuccessAttributes.ServiceLocationAppointmentAvailability.PreferredTimeslot-List.PreferredTimeslot[2].DayOfWeek	
SuccessAttributes.ServiceLocationAppointmentAvailability.PreferredTimeslot-List.PreferredTimeslot[2].FromTime	
SuccessAttributes.ServiceLocationAppointmentAvailability.PreferredTimeslot-List.PreferredTimeslot[2].ToTime	
SuccessAttributes.ServiceLocationAppointmentAvailability.UnavailableTimeslot-List.UnavailableTimeslot[1].FromDate	
SuccessAttributes.ServiceLocationAppointmentAvailability.UnavailableTimeslot-List.UnavailableTimeslot[1].ToDate	
SuccessAttributes.ServiceLocationAppointmentAvailability.UnavailableTimeslot-List.UnavailableTimeslot[1].DayOfWeek	

Data Element	Value
SuccessAttributes.ServiceLocationAppointmentAvailability.UnavailableTimeslot-List.UnavailableTimeslot[1].FromTime	
SuccessAttributes.ServiceLocationAppointmentAvailability.UnavailableTimeslot-List.UnavailableTimeslot[1].ToTime	

Interaction #: 14

Requestor = ILuvBB

Responder = CoConnect

This message is sent by CoConnect

Data Element	Value
ResponseIdentification.ResponseType	New Service
ResponseIdentification.ResponderID	CoConnect
ResponseIdentification.ResponderOrderID	D-902
ResponseIdentification.ResponseEventID	D02
ResponseIdentification.RequestorID	ILuvBB
ResponseIdentification.RequestorAffiliateID	
ResponseIdentification.RequestorOrderID	A-09
ResponseIdentification.RequestorVersionID	
ResponseIdentification.ResponseTimestamp	09-25-2002-1150AM PST
ResponseIdentification.InterfaceVersion	D.1
ResultAttributes.ResultType	
ResultAttributes.OrderResultCode	
ResultAttributes.Description	
SuccessAttributes.OrderReceivedTimestamp	09-25-2002-1145AM PST
SuccessAttributes.DueDate.Year	2002
SuccessAttributes.DueDate.Month	10
SuccessAttributes.DueDate.Day	3
SuccessAttributes.RBNTransportServiceID	
SuccessAttributes.ProviderID.ProviderType	
SuccessAttributes.ProviderID.ProviderIDCodeType	
SuccessAttributes.ProviderID.ProviderIDCode	
SuccessAttributes.ProviderInformationList.ProviderInformation[1].ProviderType	

Data Element	Value
SuccessAttributes.ProviderInformationList.ProviderInformation[1].ProviderIDCode-Type	
SuccessAttributes.ProviderInformationList.ProviderInformation[1].ProviderIDCode	
SuccessAttributes.ServiceLocationAppointmentAvailability.PreferredTimeslot-List.PreferredTimeslot[1].FromDate	
SuccessAttributes.ServiceLocationAppointmentAvailability.PreferredTimeslot-List.PreferredTimeslot[1].ToDate	
SuccessAttributes.ServiceLocationAppointmentAvailability.PreferredTimeslot-List.PreferredTimeslot[1].DayOfWeek	
SuccessAttributes.ServiceLocationAppointmentAvailability.PreferredTimeslot-List.PreferredTimeslot[1].FromTime	
SuccessAttributes.ServiceLocationAppointmentAvailability.PreferredTimeslot-List.PreferredTimeslot[1].ToTime	
SuccessAttributes.ServiceLocationAppointmentAvailability.PreferredTimeslot-List.PreferredTimeslot[2].FromDate	
SuccessAttributes.ServiceLocationAppointmentAvailability.PreferredTimeslot-List.PreferredTimeslot[2].ToDate	
SuccessAttributes.ServiceLocationAppointmentAvailability.PreferredTimeslot-List.PreferredTimeslot[2].DayOfWeek	
SuccessAttributes.ServiceLocationAppointmentAvailability.PreferredTimeslot-List.PreferredTimeslot[2].FromTime	
SuccessAttributes.ServiceLocationAppointmentAvailability.PreferredTimeslot-List.PreferredTimeslot[2].ToTime	
SuccessAttributes.ServiceLocationAppointmentAvailability.UnavailableTimeslot-List.UnavailableTimeslot[1].FromDate	
SuccessAttributes.ServiceLocationAppointmentAvailability.UnavailableTimeslot-List.UnavailableTimeslot[1].ToDate	
SuccessAttributes.ServiceLocationAppointmentAvailability.UnavailableTimeslot-List.UnavailableTimeslot[1].DayOfWeek	
SuccessAttributes.ServiceLocationAppointmentAvailability.UnavailableTimeslot-List.UnavailableTimeslot[1].FromTime	
SuccessAttributes.ServiceLocationAppointmentAvailability.UnavailableTimeslot-List.UnavailableTimeslot[1].ToTime	

Interaction #: 16

Requestor = ILuvBB

Responder = CompLEC

This message is sent by ILuvBB

Data Element	Value
RequestIdentification.RequestType	Prequalification
RequestIdentification.RequestorID	ILuvBB
RequestIdentification.RequestorAffiliateID	
RequestIdentification.RequestorOrderID	A-10
RequestIdentification.RequestorVersionID	
RequestIdentification.RequestTimestamp	09-25-2002-1155AM PST
RequestIdentification.InterfaceVersion	
ServiceAddress.Address.AddressLine1	500 West. 32nd Street
ServiceAddress.Address.AddressLine2	Apt. 12
ServiceAddress.Address.AddressLine3	
ServiceAddress.Address.City	Oakland
ServiceAddress.Address.State	CA
ServiceAddress.Address.PostalCode	90413
ServiceAddress.Address.Country	USA
ServiceAddress.Address.Latitude	
ServiceAddress.Address.Longitude	
ServiceRequestConstraintList.ServiceRequestConstraint[1].ConstraintType	availability date
ServiceRequestConstraintList.ServiceRequestConstraint[1].ConstraintValue	
ServiceRequestConstraintList.ServiceRequestConstraint[2].ConstraintType	
ServiceRequestConstraintList.ServiceRequestConstraint[2].ConstraintValue	
ServiceRequestConstraintList.ServiceRequestConstraint[3].ConstraintType	
ServiceRequestConstraintList.ServiceRequestConstraint[3].ConstraintValue	

Interaction #: 17

Requestor = CompLEC

Responder = ModemsRUs

This message is sent by CompLEC

Data Element	Value
RequestIdentification.RequestType	Prequalification
RequestIdentification.RequestorID	CompLEC
RequestIdentification.RequestorAffiliateID	

Data Element	Value
RequestIdentification.RequestorOrderID	B-06
RequestIdentification.RequestorVersionID	
RequestIdentification.RequestTimestamp	09-25-2002-1155AM PST
RequestIdentification.InterfaceVersion	E-1.1
ServiceAddress.Address.AddressLine1	500 West. 32nd Street
ServiceAddress.Address.AddressLine2	Apt. 12
ServiceAddress.Address.AddressLine3	
ServiceAddress.Address.City	Oakland
ServiceAddress.Address.State	CA
ServiceAddress.Address.PostalCode	90413
ServiceAddress.Address.Country	USA
ServiceAddress.Address.Latitude	
ServiceAddress.Address.Longitude	
ServiceRequestConstraintList.ServiceRequestConstraint[1].ConstraintType	availability date
ServiceRequestConstraintList.ServiceRequestConstraint[1].ConstraintValue	
ServiceRequestConstraintList.ServiceRequestConstraint[2].ConstraintType	
ServiceRequestConstraintList.ServiceRequestConstraint[2].ConstraintValue	
ServiceRequestConstraintList.ServiceRequestConstraint[3].ConstraintType	
ServiceRequestConstraintList.ServiceRequestConstraint[3].ConstraintValue	

Interaction #: 17

Requestor = CompLEC

Responder = ModemsRUs

This message is sent by ModemsRUs

Data Element	Value
ResponseIdentification.ResponseType	Prequalification
ResponseIdentification.ResponderID	ModemsRUs
ResponseIdentification.ResponderOrderID	E-1-901
ResponseIdentification.ResponseEventID	E101
ResponseIdentification.RequestorID	CompLEC
ResponseIdentification.RequestorAffiliateID	
ResponseIdentification.RequestorOrderID	B-06

Data Element	Value
ResponseIdentification.RequestorVersionID	
ResponseIdentification.ResponseTimestamp	09-25-2002-1200PM PST
ResponseIdentification.InterfaceVersion	E-1.1
ResultAttributes.ResultType	
ResultAttributes.PrequalificationResultCode	
CPEList.CPE[1].CPEType	
CPEList.CPE[1].CPEManufacturer	
CPEList.CPE[1].CPEModel	
CPEList.CPE[1].SerialNumber	
CPEList.CPE[2].CPEType	
CPEList.CPE[2].CPEManufacturer	
CPEList.CPE[2].CPEModel	
CPEList.CPE[2].SerialNumber	

Interaction #: 18

Requestor = CompLEC

Responder = OnlineModems

This message is sent by CompLEC

Data Element	Value
RequestIdentification.RequestType	Prequalification
RequestIdentification.RequestorID	CompLEC
RequestIdentification.RequestorAffiliateID	
RequestIdentification.RequestorOrderID	B-07
RequestIdentification.RequestorVersionID	
RequestIdentification.RequestTimestamp	09-25-2002-1205PM PST
RequestIdentification.InterfaceVersion	E-2.1
ServiceAddress.Address.AddressLine1	500 West. 32nd Street
ServiceAddress.Address.AddressLine2	Apt. 12
ServiceAddress.Address.AddressLine3	
ServiceAddress.Address.City	Oakland
ServiceAddress.Address.State	CA
ServiceAddress.Address.PostalCode	90413

Data Element	Value
ServiceAddress.Address.Country	USA
ServiceAddress.Address.Latitude	
ServiceAddress.Address.Longitude	
ServiceRequestConstraintList.ServiceRequestConstraint[1].ConstraintType	availability date
ServiceRequestConstraintList.ServiceRequestConstraint[1].ConstraintValue	
ServiceRequestConstraintList.ServiceRequestConstraint[2].ConstraintType	
ServiceRequestConstraintList.ServiceRequestConstraint[2].ConstraintValue	
ServiceRequestConstraintList.ServiceRequestConstraint[3].ConstraintType	
ServiceRequestConstraintList.ServiceRequestConstraint[3].ConstraintValue	

Interaction #: 18

Requestor = CompLEC

Responder = OnlineModems

This message is sent by OnlineModems

Data Element	Value
ResponseIdentification.ResponseType	Prequalification
ResponseIdentification.ResponderID	OnlineModems
ResponseIdentification.ResponderOrderID	E-2-901
ResponseIdentification.ResponseEventID	E201
ResponseIdentification.RequestorID	CompLEC
ResponseIdentification.RequestorAffiliateID	
ResponseIdentification.RequestorOrderID	B-07
ResponseIdentification.RequestorVersionID	
ResponseIdentification.ResponseTimestamp	09-25-2002-1210PM PST
ResponseIdentification.InterfaceVersion	E-2.2
ResultAttributes.ResultType	
ResultAttributes.PrequalificationResultCode	
CPEList.CPE[1].CPEType	
CPEList.CPE[1].CPEManufacturer	
CPEList.CPE[1].CPEModel	
CPEList.CPE[1].SerialNumber	

Data Element	Value
CPEList.CPE[2].CPEType	
CPEList.CPE[2].CPEManufacturer	
CPEList.CPE[2].CPEModel	
CPEList.CPE[2].SerialNumber	

Interaction #: 16

Requestor = ILuvBB

Responder = CompLEC

This message is sent by CompLEC

Data Element	Value
ResponseIdentification.ResponseType	Prequalification
ResponseIdentification.ResponderID	CompLEC
ResponseIdentification.ResponderOrderID	B-909
ResponseIdentification.ResponseEventID	B08
ResponseIdentification.RequestorID	ILuvBB
ResponseIdentification.RequestorAffiliateID	
ResponseIdentification.RequestorOrderID	A-10
ResponseIdentification.RequestorVersionID	
ResponseIdentification.ResponseTimestamp	09-25-2002-1210PM PST
ResponseIdentification.InterfaceVersion	B.1
ResultAttributes.ResultType	
ResultAttributes.PrequalificationResultCode	
CPEList.CPE[1].CPEType	
CPEList.CPE[1].CPEManufacturer	
CPEList.CPE[1].CPEModel	
CPEList.CPE[1].SerialNumber	
CPEList.CPE[2].CPEType	
CPEList.CPE[2].CPEManufacturer	
CPEList.CPE[2].CPEModel	
CPEList.CPE[2].SerialNumber	

Interaction #: 19

Requestor = ILuvBB

Responder = ModemsRUs

This message is sent by ILuvBB

Data Element	Value
RequestIdentification.RequestType	New Service
RequestIdentification.RequestorID	ILuvBB
RequestIdentification.RequestorAffiliateID	
RequestIdentification.RequestorOrderID	A-11
RequestIdentification.RequestorVersionID	
RequestIdentification.RequestTimestamp	09-25-2002-1215PM PST
RequestIdentification.InterfaceVersion	E-1.1
CPE.CPEType	
CPE.CPEManufacturer	
CPE.CPEModel	
CPE.SerialNumber	(not supplied on the order)
CPEConfigurationInformation.Layer1CPEConfiguration.ServiceType	
CPEConfigurationInformation.Layer1CPEConfiguration.ADSLConfigProfile	
CPEConfigurationInformation.Layer1CPEConfiguration.LoopCircuitID	
CPEConfigurationInformation.Layer1CPEConfiguration.Name.PersonName.Person-Name (Free-Form Name)	
CPEConfigurationInformation.Layer1CPEConfiguration.Name.OrganizationName	
CPEConfigurationInformation.Layer1CPEConfiguration.Name.Department	
CPEConfigurationInformation.Layer1CPEConfiguration.Name.LanguagePreference	
CPEConfigurationInformation.Layer1CPEConfiguration.ServiceAddress.Address-Format	Free-Form
CPEConfigurationInformation.Layer1CPEConfiguration.ServiceAddress.Address.AddressLine1	500 West. 32nd Street
CPEConfigurationInformation.Layer1CPEConfiguration.ServiceAddress.Address.AddressLine2	Apt. 12
CPEConfigurationInformation.Layer1CPEConfiguration.ServiceAddress.Address.AddressLine3	
CPEConfigurationInformation.Layer1CPEConfiguration.ServiceAddress.Address.City	Oakland
CPEConfigurationInformation.Layer1CPEConfiguration.ServiceAddress.Address.State	CA

Data Element	Value
CPEConfigurationInfomation.Layer1CPEConfiguration.ServiceAddress.Address.PostalCode	90413
CPEConfigurationInfomation.Layer1CPEConfiguration.ServiceAddress.Address.Country	USA
CPEConfigurationInfomation.Layer1CPEConfiguration.ServiceAddress.Address.Latitude	
CPEConfigurationInfomation.Layer1CPEConfiguration.ServiceAddress.Address.Longitude	
CPEConfigurationInfomation.Layer2CPEConfiguration.ServiceType	
CPEConfigurationInfomation.Layer2CPEConfiguration.Encapsulation	
CPEConfigurationInfomation.Layer2CPEConfiguration.VirtualCircuit.VCType	
CPEConfigurationInfomation.Layer2CPEConfiguration.VirtualCircuit.VPI	
CPEConfigurationInfomation.Layer2CPEConfiguration.VirtualCircuit.VCI	
CPEConfigurationInfomation.Layer2CPEConfiguration.VirtualCircuit.DLCI	
CPEConfigurationInfomation.Layer2CPEConfiguration.ServiceName	
ATMTrafficParametersCPEConfigurationInfomation.Layer2CPEConfiguration.	
CPEConfigurationInfomation.Layer2CPEConfiguration.BridginProtocol	
CPEConfigurationInfomation.Layer2CPEConfiguration.ClientProtocol	
CPEConfigurationInfomation.Layer3CPEConfiguration.ServiceType	
CPEConfigurationInfomation.Layer3CPEConfiguration.IPAssignment	
CPEConfigurationInfomation.Layer3CPEConfiguration.SubnetMask	
CPEConfigurationInfomation.Layer3CPEConfiguration.RoutingProtocol	
CPEConfigurationInfomation.Layer3CPEConfiguration.CPEIPRange	
CPEConfigurationInfomation.Layer3CPEConfiguration.GatewayIP	
CPEConfigurationInfomation.Layer3CPEConfiguration.NetworkingType	
CPEConfigurationInfomation.Layer3CPEConfiguration.LANConfiguration.SubnetMask	
CPEConfigurationInfomation.Layer3CPEConfiguration.LANConfiguration.CPEIPRange	
CPEConfigurationInfomation.Layer3CPEConfiguration.LANConfiguration.MaxLeases	
CPEConfigurationInfomation.Layer3CPEConfiguration.LANConfiguration.LeaseTime	
CPEConfigurationInfomation.Layer4+CPEConfiguration.ServiceType	
CPEConfigurationInfomation.Layer4+CPEConfiguration.PrimaryNameserverAddress	
CPEConfigurationInfomation.Layer4+CPEConfiguration.SecondaryNameserverAddress	

Data Element	Value
CPEConfigurationInfomation.Layer4+CPEConfiguration.DomainName	
CPEConfigurationInfomation.Layer4+CPEConfiguration.ServicesList.Service[1].InternetServiceType	
CPEConfigurationInfomation.Layer4+CPEConfiguration.ServicesList.Service[1].InternetServiceURI	
CPEConfigurationInfomation.Layer4+CPEConfiguration.ServicesList.Service[2].InternetServiceType	
CPEConfigurationInfomation.Layer4+CPEConfiguration.ServicesList.Service[2].InternetServiceURI	
CPEConfigurationInfomation.Layer4+CPEConfiguration.PortForwardingList.PortForwarding[1].Allow	
CPEConfigurationInfomation.Layer4+CPEConfiguration.PortForwardingList.PortForwarding[1].PacketProtocol	
CPEConfigurationInfomation.Layer4+CPEConfiguration.PortForwardingList.PortForwarding[1].SourceIPAddress	
CPEConfigurationInfomation.Layer4+CPEConfiguration.PortForwardingList.PortForwarding[1].SourcePort	
CPEConfigurationInfomation.Layer4+CPEConfiguration.PortForwardingList.PortForwarding[1].DestinationIPAddress	
CPEConfigurationInfomation.Layer4+CPEConfiguration.PortForwardingList.PortForwarding[1].DestinationPort	
CPEConfigurationInfomation.Layer4+CPEConfiguration.PortForwardingList.PortForwarding[1].Action	
CPEConfigurationInfomation.Layer4+CPEConfiguration.PortForwardingList.PortForwarding[2].Allow	
CPEConfigurationInfomation.Layer4+CPEConfiguration.PortForwardingList.PortForwarding[2].PacketProtocol	
CPEConfigurationInfomation.Layer4+CPEConfiguration.PortForwardingList.PortForwarding[2].SourceIPAddress	
CPEConfigurationInfomation.Layer4+CPEConfiguration.PortForwardingList.PortForwarding[2].SourcePort	
CPEConfigurationInfomation.Layer4+CPEConfiguration.PortForwardingList.PortForwarding[2].DestinationIPAddress	
CPEConfigurationInfomation.Layer4+CPEConfiguration.PortForwardingList.PortForwarding[2].DestinationPort	
CPEConfigurationInfomation.Layer4+CPEConfiguration.PortForwardingList.PortForwarding[2].Action	
CPEConfigurationInfomation.AdminAuthentication	
CPEConfigurationInfomation.ComputerList.Computer[1].OSType	
CPEConfigurationInfomation.ComputerList.Computer[1].BusType	
CPEConfigurationInfomation.ComputerList.Computer[1].NetworkPortType	

Data Element	Value
CPEConfigurationInfomation.ComputerList.Computer[1].OSLicenseType	
CPEConfigurationInfomation.ComputerList.Computer[1].ComputerType	
CPEConfigurationInfomation.ComputerList.Computer[1].NICInformation-List.NICInformation[1].CardType	
CPEConfigurationInfomation.ComputerList.Computer[1].NICInformation-List.NICInformation[1].BusType	
CPEConfigurationInfomation.ComputerList.Computer[1].NICInformation-List.NICInformation[1].MACAddress	
CPEConfigurationInfomation.ComputerList.Computer[1].NICInformation-List.NICInformation[1].Manufacturer	
CPEConfigurationInfomation.ComputerList.Computer[1].NICInformation-List.NICInformation[1].Model	
CPEConfigurationInfomation.ComputerList.Computer[1].NICInformation-List.NICInformation[1].TransmissionSpeed	
CPEConfigurationInfomation.ComputerList.Computer[1].NICInformation-List.NICInformation[2].CardType	
CPEConfigurationInfomation.ComputerList.Computer[1].NICInformation-List.NICInformation[2].BusType	
CPEConfigurationInfomation.ComputerList.Computer[1].NICInformation-List.NICInformation[2].MACAddress	
CPEConfigurationInfomation.ComputerList.Computer[1].NICInformation-List.NICInformation[2].Manufacturer	
CPEConfigurationInfomation.ComputerList.Computer[1].NICInformation-List.NICInformation[2].Model	
CPEConfigurationInfomation.ComputerList.Computer[1].NICInformation-List.NICInformation[2].TransmissionSpeed	
CPEConfigurationInfomation.ComputerList.Computer[2].OSType	
CPEConfigurationInfomation.ComputerList.Computer[2].BusType	
CPEConfigurationInfomation.ComputerList.Computer[2].NetworkPortType	
CPEConfigurationInfomation.ComputerList.Computer[2].OSLicenseType	
CPEConfigurationInfomation.ComputerList.Computer[2].ComputerType	
CPEConfigurationInfomation.ComputerList.Computer[2].NICInformation-List.NICInformation[1].CardType	
CPEConfigurationInfomation.ComputerList.Computer[2].NICInformation-List.NICInformation[1].BusType	
CPEConfigurationInfomation.ComputerList.Computer[2].NICInformation-List.NICInformation[1].MACAddress	
CPEConfigurationInfomation.ComputerList.Computer[2].NICInformation-List.NICInformation[1].Manufacturer	
CPEConfigurationInfomation.ComputerList.Computer[2].NICInformation-List.NICInformation[1].Model	

Data Element	Value
CPEConfigurationInfomation.ComputerList.Computer[2].NICInformation-List.NICInformation[1].TransmissionSpeed	
CPEConfigurationInfomation.ComputerList.Computer[2].NICInformation-List.NICInformation[2].CardType	
CPEConfigurationInfomation.ComputerList.Computer[2].NICInformation-List.NICInformation[2].BusType	
CPEConfigurationInfomation.ComputerList.Computer[2].NICInformation-List.NICInformation[2].MACAddress	
CPEConfigurationInfomation.ComputerList.Computer[2].NICInformation-List.NICInformation[2].Manufacturer	
CPEConfigurationInfomation.ComputerList.Computer[2].NICInformation-List.NICInformation[2].Model	
CPEConfigurationInfomation.ComputerList.Computer[2].NICInformation-List.NICInformation[2].TransmissionSpeed	
ShippingInformation.Name.PersonName.PersonName (Free-Form Name)	
ShippingInformation.Name.OrganizationName	
ShippingInformation.Name.Department	
ShippingInformation.Name.LanguagePreference	
ShippingInformation.Address.AddressLine1	500 West. 32nd Street
ShippingInformation.Address.AddressLine2	Apt. 12
ShippingInformation.Address.AddressLine3	
ShippingInformation.Address.City	Oakland
ShippingInformation.Address.State	CA
ShippingInformation.Address.PostalCode	90413
ShippingInformation.Address.Country	USA
ShippingInformation.Address.Latitude	
ShippingInformation.Address.Longitude	
ShippingInformation.ContactTelephoneList.ContactTelephone[1].Type	residence
ShippingInformation.ContactTelephoneList.ContactTelephone[1].CountryCode	
ShippingInformation.ContactTelephoneList.ContactTelephone[1].NationalDestinationCode	
ShippingInformation.ContactTelephoneList.ContactTelephone[1].SubscriberNumber	
ShippingInformation.ContactTelephoneList.ContactTelephone[1].Extension	
ShippingInformation.ContactTelephoneList.ContactTelephone[1].PINNumber	
ShippingInformation.ContactTelephoneList.ContactTelephone[2].Type	business
ShippingInformation.ContactTelephoneList.ContactTelephone[2].CountryCode	

Data Element	Value
ShippingInformation.ContactTelephoneList.ContactTelephone[2].NationalDestinationCode	
ShippingInformation.ContactTelephoneList.ContactTelephone[2].SubscriberNumber	
ShippingInformation.ContactTelephoneList.ContactTelephone[2].Extension	
ShippingInformation.ContactTelephoneList.ContactTelephone[2].PINNumber	
ShippingInformation.EmailAddress	
ShippingInformation.SignatureRequiredUponDelivery	YES

Interaction #: 19

Requestor = ILuvBB

Responder = ModemsRUs

This message is sent by ModemsRUs

Data Element	Value
ResponseIdentification.ResponseType	New Service
ResponseIdentification.ResponderID	ModemsRUs
ResponseIdentification.ResponderOrderID	E-1-902
ResponseIdentification.ResponseEventID	E102
ResponseIdentification.RequestorID	ILuvBB
ResponseIdentification.RequestorAffiliateID	
ResponseIdentification.RequestorOrderID	A-11
ResponseIdentification.RequestorVersionID	
ResponseIdentification.ResponseTimestamp	09-25-2002-1220PM PST
ResponseIdentification.InterfaceVersion	E-1.1
ResultAttributes.ResultType	
ResultAttributes.OrderResultCode	
ResultAttributes.Description	
SuccessAttributes.OrderReceivedTimestamp	09-25-2002-1215PM PST
SuccessAttributes.ShipDate	09-26-2002
SuccessAttributes.CPEConfigurationInformation	(see Order CPE Request)

Interaction #: 19

Requestor = ILuvBB

Responder = ModemsRUs

This message is sent by ILuvBB

Data Element	Value
RequestIdentification.RequestType	Order Status
RequestIdentification.RequestorID	ILuvBB
RequestIdentification.RequestorAffiliateID	
RequestIdentification.RequestorOrderID	A-11
RequestIdentification.RequestorVersionID	
RequestIdentification.RequestTimestamp	09-26-2002-1225PM PST
RequestIdentification.InterfaceVersion	E-1.1
OriginalResponderOrderID	E-1-902

Interaction #: 19

Requestor = ILuvBB

Responder = ModemsRUs

This message is sent by ModemsRUs

Data Element	Value
ResponseIdentification.ResponseType	Order Status
ResponseIdentification.ResponderID	ModemsRUs
ResponseIdentification.ResponderOrderID	E-1-902
ResponseIdentification.ResponseEventID	E103
ResponseIdentification.RequestorID	ILuvBB
ResponseIdentification.RequestorAffiliateID	
ResponseIdentification.RequestorOrderID	A-11
ResponseIdentification.RequestorVersionID	
ResponseIdentification.ResponseTimestamp	09-26-2002-1230PM PST
ResponseIdentification.InterfaceVersion	E-1.1
ResultAttributes.ResultType	success
ResultAttributes.StatusResultCode	Success
ResultAttributes.Description	
SuccessAttributes.OrderReceivedTimestamp	09-25-2002-1225PM PST

Data Element	Value
SuccessAttributes.ShipDate	09-27-2002
SuccessAttributes.CPEConfigurationInformation	(see Order CPE Request)

Interaction #: 20

Requestor = ILuvBB

Responder = CompLEC

This message is sent by ILuvBB

Data Element	Value
RequestIdentification.RequestType	New Service
RequestIdentification.RequestorID	ILuvBB
RequestIdentification.RequestorAffiliateID	
RequestIdentification.RequestorOrderID	A-12
RequestIdentification.RequestorVersionID	
RequestIdentification.RequestTimestamp	09-26-2002-1235PM PST
RequestIdentification.InterfaceVersion	B.1
OwnRentLease	Own
NumberOfLinesInService	
ServiceLineEntry	
InstallType	
Landlord	(not needed)
LandlordTelephone	(not needed)
ISDNNumber	
InsuranceInformation.ProofRequired	
InsuranceInformation.FaxNumber	
InsideWiringAuthorized	
InsideWiringResponsibility	
CPEConfigurationInformationList.CPEConfigurationInformation[1].	(SEE Order CPE Request)
NIDLocation	
BuildingType	
ServiceLocationInformation.ServiceAddressInformation.ServiceAddress.Address-Format	Free-Form

Data Element	Value
ServiceLocationInformation.ServiceAddressInformation.ServiceAddress.Address.AddressLine1	500 West. 32nd Street
ServiceLocationInformation.ServiceAddressInformation.ServiceAddress.Address.AddressLine2	Apt. 12
ServiceLocationInformation.ServiceAddressInformation.ServiceAddress.Address.AddressLine3	
ServiceLocationInformation.ServiceAddressInformation.ServiceAddress.Address.City	Oakland
ServiceLocationInformation.ServiceAddressInformation.ServiceAddress.Address.State	CA
ServiceLocationInformation.ServiceAddressInformation.ServiceAddress.Address.PostalCode	90413
ServiceLocationInformation.ServiceAddressInformation.ServiceAddress.Address.Country	USA
ServiceLocationInformation.ServiceAddressInformation.ServiceAddress.Address.Latitude	
ServiceLocationInformation.ServiceAddressInformation.ServiceAddress.Address.Longitude	
ServiceLocationInformation.ServiceAddressInformation.WorkingTelephoneNumber	510-501-1090
ServiceLocationInformation.ServiceAddressInformation.LoopCircuitID	
ServiceLocationInformation.BuildingAccessInformation.ContactInformation.Name.PersonName.PersonName	
ServiceLocationInformation.BuildingAccessInformation.ContactInformation.Name.OrganizationName	
ServiceLocationInformation.BuildingAccessInformation.ContactInformation.Name.Department	
ServiceLocationInformation.BuildingAccessInformation.ContactInformation.Name.LanguagePreference	
ServiceLocationInformation.BuildingAccessInformation.ContactInformation.Address.AddressLine1	
ServiceLocationInformation.BuildingAccessInformation.ContactInformation.Address.AddressLine2	
ServiceLocationInformation.BuildingAccessInformation.ContactInformation.Address.AddressLine3	
ServiceLocationInformation.BuildingAccessInformation.ContactInformation.Address.City	
ServiceLocationInformation.BuildingAccessInformation.ContactInformation.Address.State	
ServiceLocationInformation.BuildingAccessInformation.ContactInformation.Address.PostalCode	
ServiceLocationInformation.BuildingAccessInformation.ContactInformation.Address.Country	

Data Element	Value
ServiceLocationInformation.BuildingAccessInformation.ContactInformation.ContactTelephoneList.ContactTelephone[1].Type	
ServiceLocationInformation.BuildingAccessInformation.ContactInformation.ContactTelephoneList.ContactTelephone[1].CountryCode	
ServiceLocationInformation.BuildingAccessInformation.ContactInformation.ContactTelephoneList.ContactTelephone[1].NationalDestinationCode	
ServiceLocationInformation.BuildingAccessInformation.ContactInformation.ContactTelephoneList.ContactTelephone[1].SubscriberNumber	
ServiceLocationInformation.BuildingAccessInformation.ContactInformation.ContactTelephoneList.ContactTelephone[1].Extension	
ServiceLocationInformation.BuildingAccessInformation.ContactInformation.ContactTelephoneList.ContactTelephone[1].PINNumber	
ServiceLocationInformation.BuildingAccessInformation.ContactInformation.EmailAddress	
ServiceLocationInformation.BuildingAccessInformation.NIDLocation	
ServiceLocationInformation.NumberJacks	
ServiceLocationAppointmentAvailability.PreferredTimeslotList.PreferredTimeslot[1].FromDate	
ServiceLocationAppointmentAvailability.PreferredTimeslotList.PreferredTimeslot[1].ToDate	
ServiceLocationAppointmentAvailability.PreferredTimeslotList.PreferredTimeslot[1].DayOfWeek	
ServiceLocationAppointmentAvailability.PreferredTimeslotList.PreferredTimeslot[1].FromTime	
ServiceLocationAppointmentAvailability.PreferredTimeslotList.PreferredTimeslot[1].ToTime	
ServiceLocationAppointmentAvailability.PreferredTimeslotList.PreferredTimeslot[2].FromDate	
ServiceLocationAppointmentAvailability.PreferredTimeslotList.PreferredTimeslot[2].ToDate	
ServiceLocationAppointmentAvailability.PreferredTimeslotList.PreferredTimeslot[2].DayOfWeek	
ServiceLocationAppointmentAvailability.PreferredTimeslotList.PreferredTimeslot[2].FromTime	
ServiceLocationAppointmentAvailability.PreferredTimeslotList.PreferredTimeslot[2].ToTime	
ServiceLocationAppointmentAvailability.UnavailableTimeslotList.UnavailableTimeslot[1].FromDate	
ServiceLocationAppointmentAvailability.UnavailableTimeslotList.UnavailableTimeslot[1].ToDate	
ServiceLocationAppointmentAvailability.UnavailableTimeslotList.UnavailableTimeslot[1].DayOfWeek	

Data Element	Value
ServiceLocationAppointmentAvailability.UnavailableTimeslotList.UnavailableTimeslot[1].FromTime	
ServiceLocationAppointmentAvailability.UnavailableTimeslotList.UnavailableTimeslot[1].ToTime	

Interaction #: 21

Requestor = ILuvBB

Responder = CompLEC

This message is sent by ILuvBB

Data Element	Value
RequestIdentification.RequestType	New Service
RequestIdentification.RequestorID	ILuvBB
RequestIdentification.RequestorAffiliateID	
RequestIdentification.RequestorOrderID	A-13
RequestIdentification.RequestorVersionID	
RequestIdentification.RequestTimestamp	
RequestIdentification.InterfaceVersion	B.1

Interaction #: 22

Requestor = CompLEC

Responder = WeInstall

This message is sent by CompLEC

Data Element	Value
RequestIdentification.RequestType	New Service
RequestIdentification.RequestorID	CompLEC

Data Element	Value
RequestIdentification.RequestorAffiliateID	
RequestIdentification.RequestorOrderID	B-08
RequestIdentification.RequestorVersionID	
RequestIdentification.RequestTimestamp	09-26-2002-1235PM PST
RequestIdentification.InterfaceVersion	F.1
OwnRentLease	Own
NumberOfLinesInService	
ServiceLineEntry	
InstallType	
Landlord	(not needed)
LandlordTelephone	(not needed)
ISDNNumber	
InsuranceInformation.ProofRequired	
InsuranceInformation.FaxNumber	
InsideWiringAuthorized	
InsideWiringResponsibility	
CPEConfigurationInformationList.CPEConfigurationInformation[1].	(SEE Order CPE Request)
NIDLocation	
BuildingType	
ServiceLocationInformation.ServiceAddressInformation.ServiceAddress.Address-Format	Free-Form
ServiceLocationInformation.ServiceAddressInformation.ServiceAddress.Address.AddressLine1	500 West. 32nd Street
ServiceLocationInformation.ServiceAddressInformation.ServiceAddress.Address.AddressLine2	Apt. 12
ServiceLocationInformation.ServiceAddressInformation.ServiceAddress.Address.AddressLine3	
ServiceLocationInformation.ServiceAddressInformation.ServiceAddress.Address.City	Oakland
ServiceLocationInformation.ServiceAddressInformation.ServiceAddress.Address.State	CA
ServiceLocationInformation.ServiceAddressInformation.ServiceAddress.Address.PostalCode	90413
ServiceLocationInformation.ServiceAddressInformation.ServiceAddress.Address.Country	USA
ServiceLocationInformation.ServiceAddressInformation.ServiceAddress.Address.Latitude	

Data Element	Value
ServiceLocationInformation.ServiceAddressInformation.ServiceAddress.Address.Longitude	
ServiceLocationInformation.ServiceAddressInformation.WorkingTelephoneNumber	510-501-1090
ServiceLocationInformation.ServiceAddressInformation.LoopCircuitID	
ServiceLocationInformation.BuildingAccessInformation.ContactInformation.Name.PersonName.PersonName	
ServiceLocationInformation.BuildingAccessInformation.ContactInformation.Name.OrganizationName	
ServiceLocationInformation.BuildingAccessInformation.ContactInformation.Name.Department	
ServiceLocationInformation.BuildingAccessInformation.ContactInformation.Name.LanguagePreference	
ServiceLocationInformation.BuildingAccessInformation.ContactInformation.Address.AddressLine1	
ServiceLocationInformation.BuildingAccessInformation.ContactInformation.Address.AddressLine2	
ServiceLocationInformation.BuildingAccessInformation.ContactInformation.Address.AddressLine3	
ServiceLocationInformation.BuildingAccessInformation.ContactInformation.Address.City	
ServiceLocationInformation.BuildingAccessInformation.ContactInformation.Address.State	
ServiceLocationInformation.BuildingAccessInformation.ContactInformation.Address.PostalCode	
ServiceLocationInformation.BuildingAccessInformation.ContactInformation.Address.Country	
ServiceLocationInformation.BuildingAccessInformation.ContactInformation.ContactTelephoneList.ContactTelephone[1].Type	
ServiceLocationInformation.BuildingAccessInformation.ContactInformation.ContactTelephoneList.ContactTelephone[1].CountryCode	
ServiceLocationInformation.BuildingAccessInformation.ContactInformation.ContactTelephoneList.ContactTelephone[1].NationalDestinationCode	
ServiceLocationInformation.BuildingAccessInformation.ContactInformation.ContactTelephoneList.ContactTelephone[1].SubscriberNumber	
ServiceLocationInformation.BuildingAccessInformation.ContactInformation.ContactTelephoneList.ContactTelephone[1].Extension	
ServiceLocationInformation.BuildingAccessInformation.ContactInformation.ContactTelephoneList.ContactTelephone[1].PINNumber	
ServiceLocationInformation.BuildingAccessInformation.ContactInformation.EmailAddress	
ServiceLocationInformation.BuildingAccessInformation.NIDLocation	

Data Element	Value
ServiceLocationInformation.NumberJacks	
ServiceLocationAppointmentAvailability.PreferredTimeslotList.PreferredTimeslot[1].FromDate	
ServiceLocationAppointmentAvailability.PreferredTimeslotList.PreferredTimeslot[1].ToDate	
ServiceLocationAppointmentAvailability.PreferredTimeslotList.PreferredTimeslot[1].DayOfWeek	
ServiceLocationAppointmentAvailability.PreferredTimeslotList.PreferredTimeslot[1].FromTime	
ServiceLocationAppointmentAvailability.PreferredTimeslotList.PreferredTimeslot[1].ToTime	
ServiceLocationAppointmentAvailability.PreferredTimeslotList.PreferredTimeslot[2].FromDate	
ServiceLocationAppointmentAvailability.PreferredTimeslotList.PreferredTimeslot[2].ToDate	
ServiceLocationAppointmentAvailability.PreferredTimeslotList.PreferredTimeslot[2].DayOfWeek	
ServiceLocationAppointmentAvailability.PreferredTimeslotList.PreferredTimeslot[2].FromTime	
ServiceLocationAppointmentAvailability.PreferredTimeslotList.PreferredTimeslot[2].ToTime	
ServiceLocationAppointmentAvailability.UnavailableTimeslotList.UnavailableTimeslot[1].FromDate	
ServiceLocationAppointmentAvailability.UnavailableTimeslotList.UnavailableTimeslot[1].ToDate	
ServiceLocationAppointmentAvailability.UnavailableTimeslotList.UnavailableTimeslot[1].DayOfWeek	
ServiceLocationAppointmentAvailability.UnavailableTimeslotList.UnavailableTimeslot[1].FromTime	
ServiceLocationAppointmentAvailability.UnavailableTimeslotList.UnavailableTimeslot[1].ToTime	

Interaction #: 23

Requestor = CompLEC

Responder = WeInstall

This message is sent by CompLEC

Data Element	Value
RequestIdentification.RequestType	New Service

Data Element	Value
RequestIdentification.RequestorID	CompLEC
RequestIdentification.RequestorAffiliateID	
RequestIdentification.RequestorOrderID	B-09
RequestIdentification.RequestorVersionID	
RequestIdentification.RequestTimestamp	
RequestIdentification.InterfaceVersion	F.1

Interaction #: 22

Requestor = CompLEC

Responder = WeInstall

This message is sent by WeInstall

Data Element	Value
ResponseIdentification.ResponseType	New Service
ResponseIdentification.ResponderID	WeInstall
ResponseIdentification.ResponderOrderID	F-901
ResponseIdentification.ResponseEventID	F01
ResponseIdentification.RequestorID	CompLEC
ResponseIdentification.RequestorAffiliateID	
ResponseIdentification.RequestorOrderID	B-08
ResponseIdentification.RequestorVersionID	
ResponseIdentification.ResponseTimestamp	09-26-2002-1240PM PST
ResponseIdentification.InterfaceVersion	F.1
ResultAttributes.ResultType	
ResultAttributes.StatusResultCode	
ResultAttributes.Description	

Data Element	Value
ServiceLocationAppointmentAvailability.PreferredTimeslotList.Preferred-Timeslot[1].FromDate	10-01-2002
ServiceLocationAppointmentAvailability.PreferredTimeslotList.Preferred-Timeslot[1].ToDate	10-5-2002
ServiceLocationAppointmentAvailability.PreferredTimeslotList.Preferred-Timeslot[1].DayOfWeek	weekdays
ServiceLocationAppointmentAvailability.PreferredTimeslotList.Preferred-Timeslot[1].FromTime	8am PST
ServiceLocationAppointmentAvailability.PreferredTimeslotList.Preferred-Timeslot[1].ToTime	10am PST
ServiceLocationAppointmentAvailability.PreferredTimeslotList.Preferred-Timeslot[2].FromDate	10-01-2002
ServiceLocationAppointmentAvailability.PreferredTimeslotList.Preferred-Timeslot[2].ToDate	10-5-2002
ServiceLocationAppointmentAvailability.PreferredTimeslotList.Preferred-Timeslot[2].DayOfWeek	weekdays
ServiceLocationAppointmentAvailability.PreferredTimeslotList.Preferred-Timeslot[2].FromTime	2pm PST
ServiceLocationAppointmentAvailability.PreferredTimeslotList.Preferred-Timeslot[2].ToTime	5pm PST
ServiceLocationAppointmentAvailability.UnavailableTimeslotList.Unavailable-Timeslot[1].FromDate	
ServiceLocationAppointmentAvailability.UnavailableTimeslotList.Unavailable-Timeslot[1].ToDate	
ServiceLocationAppointmentAvailability.UnavailableTimeslotList.Unavailable-Timeslot[1].DayOfWeek	
ServiceLocationAppointmentAvailability.UnavailableTimeslotList.Unavailable-Timeslot[1].FromTime	
ServiceLocationAppointmentAvailability.UnavailableTimeslotList.Unavailable-Timeslot[1].ToTime	

Interaction #: 23

Requestor = CompLEC

Responder = WeInstall

This message is sent by WeInstall

Data Element	Value
ResponseIdentification.ResponseType	New Service
ResponseIdentification.ResponderID	WeInstall

Data Element	Value
ResponseIdentification.ResponderOrderID	F-902
ResponseIdentification.ResponseEventID	F02
ResponseIdentification.RequestorID	CompLEC
ResponseIdentification.RequestorAffiliateID	
ResponseIdentification.RequestorOrderID	B-09
ResponseIdentification.RequestorVersionID	
ResponseIdentification.ResponseTimestamp	
ResponseIdentification.InterfaceVersion	F.1

Interaction #: 21

Requestor = ILuvBB

Responder = CompLEC

This message is sent by CompLEC

Data Element	Value
ResponseIdentification.ResponseType	New Service
ResponseIdentification.ResponderID	CompLEC
ResponseIdentification.ResponderOrderID	B-911
ResponseIdentification.ResponseEventID	B09
ResponseIdentification.RequestorID	ILuvBB
ResponseIdentification.RequestorAffiliateID	
ResponseIdentification.RequestorOrderID	A-13
ResponseIdentification.RequestorVersionID	
ResponseIdentification.ResponseTimestamp	
ResponseIdentification.InterfaceVersion	B.1

Interaction #: 20

Requestor = ILuvBB

Responder = CompLEC

This message is sent by CompLEC

Data Element	Value
ResponseIdentification.ResponseType	New Service
ResponseIdentification.ResponderID	CompLEC
ResponseIdentification.ResponderOrderID	B-910
ResponseIdentification.ResponseEventID	B10
ResponseIdentification.RequestorID	ILuvBB
ResponseIdentification.RequestorAffiliateID	
ResponseIdentification.RequestorOrderID	A-12
ResponseIdentification.RequestorVersionID	
ResponseIdentification.ResponseTimestamp	09-26-2002-1240PM PST
ResponseIdentification.InterfaceVersion	B.1
ResultAttributes.ResultType	
ResultAttributes.StatusResultCode	
ResultAttributes.Description	
ServiceLocationAppointmentAvailability.PreferredTimeslotList.Preferred-Timeslot[1].FromDate	10-01-2002
ServiceLocationAppointmentAvailability.PreferredTimeslotList.Preferred-Timeslot[1].ToDate	10-5-2002
ServiceLocationAppointmentAvailability.PreferredTimeslotList.Preferred-Timeslot[1].DayOfWeek	weekdays
ServiceLocationAppointmentAvailability.PreferredTimeslotList.Preferred-Timeslot[1].FromTime	8am PST
ServiceLocationAppointmentAvailability.PreferredTimeslotList.Preferred-Timeslot[1].ToTime	10am PST
ServiceLocationAppointmentAvailability.PreferredTimeslotList.Preferred-Timeslot[2].FromDate	10-01-2002
ServiceLocationAppointmentAvailability.PreferredTimeslotList.Preferred-Timeslot[2].ToDate	10-5-2002
ServiceLocationAppointmentAvailability.PreferredTimeslotList.Preferred-Timeslot[2].DayOfWeek	weekdays
ServiceLocationAppointmentAvailability.PreferredTimeslotList.Preferred-Timeslot[2].FromTime	2pm PST

Data Element	Value
ServiceLocationAppointmentAvailability.PreferredTimeslotList.Preferred-Timeslot[2].ToTime	5pm PST
ServiceLocationAppointmentAvailability.UnavailableTimeslotList.Unavailable-Timeslot[1].FromDate	
ServiceLocationAppointmentAvailability.UnavailableTimeslotList.Unavailable-Timeslot[1].ToDate	
ServiceLocationAppointmentAvailability.UnavailableTimeslotList.Unavailable-Timeslot[1].DayOfWeek	
ServiceLocationAppointmentAvailability.UnavailableTimeslotList.Unavailable-Timeslot[1].FromTime	
ServiceLocationAppointmentAvailability.UnavailableTimeslotList.Unavailable-Timeslot[1].ToTime	

Interaction#1

Requestor - ILuvBB

Responder - BeITel

This message is sent by IluvBB

Data Element	Value
RequestIdentification.RequestType	PreOrder
RequestIdentification.RequestorID	ILuvBB
RequestIdentification.RequestAffiliateID	
RequestIdentification.RequestOrderID	AAA111
RequestIdentification.RequestVersionID	
RequestIdentification.RequestTimeStamp	02-02-2002-0800AM PST
RequestIdentification.InterfaceVersion	A.1
ServiceAddressInformation.ServiceAddress.Address.Format	Free-Form
ServiceAddressInformation.ServiceAddress.Address.AddressLine1	2600 Michelson Dr.
ServiceAddressInformation.ServiceAddress.Address.AddressLine2	Ste 200
ServiceAddressInformation.ServiceAddress.Address.AddressLine3	
ServiceAddressInformation.ServiceAddress.Address.City	Irvine
ServiceAddressInformation.ServiceAddress.Address.State	CA
ServiceAddressInformation.ServiceAddress.Address.PostalCode	92612

Data Element	Value
ServiceAddressInformation.ServiceAddress.Address.StateCountry	USA
ServiceAddressInformation.ServiceAddress.Address.AdditionalInformation	
ServiceAddressInformation.DSLSubscriberPhoneNumber	949-251-9111

Interaction#1

Requestor - ILuvBB

Responder - BelTel

This message is sent by IluvBB

Data Element	Value
RequestIdentification.RequestType	Prequalification
RequestIdentification.RequestorID	ILuvBB
RequestIdentification.RequestAffiliateID	
RequestIdentification.RequestOrderID	A12345
RequestIdentification.RequestVersionID	
RequestIdentification.RequestTimeStamp	02-02-2002-0800AM PST
RequestIdentification.InterfaceVersion	
ServiceAddressInformation.ServiceAddress.AddressFormat	Free-Form
ServiceAddressInformation.ServiceAddress.Address.AddressLine1	2600 Michelson Dr.
ServiceAddressInformation.ServiceAddress.Address.AddressLine2	Ste 200
ServiceAddressInformation.ServiceAddress.Address.AddressLine3	
ServiceAddressInformation.ServiceAddress.Address.City	Irvine
ServiceAddressInformation.ServiceAddress.Address.State	CA
ServiceAddressInformation.ServiceAddress.Address.PostalCode	92612
ServiceAddressInformation.ServiceAddress.Address.StateCountry	USA
ServiceAddressInformation.DSLSubscriberPhoneNumber	949-251-9111
ServiceRequestConstraintList.ServiceRequestConstraint.ConstraintType	
ServiceRequestConstraintList.ServiceRequestConstraint.ConstraintValue	

Interaction#1

Requestor - ILuvBB

Responder - BeTel

This message is sent by IluvBB

Data Element	Value
RequestIdentification.RequestType	Prequalification
RequestIdentification.RequestorID	ILuvBB
RequestIdentification.RequestAffiliateID	
RequestIdentification.RequestOrderID	AAA111
RequestIdentification.RequestVersionID	
RequestIdentification.RequestTimeStamp	02-02-2002-0800AM PST
RequestIdentification.InterfaceVersion	A.1
ServiceAddressInformation.ServiceAddress.AddressFormat	Free-Form
ServiceAddressInformation.ServiceAddress.Address.AddressLine1	2600 Michelson Dr.
ServiceAddressInformation.ServiceAddress.Address.AddressLine2	Ste 200
ServiceAddressInformation.ServiceAddress.Address.AddressLine3	
ServiceAddressInformation.ServiceAddress.Address.City	Irvine
ServiceAddressInformation.ServiceAddress.Address.State	CA
ServiceAddressInformation.ServiceAddress.Address.PostalCode	92612
ServiceAddressInformation.ServiceAddress.Address.StateCountry	USA
ServiceAddressInformation.ServiceAddress.Address.AdditionalInformation	
ServiceAddressInformation.DSLSubscriberPhoneNumber	949-251-9111
CustomerAccessTransportServiceList.CustomerAccessTransportService.UpstreamSpeed	
CustomerAccessTransportServiceList.CustomerAccessTransportService.DownstreamSpeed	

Interaction#1

Requestor - ILuvBB

Responder - BeTel

This message is sent by IluvBB

Data Element	Value
RequestIdentification.RequestType	Prequalification
RequestIdentification.RequestorID	ILuvBB
RequestIdentification.RequestAffiliateID	

Data Element	Value
RequestIdentification.RequestOrderID	AAA111
RequestIdentification.RequestVersionID	
RequestIdentification.RequestTimeStamp	02-02-2002-0800AM PST
RequestIdentification.InterfaceVersion	A.1
ServiceAddressInformation.ServiceAddress.AddressFormat	Free-Form
ServiceAddressInformation.ServiceAddress.Address.AddressLine1	2600 Michelson Dr.
ServiceAddressInformation.ServiceAddress.Address.AddressLine2	Ste 200
ServiceAddressInformation.ServiceAddress.Address.AddressLine3	
ServiceAddressInformation.ServiceAddress.Address.City	Irvine
ServiceAddressInformation.ServiceAddress.Address.State	CA
ServiceAddressInformation.ServiceAddress.Address.PostalCode	92612
ServiceAddressInformation.ServiceAddress.Address.StateCountry	USA
ServiceAddressInformation.ServiceAddress.Address.AdditionalInformation	
ServiceAddressInformation.DSLSubscriberPhoneNumber	949-251-9111
ServiceRequestConstraintList.ServiceRequestConstraint.ConstraintType	
ServiceRequestConstraintList.ServiceRequestConstraint.ConstraintValue	

Interaction#1

Requestor - ILuvBB

Responder - BelTel

This message is sent by IluvBB

Data Element	Value
ResponseIdentification.ResponseType	PreOrder
ResponseIdentification.ResponderID	BellTel
ResponseIdentification.ResponderOrderID	ZZZ999
ResponseIdentification.ResponderAffiliateID	
ResponseIdentification.RequestorID	ILuvBB
ResponseIdentification.RequesortAffiliateID	
ResponseIdentification.RequesortOrderID	AAA111
ResponseIdentification.RequestorVersionID	
ResponseIdentification.ResponseTimeStamp	02-02-2002-0801AM PST
ResponseIdentification.InterfaceVersion	

Data Element	Value
ResultAttributes.ResultType	Success
ResultAttributes.ServiceLocationResultCoce	100
ServiceAddressInformation.ServiceAddress.AddressFormat	Free-Form
ServiceAddressInformation.ServiceAddress.Address.QualifiedAddressLine1	2600 Michelson Dr.
ServiceAddressInformation.ServiceAddress.Address.QualifiedAddressLine2	Ste 200
ServiceAddressInformation.ServiceAddress.Address.QualifiedAddressLine3	
ServiceAddressInformation.ServiceAddress.Address.QualifiedCity	Irvine
ServiceAddressInformation.ServiceAddress.Address.QualifiedState	CA
ServiceAddressInformation.ServiceAddress.Address.QualifiedPostalCode	92612
ServiceAddressInformation.ServiceAddress.Address.StateCountry	USA
ServiceAddressInformation.ServiceAddress.Address.AdditionalInformation	
ServiceAddressInformation.DSLSubscriberPhoneNumber	949-251-9111

Interaction#1

Requestor - ILuvBB

Responder - BeITel

This message is sent by IluvBB

Data Element	Value
ResponseIdentification.ResponseType	Prequalification
ResponseIdentification.ResponderID	BellTel
ResponseIdentification.ResponderOrderID	ZZZ999
ResponseIdentification.ResponderAffiliateID	
ResponseIdentification.RequestorID	ILuvBB
ResponseIdentification.RequesortAffiliateID	
ResponseIdentification.RequesortOrderID	AAA111
ResponseIdentification.RequestorVersionID	
ResponseIdentification.ResponseTimeStamp	02-02-2002-0801AM PST
ResponseIdentification.InterfaceVersion	
ResultAttributes.ResultType	Qualified
ResultAttributes.ServiceLocationResultCoce	100
ServiceAddressInformation.ServiceAddress.AddressFormat	Free-Form
ServiceAddressInformation.ServiceAddress.Address.AddressLine1	2600 Michelson Dr.

Data Element	Value
ServiceAddressInformation.ServiceAddress.Address.AddressLine2	Ste 200
ServiceAddressInformation.ServiceAddress.Address.AddressLine3	
ServiceAddressInformation.ServiceAddress.Address.City	Irvine
ServiceAddressInformation.ServiceAddress.Address.State	CA
ServiceAddressInformation.ServiceAddress.Address.PostalCode	92612
ServiceAddressInformation.ServiceAddress.Address.StateCountry	USA
ServiceAddressInformation.ServiceAddress.Address.AdditionalInformation	
ServiceAddressInformation.DSLSubscriberPhoneNumber	949-251-9111
CentralOffice.CentralOffice.CentralOffice.Code	IRVICA01
LoopServiceList.LoopService.ProviderLoopLength	13.25
ServiceRequestCOConstraintList.Service	
DSLServiceList.DSLService.AcceptingOrdersDate	
DSLServiceList.DSLService.ServiceName	ResiDSL
DSLServiceList.DSLService.PromotionalCode	28464
ServiceResponseConstraintList.ServiceResponseConstraint.ConstraintType	
ServiceResponseConstraintList.ServiceResponseConstraint.ConstraintValue	

Interaction#1

Requestor - ILuvBB

Responder - BelTel

This message is sent by IluvBB

Data Element	Value
ResponseIdentification.ResponseType	Prequalification
ResponseIdentification.ResponderID	BellTel
ResponseIdentification.ResponderOrderID	ZZZ999
ResponseIdentification.ResponderAffiliateID	
ResponseIdentification.RequestorID	ILuvBB
ResponseIdentification.RequesortAffiliateID	
ResponseIdentification.RequesortOrderID	AAA111
ResponseIdentification.RequestorVersionID	
ResponseIdentification.ResponseTimeStamp	02-02-2002-0801AM PST
ResponseIdentification.InterfaceVersion	

Data Element	Value
ResultAttributes.ResultType	Success
ResultAttributes.ServiceLocationResultCoce	100
ServiceAddressInformation.ServiceAddress.AddressFormat	Free-Form
ServiceAddressInformation.ServiceAddress.Address.AddressLine1	2600 Michelson Dr.
ServiceAddressInformation.ServiceAddress.Address.AddressLine2	Ste 200
ServiceAddressInformation.ServiceAddress.Address.AddressLine3	
ServiceAddressInformation.ServiceAddress.Address.City	Irvine
ServiceAddressInformation.ServiceAddress.Address.State	CA
ServiceAddressInformation.ServiceAddress.Address.PostalCode	92612
ServiceAddressInformation.ServiceAddress.Address.StateCountry	USA
ServiceAddressInformation.ServiceAddress.Address.AdditionalInformation	
ServiceAddressInformation.DSLSubscriberPhoneNumber	949-251-9111
CustomerAccessTransportServiceList.CustomerAccessTransportService.AvailableUpstreamSpeed	384
CustomerAccessTransportServiceList.CustomerAccessTransportService.AvailableDownstreamSpeed	768

Interaction#1

Requestor - ILuvBB

Responder - BeITel

This message is sent by IluvBB

Data Element	Value
ResponseIdentification.ResponseType	Prequalification
ResponseIdentification.ResponderID	BellTel
ResponseIdentification.ResponderOrderID	ZZZ999
ResponseIdentification.ResponderAffiliateID	
ResponseIdentification.RequestorID	ILuvBB
ResponseIdentification.RequesortAffiliateID	
ResponseIdentification.RequesortOrderID	AAA111
ResponseIdentification.RequestorVersionID	
ResponseIdentification.ResponseTimeStamp	02-02-2002-0801AM PST
ResponseIdentification.InterfaceVersion	
ResultAttributes.ResultType	Success

Data Element	Value
ResultAttributes.ServiceLocationResultCoce	100
ServiceAddressInformation.ServiceAddress.AddressFormat	Free-Form
ServiceAddressInformation.ServiceAddress.Address.AddressLine1	2600 Michelson Dr.
ServiceAddressInformation.ServiceAddress.Address.AddressLine2	Ste 200
ServiceAddressInformation.ServiceAddress.Address.AddressLine3	
ServiceAddressInformation.ServiceAddress.Address.City	Irvine
ServiceAddressInformation.ServiceAddress.Address.State	CA
ServiceAddressInformation.ServiceAddress.Address.PostalCode	92612
ServiceAddressInformation.ServiceAddress.Address.StateCountry	USA
ServiceAddressInformation.ServiceAddress.Address.AdditionalInformation	
ServiceAddressInformation.DSLSubscriberPhoneNumber	949-251-9111
CPEList.CPE[1]Type	Ethernet
CPEList.CPE[1]Manufacturer	ModemX
CPEList.CPE[2]Type	USB
CPEList.CPE[2]Manufacturer	ModemX
CPEList.CPE[3]Type	Ethernet
CPEList.CPE[3]Manufacturer	ModemZ

Interaction#2

Requestor - ILuvBB

Responder - BelTel

This message is sent by IluvBB

Data Element	Value
RequestIdentification.RequestType	New Order
RequestIdentification.RequestorID	ILuvBB
RequestIdentification.RequestAffiliateID	
RequestIdentification.RequestOrderID	BBB222
RequestIdentification.RequestVersionID	
RequestIdentification.RequestTimeStamp	02-02-2002-0815AM PST
RequestIdentification.InterfaceVersion	
DSLServiceList.DSLService.ServiceName	ResiDSL
PrequalificationReferenceID	ZZZ999

Data Element	Value
DSLServiceList.DSLService.PromotionalCode	VSD745
Name.SubscriberName	Karen Johnson
Name.EndUserAuthorizationIndicator	Y
Name.LanguagePreference	01
ServiceAddressInformation.ServiceAddress.AddressFormat	Free-Form
ServiceAddressInformation.ServiceAddress.Address.AddressLine1	2600 Michelson Dr.
ServiceAddressInformation.ServiceAddress.Address.AddressLine2	Ste 200
ServiceAddressInformation.ServiceAddress.Address.AddressLine3	
ServiceAddressInformation.ServiceAddress.Address.City	Irvine
ServiceAddressInformation.ServiceAddress.Address.State	CA
ServiceAddressInformation.ServiceAddress.Address.PostalCode	92612
ServiceAddressInformation.ServiceAddress.Address.StateCountry	USA
ServiceAddressInformation.DSLSubscriberPhoneNumber	949-251-9111
ContactInformation.BillingName	Bryan Way
ContactInformation.Billingemail	X@y.com
ContactInformation.BillingPhone	111-111-1111
ContactAddressInformation.BusinessAddress.AddressFormat	Free-Form
ContactAddressInformation.BusinessAddress.Address.AddressLine1	2600 Michelson Dr.
ContactAddressInformation.BusinessAddress.Address.AddressLine2	Ste 200
ContactAddressInformation.BusinessAddress.Address.AddressLine3	
ContactAddressInformation.BusinessAddress.Address.City	Irvine
ContactAddressInformation.BusinessAddress.Address.State	CA
ContactAddressInformation.BusinessAddress.Address.PostalCode	92612
ContactAddressInformation.BusinessAddress.Address.StateCountry	USA
BroadbandServiceInformation.VirtualCircuitAssignment.VirtualCircuit.VCType	Individual
BroadbandServiceInformation.VirtualCircuitAssignment.VirtualCircuit.VPI	4765
BroadbandServiceInformation.VirtualCircuitAssignment.VirtualCircuit.VCI	1987
BroadbandServiceInformation.InstallerInformation	Self
BroadbandServiceInformation.CPEConfigurationInformation.RoutingType	Dynamic
BroadbandServiceInformation.CPEConfigurationInformation.ProviderID	
BroadbandServiceInformation.CPEConfigurationInformation.OSType	WinXP
BroadbandServiceInformation.CPEConfigurationInformation.NetworkPortType	Ethernet
BroadbandServiceInformation.CPEConfigurationInformation.PacketProtocol	POP3
BroadbandServiceInformation.CPEConfigurationInformation.SourceIPAddress	1.1.1.1

Data Element	Value
BroadbandServiceInformation.CPEConfigurationInformation.SourcePortNumber	349
BroadbandServiceInformation.CPEConfigurationInformation.DestinationIPAddress	2.2.2.2
BroadbandServiceInformation.CPEConfigurationInformation.DestinationPort	476
CustomerAccessTransportServiceInformation.ATMCircuitID	99-SDFV-0987609
BroadbandServiceInformation.RequestedDueDate	03-15-2002

Interaction#2

Requestor - ILuvBB

Responder - BellTel

This message is sent by IluvBB



Data Element	Value
ResponseIdentification.ResponseType	New Order
ResponseIdentification.ResponderID	BellTel
ResponseIdentification.ResponderOrderID	YYY888
ResponseIdentification.ResponseEventID	
ResponseIdentification.RequestorID	ILuvBB
ResponseIdentification.RequestorAffiliateID	
ResponseIdentification.RequesterOrderID	BBB222
ResponseIdentification.ResponderVersionID	
ResponseIdentification.ResponseTimeStamp	02-02-2002-0830AM PST
ResponseIdentification.InterfaceVersion	
DSLServiceList.DSLService.ServiceName	ResiDSL
DSLServiceList.DSLService.PromotionalCode	VSD745
Name.SubscriberName	Karen Johnson
ServiceAddressInformation.ServiceAddress.AddressFormat	Free-Form
ServiceAddressInformation.ServiceAddress.Address.AddressLine1	2600 Michelson Dr.
ServiceAddressInformation.ServiceAddress.Address.AddressLine2	Ste 200
ServiceAddressInformation.ServiceAddress.Address.AddressLine3	
ServiceAddressInformation.ServiceAddress.Address.City	Irvine
ServiceAddressInformation.ServiceAddress.Address.State	CA
ServiceAddressInformation.ServiceAddress.Address.PostalCode	92612


Data Element	Value
ServiceAddressInformation.ServiceAddress.Address.StateCountry	USA
ServiceAddressInformation.DSLSubscriberPhoneNumber	949-251-9111
ResultAttributes.ResultType	Success
ResultAttribute.OrderResultCode	500
SuccessAttributes.OrderRecievedTimeStamp	02-02-2002-0825AM PST
SuccessAttribute.DueDate	05-01-2002

The following lists the order in which the Interactions are initiated. Refer to the diagrams to see how response from one Interaction may trigger subsequent interactions:

- ILuvBB to CompLEC: Validate DSL Service Location (Preorder)
- CompLEC to BellTel: Determine Loop Provider (Preorder)
- CompLEC to BellTel: Validate DSL Service Location (Preorder)
- ILuvBB to CompLEC: Determine DSL Capability (Prequalification)
- CompLEC to BellTel: Determine DSL Capability (Prequalification)
- ILuvBB to CompLEC: Determine Available Physical DSL Service (Prequalification)
- CompLEC to BellTel: Determine Available Loop Service (Prequalification)
- ILuvBB to CompLEC: Determine Available Customer Access Transport Service (Prequalification)
- ILuvBB to CompLEC: Determine Available Network Services (Prequalification)
- ILuvBB to CompLEC: Order Physical DSL Service (Order)
- ILuvBB to CompLEC: Order Customer Access Transport Service (Order)
- CompLEC to BellTel: Order Loop Service (Order)
- CompLEC to BellTel: Change Loop Order
- ILuvBB to CoConnect: Determine RBN Connectivity (Prequalification)
- ILuvBB to CoConnect: Order RBN Transport Service (Order)
- CoConnect to CompLEC: Order RBN Transport Service (Order)
- ILuvBB to CompLEC: Determine Compatible CPE (Prequalification)
- CompLEC to ModemsRUs: Determine Compatible CPE (Prequalification)
- ILuvBB to ModemsRUs: Order CPE (Order)
- ILuvBB to CompLEC: Order Installation (Order)
- ILuvBB to CompLEC: Order Network Service (Order)
- CompLEC to WeInstall: Order Network Service (Order)
- CompLEC to WeInstall: Order Installation (Order)
- ILuvBB to ModemsRUs: Cancel CPE Order

The following figures illustrate the messages involved in all trading partner interactions for this scenario.





The following table identifies setup values used in the interactions (the shaded interactions are identical to those already documented in Section 3.1):

Interaction Number	Requestor	Responder	Interaction	Requestor Order Number	Responder Order Number
	ILuvBB	CompLEC	Validate DSL Service Location		
	CompLEC	BellTel	Determine Loop Provider		
	CompLEC	BellTel	Validate DSL Service Location		
	ILuvBB	CompLEC	Determine DSL Capability		
	CompLEC	BellTel	Determine DSL Capability		
	ILuvBB	CompLEC	Determine Available Physical DSL Service		
	CompLEC	BellTel	Determine Available Loop Service		
	ILuvBB	CompLEC	Determine Available Customer Access Transport		
	ILuvBB	CompLEC	Determine Available Network Service		
	ILuvBB	CompLEC	Order Physical DSL Service		
	ILuvBB	CompLEC	Order Customer Access Transport Service		
	CompLEC	BellTel	Order Loop Service, Change Loop Order		
	ILuvBB	CoConnect	Determine RBN Connectivity		
	ILuvBB	CoConnect	Order RBN Transport Service		
	CoConnect	CompLEC	Order RBN Transport Service		
	ILuvBB	CompLEC	Determine Compatible CPE		
	CompLEC	ModemsRUs	Determine Compatible CPE		
	CompLEC	Online Modems	Determine Compatible CPE		
	ILuvBB	ModemsRUs	Order CPE, Cancel CPE Order		
	ILuvBB	CompLEC	Order Installation		
	ILuvBB	CompLEC	Order Network Service		
	CompLEC	WeInstall	Order Network Service		
	CompLEC	WeInstall	Order Installation		

Only those interactions not documented in Section 3.1 are described here.

Interaction #: 13

Requestor = CompLEC

Responder = BellTel

This message is sent by CompLEC.

Data Element	Value
RequestIdentification.RequestType	Modify Pending Order
RequestIdentification.RequestorID	CompLEC
RequestIdentification.RequestorAffiliateID	
RequestIdentification.RequestorOrderID	54321
RequestIdentification.RequestorVersionID	
RequestIdentification.RequestTimestamp	09-26-2002-0900AM PST
RequestIdentification.InterfaceVersion	C.1
OriginalResponderOrderID	C-905
LoopServiceConfigurationInformation.OrderingCodeList.OrderingCode[1]	17
LoopServiceConfigurationInformation.OrderingCodeList.OrderingCode[2]	20
LoopServiceConfigurationInformation.LineSharingRequest	False
LoopServiceConfigurationInformation.RequestedServiceStartDate.Year	2002
LoopServiceConfigurationInformation.RequestedServiceStartDate.Month	10
LoopServiceConfigurationInformation.RequestedServiceStartDate.Day	15

Interaction #: 13

Requestor = CompLEC

Responder = BellTel

This message is sent by BellTel.

Data Element	Value
ResponseIdentification.ResponseType	Modify Pending Order
ResponseIdentification.ResponderID	BellTel
ResponseIdentification.ResponderOrderID	C-901.1
ResponseIdentification.ResponseEventID	C99

Data Element	Value
ResponseIdentification.RequestorID	CompLEC
ResponseIdentification.RequestorAffiliateID	
ResponseIdentification.RequestorOrderID	54321
ResponseIdentification.RequestorVersionID	
ResponseIdentification.ResponseTimestamp	09-26-2002-0930AM PST
ResponseIdentification.InterfaceVersion	C.1
ResultAttributes.ResultType	success
ResultAttributes.OrderResultCode	Success
ResultAttributes.Description	

Interaction #: 24

Requestor = ILuvBB

Responder = ModemsRUs

This message is sent by ILuvBB.

Data Element	Value
RequestIdentification.RequestType	Modify Pending Order
RequestIdentification.RequestorID	ILuvBB
RequestIdentification.RequestorAffiliateID	
RequestIdentification.RequestorOrderID	A-11
RequestIdentification.RequestorVersionID	2
RequestIdentification.RequestTimestamp	09-26-2002-0900PM PST
RequestIdentification.InterfaceVersion	E-1.1
OriginalResponderOrderID	E-1-902
CancelReasonCode	no reason given
CancelDescription	end-user customer obtained a used modem off EBay
Notes	If CPE has already been shipped, it will be returned by the customer.

Interaction #: 24

Requestor = ILuvBB

Responder = ModemsRUs


This message is sent by ModemsRUs.

Data Element	Value
ResponseIdentification.ResponseType	Modify Pending Order
ResponseIdentification.ResponderID	ModemsRUs
ResponseIdentification.ResponderOrderID	E-1-902
ResponseIdentification.ResponseEventID	777
ResponseIdentification.RequestorID	ILuvBB
ResponseIdentification.RequestorAffiliateID	
ResponseIdentification.RequestorOrderID	A-11
ResponseIdentification.RequestorVersionID	2
ResponseIdentification.ResponseTimestamp	09-26-2002-1000PM PST
ResponseIdentification.InterfaceVersion	E-1.1

Same pattern as Scenario A.

- ILuvBB to CompLEC: Change Physical DSL Service (Order)
- ILuvBB to CompLEC: Change Customer Access Transport Service (Order)
- CompLEC to BellTel: Change Loop Service (Order)
- ILuvBB to CompLEC: Order Installation (Order)
- ILuvBB to CompLEC: Change Network Service (Order)
- CompLEC to WeInstall: Change Network Service (Order)
- CompLEC to WeInstall: Order Installation (Order)

The following figure illustrates the messages involved in all trading partner interactions for this scenario.



The following table identifies setup values used in the interactions:

Interaction Number	Requestor	Responder	Interaction	Requestor Order Number	Responder Order Number
	ILuvBB	CompLEC	Change Physical DSL Service	1	80
	ILuvBB	CompLEC	Change Customer Access Transport Service	2	81
	CompLEC	BellTel	Change Loop Service	1	519
	ILuvBB	CompLEC	Order Installation	3	82
	ILuvBB	CompLEC	Change Network Service	4	83
	CompLEC	WeInstall	Change Network Service	2	55
	CompLEC	WeInstall	Order Installation	3	79

Interaction #: 1

Requestor = ILuvBB

Responder = CompLEC

This message is sent by ILuvBB.

Data Element	Value
RequestIdentification.RequestType	
RequestIdentification.RequestorID	
RequestIdentification.RequestorAffiliateID	
RequestIdentification.RequestorOrderID	
RequestIdentification.RequestorVersionID	
RequestIdentification.RequestTimestamp	
RequestIdentification.InterfaceVersion	
PhysicalDSLServiceID	
PhysicalDSLServiceConfigurationInformation.CentralOffice.CountryCode	US
PhysicalDSLServiceConfigurationInformation.CentralOffice.Address.AddressLine1	300 Lakeside Drive
PhysicalDSLServiceConfigurationInformation.CentralOffice.Address.AddressLine2	
PhysicalDSLServiceConfigurationInformation.CentralOffice.Address.AddressLine3	
PhysicalDSLServiceConfigurationInformation.CentralOffice.Address.City	Oakland
PhysicalDSLServiceConfigurationInformation.CentralOffice.Address.State	CA
PhysicalDSLServiceConfigurationInformation.CentralOffice.Address.PostalCode	90413
PhysicalDSLServiceConfigurationInformation.CentralOffice.Address.Country	US
PhysicalDSLServiceConfigurationInformation.CentralOffice.Address.Latitude	
PhysicalDSLServiceConfigurationInformation.CentralOffice.Address.Longitude	
PhysicalDSLServiceConfigurationInformation.CentralOffice.OperationalStatus	Operational
PhysicalDSLServiceConfigurationInformation.CentralOffice.CentralOfficeCode	OAKLCA01

Data Element	Value
PhysicalDSLServiceConfigurationInformation.CentralOffice.CentralOffice.AcceptingOrders	12-01-1999
PhysicalDSLServiceConfigurationInformation.CentralOffice.CentralOffice.ExpectedActivation	
PhysicalDSLServiceConfigurationInformation.ServiceLevelAgreement	
PhysicalDSLServiceConfigurationInformation.ConditioningLevel	
PhysicalDSLServiceConfigurationInformation.CPEConfigureID.ProviderType	
PhysicalDSLServiceConfigurationInformation.CPEConfigureID.ProviderIDCodeType	
PhysicalDSLServiceConfigurationInformation.CPEConfigureID.ProviderIDCode	
PhysicalDSLServiceConfigurationInformation.Layer1CPEConfigurationInformation.ServiceType	
PhysicalDSLServiceConfigurationInformation.Layer1CPEConfigurationInformation.ADSLConfigProfile	
PhysicalDSLServiceConfigurationInformation.Layer1CPEConfigurationInformation.LoopCircuitID	
PhysicalDSLServiceConfigurationInformation.Layer1CPEConfigurationInformation.Name.PersonName.PersonName (free-form)	
PhysicalDSLServiceConfigurationInformation.Layer1CPEConfigurationInformation.Name.OrganizationName	
PhysicalDSLServiceConfigurationInformation.Layer1CPEConfigurationInformation.Name.Department	
PhysicalDSLServiceConfigurationInformation.Layer1CPEConfigurationInformation.Name.LanguagePreference	
PhysicalDSLServiceConfigurationInformation.Layer1CPEConfigurationInformation.ServiceAddress.AddressFormat	free-form
PhysicalDSLServiceConfigurationInformation.Layer1CPEConfigurationInformation.ServiceAddress.Address.AddressLine1	
PhysicalDSLServiceConfigurationInformation.Layer1CPEConfigurationInformation.ServiceAddress.Address.AddressLine2	
PhysicalDSLServiceConfigurationInformation.Layer1CPEConfigurationInformation.ServiceAddress.Address.AddressLine3	
PhysicalDSLServiceConfigurationInformation.Layer1CPEConfigurationInformation.ServiceAddress.Address.City	

Data Element	Value
PhysicalDSLServiceConfigurationInformation.Layer1CPEConfigurationInformation.ServiceAddress.Address.State	
PhysicalDSLServiceConfigurationInformation.Layer1CPEConfigurationInformation.ServiceAddress.Address.PostalCode	
PhysicalDSLServiceConfigurationInformation.Layer1CPEConfigurationInformation.ServiceAddress.Address.Country	USA
PhysicalDSLServiceConfigurationInformation.RequestedServiceStartDate (Year, Month, Day)	

Interaction #: 2

Requestor = ILuvBB

Responder = CompLEC

This message is sent by ILuvBB.

Data Element	Value
RequestIdentification.RequestType	
RequestIdentification.RequestorID	
RequestIdentification.RequestorAffiliateID	
RequestIdentification.RequestorOrderID	
RequestIdentification.RequestorVersionID	
RequestIdentification.RequestTimestamp	
RequestIdentification.InterfaceVersion	

Interaction #: 3

Requestor = CompLEC

Responder = BellTel

This message is sent by CompLEC.

Data Element	Value
RequestIdentification.RequestType	
RequestIdentification.RequestorID	
RequestIdentification.RequestorAffiliateID	
RequestIdentification.RequestorOrderID	
RequestIdentification.RequestorVersionID	
RequestIdentification.RequestTimestamp	
RequestIdentification.InterfaceVersion	

Interaction #: 3

Requestor = CompLEC

Responder = BellTel

This message is sent by BellTel.

Data Element	Value
ResponseIdentification.ResponseType	
ResponseIdentification.ResponderID	
ResponseIdentification.ResponderOrderID	
ResponseIdentification.ResponseEventID	
ResponseIdentification.RequestorID	
ResponseIdentification.RequestorAffiliateID	
ResponseIdentification.RequestorOrderID	
ResponseIdentification.RequestorVersionID	
ResponseIdentification.ResponseTimestamp	
ResponseIdentification.InterfaceVersion	

Data Element	Value

Interaction #: 2

Requestor = ILuvBB

Responder = CompLEC

This message is sent by CompLEC.

Data Element	Value
ResponseIdentification.ResponseType	
ResponseIdentification.ResponderID	
ResponseIdentification.ResponderOrderID	
ResponseIdentification.ResponseEventID	
ResponseIdentification.RequestorID	
ResponseIdentification.RequestorAffiliateID	
ResponseIdentification.RequestorOrderID	
ResponseIdentification.RequestorVersionID	
ResponseIdentification.ResponseTimestamp	
ResponseIdentification.InterfaceVersion	

Interaction #: 1

Requestor = ILuvBB

Responder = CompLEC

This message is sent by CompLEC.

Data Element	Value
ResponseIdentification.ResponseType	
ResponseIdentification.ResponderID	
ResponseIdentification.ResponderOrderID	

Data Element	Value
ResponseIdentification.ResponseEventID	
ResponseIdentification.RequestorID	
ResponseIdentification.RequestorAffiliateID	
ResponseIdentification.RequestorOrderID	
ResponseIdentification.RequestorVersionID	
ResponseIdentification.ResponseTimestamp	
ResponseIdentification.InterfaceVersion	

Interaction #: 4

Requestor = ILuvBB

Responder = CompLEC

This message is sent by ILuvBB.

Data Element	Value
RequestIdentification.RequestType	
RequestIdentification.RequestorID	
RequestIdentification.RequestorAffiliateID	
RequestIdentification.RequestorOrderID	
RequestIdentification.RequestorVersionID	
RequestIdentification.RequestTimestamp	
RequestIdentification.InterfaceVersion	

Interaction #:

Requestor = ILuvBB

Responder = CompLEC

This message is sent by ILuvBB.

Data Element	Value
RequestIdentification.RequestType	
RequestIdentification.RequestorID	
RequestIdentification.RequestorAffiliateID	
RequestIdentification.RequestorOrderID	
RequestIdentification.RequestorVersionID	
RequestIdentification.RequestTimestamp	
RequestIdentification.InterfaceVersion	

Interaction #: 6

Requestor = CompLEC

Responder = WeInstall

This message is sent by CompLEC.

Data Element	Value
RequestIdentification.RequestType	
RequestIdentification.RequestorID	
RequestIdentification.RequestorAffiliateID	
RequestIdentification.RequestorOrderID	
RequestIdentification.RequestorVersionID	
RequestIdentification.RequestTimestamp	
RequestIdentification.InterfaceVersion	

Data Element	Value

Interaction #: 7

Requestor = CompLEC

Responder = WeInstall

This message is sent by CompLEC.

Data Element	Value
RequestIdentification.RequestType	
RequestIdentification.RequestorID	
RequestIdentification.RequestorAffiliateID	
RequestIdentification.RequestorOrderID	
RequestIdentification.RequestorVersionID	
RequestIdentification.RequestTimestamp	
RequestIdentification.InterfaceVersion	

Interaction #: 7

Requestor = CompLEC

Responder = WeInstall

This message is sent by WeInstall.

Data Element	Value
ResponseIdentification.ResponseType	

Data Element	Value
ResponseIdentification.ResponderID	
ResponseIdentification.ResponderOrderID	
ResponseIdentification.ResponseEventID	
ResponseIdentification.RequestorID	
ResponseIdentification.RequestorAffiliateID	
ResponseIdentification.RequestorOrderID	
ResponseIdentification.RequestorVersionID	
ResponseIdentification.ResponseTimestamp	
ResponseIdentification.InterfaceVersion	

Interaction #: 6

Requestor = CompLEC

Responder = WeInstall

This message is sent by WeInstall.

Data Element	Value
ResponseIdentification.ResponseType	
ResponseIdentification.ResponderID	
ResponseIdentification.ResponderOrderID	
ResponseIdentification.ResponseEventID	
ResponseIdentification.RequestorID	
ResponseIdentification.RequestorAffiliateID	
ResponseIdentification.RequestorOrderID	
ResponseIdentification.RequestorVersionID	
ResponseIdentification.ResponseTimestamp	
ResponseIdentification.InterfaceVersion	

Interaction #: 5

Requestor = ILuvBB

Responder = CompLEC

This message is sent by CompLEC.

Data Element	Value
ResponseIdentification.ResponseType	
ResponseIdentification.ResponderID	
ResponseIdentification.ResponderOrderID	
ResponseIdentification.ResponseEventID	
ResponseIdentification.RequestorID	
ResponseIdentification.RequestorAffiliateID	
ResponseIdentification.RequestorOrderID	
ResponseIdentification.RequestorVersionID	
ResponseIdentification.ResponseTimestamp	
ResponseIdentification.InterfaceVersion	

Interaction #: 4

Requestor = ILuvBB

Responder = CompLEC

This message is sent by CompLEC.

Data Element	Value
ResponseIdentification.ResponseType	
ResponseIdentification.ResponderID	
ResponseIdentification.ResponderOrderID	
ResponseIdentification.ResponseEventID	
ResponseIdentification.RequestorID	
ResponseIdentification.RequestorAffiliateID	
ResponseIdentification.RequestorOrderID	

Data Element	Value
ResponseIdentification.RequestorVersionID	
ResponseIdentification.ResponseTimestamp	
ResponseIdentification.InterfaceVersion	

Interaction #: 3

Requestor = CompLEC

Responder = BellTel

This message is sent by BellTel.

Data Element	Value
NotificationIdentification.NotificationType	
NotificationIdentification.NotifierID	
NotificationIdentification.NotifierOrderID	
NotificationIdentification.NotificationEventID	
NotificationIdentification.RequestorID	
NotificationIdentification.RequestorAffiliateID	
NotificationIdentification.RequestorOrderID	
NotificationIdentification.RequestorVersionID	
NotificationIdentification.NotificationTimestamp	
NotificationIdentification.InterfaceVersion	

Interaction #: 2

Requestor = ILuvBB

Responder = CompLEC

This message is sent by CompLEC.

Data Element	Value
NotificationIdentification.NotificationType	
NotificationIdentification.NotifierID	
NotificationIdentification.NotifierOrderID	
NotificationIdentification.NotificationEventID	
NotificationIdentification.RequestorID	
NotificationIdentification.RequestorAffiliateID	
NotificationIdentification.RequestorOrderID	
NotificationIdentification.RequestorVersionID	
NotificationIdentification.NotificationTimestamp	
NotificationIdentification.InterfaceVersion	

Interaction #: 1

Requestor = ILuvBB

Responder = CompLEC

This message is sent by CompLEC.


Data Element	Value
NotificationIdentification.NotificationType	
NotificationIdentification.NotifierID	
NotificationIdentification.NotifierOrderID	
NotificationIdentification.NotificationEventID	
NotificationIdentification.RequestorID	

Data Element	Value
NotificationIdentification.RequestorAffiliateID	
NotificationIdentification.RequestorOrderID	
NotificationIdentification.RequestorVersionID	
NotificationIdentification.NotificationTimestamp	
NotificationIdentification.InterfaceVersion	

Same pattern as Scenario A.

- ILuvBB to CompLEC: Disconnect Physical DSL Service (Order)
- ILuvBB to CompLEC: Disconnect Customer Access Transport Service (Order)
- CompLEC to BellTel: Disconnect Loop (Order)
- ILuvBB to CompLEC: Order Installation (Order)
- ILuvBB to CompLEC: Disconnect Network Service (Order)
- CompLEC to WeInstall: Disconnect Network Service (Order)
- CompLEC to WeInstall: Order Installation (Order)

The following figures illustrate the messages involved in all trading partner interactions for this scenario.



The following table identifies setup values used in the interactions:

Interaction Number	Requestor	Responder	Interaction	Requestor Order Number	Responder Order Number
	ILuvBB	CompLEC	Disconnect Physical DSL Service	foo713	Resp01
	ILuvBB	CompLEC	Disconnect Customer Access Transport Service	foo720	Resp17

Interaction Number	Requestor	Responder	Interaction	Requestor Order Number	Responder Order Number
	CompLEC	BellTel	Disconnect Loop	H89	bar1117
	ILuvBB	CompLEC	Order Installation	foo725	Resp18
	ILuvBB	CompLEC	Disconnect Network Service	foo726	Resp20
	CompLEC	WeInstall	Disconnect Network Service	H91	OK-1
	CompLEC	WeInstall	Order Installation	H99	OK-2

Interaction #: 1

Requestor = ILuvBB

Responder = CompLEC

This message is sent by ILuvBB.

Data Element	Value
RequestIdentification.RequestType	
RequestIdentification.RequestorID	
RequestIdentification.RequestorAffiliateID	
RequestIdentification.RequestorOrderID	
RequestIdentification.RequestorVersionID	
RequestIdentification.RequestTimestamp	
RequestIdentification.InterfaceVersion	

Interaction #: 2

Requestor = ILuvBB

Responder = CompLEC

This message is sent by ILuvBB.

Data Element	Value
RequestIdentification.RequestType	
RequestIdentification.RequestorID	
RequestIdentification.RequestorAffiliateID	
RequestIdentification.RequestorOrderID	
RequestIdentification.RequestorVersionID	
RequestIdentification.RequestTimestamp	

Data Element	Value
RequestIdentification.InterfaceVersion	

Interaction #: 3

Requestor = CompLEC

Responder = BellTel

This message is sent by CompLEC.

Data Element	Value
RequestIdentification.RequestType	
RequestIdentification.RequestorID	
RequestIdentification.RequestorAffiliateID	
RequestIdentification.RequestorOrderID	
RequestIdentification.RequestorVersionID	
RequestIdentification.RequestTimestamp	
RequestIdentification.InterfaceVersion	

Interaction #: 3

Requestor = CompLEC

Responder = BellTel

This message is sent by BellTel.

Data Element	Value
ResponseIdentification.ResponseType	
ResponseIdentification.ResponderID	
ResponseIdentification.ResponderOrderID	
ResponseIdentification.ResponseEventID	
ResponseIdentification.RequestorID	
ResponseIdentification.RequestorAffiliateID	
ResponseIdentification.RequestorOrderID	
ResponseIdentification.RequestorVersionID	
ResponseIdentification.ResponseTimestamp	
ResponseIdentification.InterfaceVersion	

Interaction #: 2

Requestor = ILuvBB

Responder = CompLEC

This message is sent by CompLEC.

Data Element	Value
ResponseIdentification.ResponseType	
ResponseIdentification.ResponderID	
ResponseIdentification.ResponderOrderID	
ResponseIdentification.ResponseEventID	
ResponseIdentification.RequestorID	
ResponseIdentification.RequestorAffiliateID	
ResponseIdentification.RequestorOrderID	
ResponseIdentification.RequestorVersionID	
ResponseIdentification.ResponseTimestamp	
ResponseIdentification.InterfaceVersion	

Data Element	Value

Interaction #: 1

Requestor = ILuvBB

Responder = CompLEC

This message is sent by CompLEC.

Data Element	Value
ResponseIdentification.ResponseType	
ResponseIdentification.ResponderID	
ResponseIdentification.ResponderOrderID	
ResponseIdentification.ResponseEventID	
ResponseIdentification.RequestorID	
ResponseIdentification.RequestorAffiliateID	
ResponseIdentification.RequestorOrderID	
ResponseIdentification.RequestorVersionID	
ResponseIdentification.ResponseTimestamp	
ResponseIdentification.InterfaceVersion	

Interaction #: 4

Requestor = ILuvBB

Responder = CompLEC

This message is sent by ILuvBB.

Data Element	Value
RequestIdentification.RequestType	
RequestIdentification.RequestorID	
RequestIdentification.RequestorAffiliateID	
RequestIdentification.RequestorOrderID	

Data Element	Value
RequestIdentification.RequestorVersionID	
RequestIdentification.RequestTimestamp	
RequestIdentification.InterfaceVersion	

Interaction #: 5

Requestor = ILuvBB

Responder = CompLEC

This message is sent by ILuvBB.

Data Element	Value
RequestIdentification.RequestType	
RequestIdentification.RequestorID	
RequestIdentification.RequestorAffiliateID	
RequestIdentification.RequestorOrderID	
RequestIdentification.RequestorVersionID	
RequestIdentification.RequestTimestamp	
RequestIdentification.InterfaceVersion	

Interaction #: 6

Requestor = CompLEC

Responder = WeInstall

This message is sent by CompLEC.

Data Element	Value
RequestIdentification.RequestType	
RequestIdentification.RequestorID	
RequestIdentification.RequestorAffiliateID	
RequestIdentification.RequestorOrderID	
RequestIdentification.RequestorVersionID	
RequestIdentification.RequestTimestamp	
RequestIdentification.InterfaceVersion	

Interaction #: 7

Requestor = CompLEC

Responder = WeInstall

This message is sent by CompLEC.

Data Element	Value
RequestIdentification.RequestType	
RequestIdentification.RequestorID	
RequestIdentification.RequestorAffiliateID	
RequestIdentification.RequestorOrderID	
RequestIdentification.RequestorVersionID	
RequestIdentification.RequestTimestamp	
RequestIdentification.InterfaceVersion	

Data Element	Value

Interaction #: 7

Requestor = CompLEC

Responder = WeInstall

This message is sent by WeInstall.

Data Element	Value
ResponseIdentification.ResponseType	
ResponseIdentification.ResponderID	
ResponseIdentification.ResponderOrderID	
ResponseIdentification.ResponseEventID	
ResponseIdentification.RequestorID	
ResponseIdentification.RequestorAffiliateID	
ResponseIdentification.RequestorOrderID	
ResponseIdentification.RequestorVersionID	
ResponseIdentification.ResponseTimestamp	
ResponseIdentification.InterfaceVersion	

Interaction #: 6

Requestor = CompLEC

Responder = WeInstall

This message is sent by WeInstall.

Data Element	Value
ResponseIdentification.ResponseType	
ResponseIdentification.ResponderID	

Data Element	Value
ResponseIdentification.ResponderOrderID	
ResponseIdentification.ResponseEventID	
ResponseIdentification.RequestorID	
ResponseIdentification.RequestorAffiliateID	
ResponseIdentification.RequestorOrderID	
ResponseIdentification.RequestorVersionID	
ResponseIdentification.ResponseTimestamp	
ResponseIdentification.InterfaceVersion	

Interaction #: 5

Requestor = ILuvBB

Responder = CompLEC

This message is sent by CompLEC.

Data Element	Value
ResponseIdentification.ResponseType	
ResponseIdentification.ResponderID	
ResponseIdentification.ResponderOrderID	
ResponseIdentification.ResponseEventID	
ResponseIdentification.RequestorID	
ResponseIdentification.RequestorAffiliateID	
ResponseIdentification.RequestorOrderID	
ResponseIdentification.RequestorVersionID	
ResponseIdentification.ResponseTimestamp	
ResponseIdentification.InterfaceVersion	

Interaction #: 4

Requestor = ILuvBB

Responder = CompLEC

This message is sent by CompLEC.

Data Element	Value
ResponseIdentification.ResponseType	
ResponseIdentification.ResponderID	
ResponseIdentification.ResponderOrderID	
ResponseIdentification.ResponseEventID	
ResponseIdentification.RequestorID	
ResponseIdentification.RequestorAffiliateID	
ResponseIdentification.RequestorOrderID	
ResponseIdentification.RequestorVersionID	
ResponseIdentification.ResponseTimestamp	
ResponseIdentification.InterfaceVersion	

Same pattern as Scenario A.

RequestType, ResponseType and Notification Type enumerations should be expanded.

When RequestType=Prequalification, this is not really useful. It needs to identify the specific type of prequalification request, i.e., a DetermineAvailableDSLService.

This really equates to 'message type' and is likely addressed by the protocol-specific definition, but perhaps we should expand our list of valid values for Request, Response and Notification Type with the following valid values.

Service Fulfillment Request Types and Service Fulfillment Response Types:

- Validate DSL Service Location
- Determine Loop Provider
- Determine DSL Capability
- Determine RBN Connectivity
- Determine Available Broadband Service
- Determine Available Network Service
- Determine Available Customer Access Transport Service
- Determine Available RBN Transport Service
- Determine Available Physical DSL Service
- Determine Available Loop Service
- Determine Compatible CPE
- New (Broadband, Network, Customer Access Transport, RBN Transport, Physical DSL, Loop, CPE, Installation) Service
- Modify Pending (Broadband, Network, Customer Access Transport, RBN Transport, Physical DSL, Loop, CPE, Installation) Order
- Cancel (Broadband, Network, Customer Access Transport, RBN Transport, Physical DSL, Loop, CPE, Installation) Order
- Change (Broadband, Network, Customer Access Transport, RBN Transport, Physical DSL, Loop, CPE, Installation) Service
- Disconnect (Broadband, Network, Customer Access Transport, RBN Transport, Physical DSL, Loop, CPE, Installation) Service
- Suspend (Broadband, Network, Customer Access Transport, RBN Transport, Physical DSL, Loop, CPE, Installation) Service
- Resume (Broadband, Network, Customer Access Transport, RBN Transport, Physical DSL, Loop, CPE, Installation) Service
- (Broadband, Network, Customer Access Transport, RBN Transport, Physical DSL, Loop, CPE, Installation) Service Configuration
- Order Status

Service Fulfillment Notification Types:

- Determine DSL Capability
- (Broadband, Network, Customer Access Transport, RBN Transport, Physical DSL, Loop, CPE, Installation) Service Notification

Addressed in Protocol dependent model

Regarding Determine Available RBN Transport Service, don't we need to identify the two end points of the service? Currently we only identify one service address.

No, because the interaction is always with the RBN Provider. We do need to identify the CO (or DSLAM location) in the Determine RBN Transport Service Request.

We had a discussion regarding RBN Transport. There are three trading partners involved:

- The RBN Transport Service Provider (CoConnect)
- The two trading partners to be connected via the RBN (ILuvBB, CompLEC)

An inquiry about connectivity (Determine Available RBN Transport) is sent from ILuvBB to CompLEC. This inquiry is meant to determine whether there is RBN connectivity available between ILuvBB and CompLEC.

If ILuvBB needs to order RBN Transport Service, then this request is sent to CoConnect, as they are the RBN Provider. The actual connectivity is being established between ILuvBB and CompLEC.

No, the inquiry is sent from ILuvBB to CoConnect! Then the order is sent from ILuvBB to CoConnect. CoConnect then sends an order to CompLEC.

Can a Computer have more than one NIC Card? I assume so. Then the table CPE Configuration Information should be updated to allow a LIST Of NIC Configuration Information, for each Computer specified.