

person listed in the **FOR FURTHER INFORMATION CONTACT** section to coordinate protest activities so that your message can be received without jeopardizing the safety or security of people, places or vessels.

List of Subjects in 33 CFR Part 165

Harbors, Marine safety, Navigation (water), Reporting and recordkeeping requirements, Security measures, Waterways.

For the reasons discussed in the preamble, the Coast Guard amends 33 CFR part 165 as follows:

PART 165—REGULATED NAVIGATION AREAS AND LIMITED ACCESS AREAS

■ 1. The authority citation for part 165 continues to read as follows:

Authority: 46 U.S.C. 70034, 70051, 70124; 33 CFR 1.05–1, 6.04–1, 6.04–6, and 160.5; Department of Homeland Security Delegation No. 00170.1, Revision No. 01.3.

■ 2. Add § 165.T08–1005 to read as follows:

§ 165.T08–1005 Safety Zone; Corpus Christi Shipping Channel, Corpus Christi, TX.

(a) *Location.* The following area is a safety zone: all navigable waters of the Corpus Christi Shipping Channel in a zone defined by the following coordinates; 27°50′31.28″ N, 97°04′17.23″ W; 27°50′31.73″ N, 97°04′15.44″ W; 27°50′29.06″ N, 97°04′16.61″ W; 27°50′29.32″ N, 97°04′14.82″ W.

(b) *Effective period.* This section is effective from 8 p.m. on January 3, 2023, through 4 a.m. on January 9, 2023. This section is subject to enforcement from 8 p.m. to 4 a.m. of the next day, each day.

(c) *Regulations.* (1) According to the general regulations in § 165.23 of this part, entry into this temporary safety zone is prohibited unless authorized by the Captain of the Port Sector Corpus Christi (COTP) or a designated representative. They may be contacted on Channel 16 VHF–FM (156.8 MHz) or by telephone at 361–939–0450.

(2) If permission is granted, all persons and vessels shall comply with the instructions of the COTP or designated representative.

(d) *Information broadcasts.* The COTP or a designated representative will inform the public of the enforcement times and date for this safety zone through Broadcast Notices to Mariners, Local Notices to Mariners, and/or Safety Marine Information Broadcasts as appropriate.

Dated: January 2, 2023.

J.B. Gunning,

Captain, U.S. Coast Guard, Captain of the Port Sector Corpus Christi.

[FR Doc. 2023–00071 Filed 1–3–23; 4:15 pm]

BILLING CODE 9110–04–P

POSTAL SERVICE

39 CFR Part 111

Removal of Sacks—USPS Marketing Mail and Periodicals Flats

AGENCY: Postal Service™.

ACTION: Final rule.

SUMMARY: The Postal Service™ is amending *Mailing Standards of the United States Postal Service, Domestic Mail Manual (DMM)*® to remove references to sacks as a handling unit for USPS Marketing Mail® and Periodicals Flats.

DATES: Effective January 22, 2023.

FOR FURTHER INFORMATION CONTACT: Dale Kennedy at (202) 268–6592 or Doriane Harley at (202) 268–2537.

SUPPLEMENTARY INFORMATION: As part of its network redesign efforts, the Postal Service is eliminating the use of sacks as containers for Flats acceptance/entry but will continue to allow Flat trays as acceptable containers for acceptance and entry along with bundles on pallets for USPS Marketing Mail and Periodicals flat Mail. Carrier route, 5-digit scheme carrier routes and 5-digit carrier routes USPS Marketing Mail® and Periodicals flat mail will continue to be allowed to use sacks as a handling unit.

The Postal Service received seven formal comments on the October 21, 2022, proposed rule (87 FR 63985). Two commenters supported the proposed rule, and five cited concerns:

Comment: Commenters expressed one concern about the conversion from using sacks for mail preparation to using trays for Periodicals and Marketing Mail flats. The commenters stated that the change would increase the number of handling unit containers used by varying percentages, ranging from 30% to 50%. The commenters also stated that it the change would require a 50% increase in truck loads, from 321 trucks required to 642 trucks, for their mail alone.

USPS Response: While the Postal Service agrees there will be an increase in flat trays used versus sacks, the intent is to drive increased use of bundles for presorted volume with working mail being pushed towards the flat trays. Sacks can still be used for Carrier Route volume containerized to pallet for

insertion directly into Destinating Delivery Units and entered for cross dock to the delivery unit.

Comment: Commenters also expressed a lingering concern within the industry around the availability of sufficient flat tubs and pallets in the Mail Transport Equipment (MTE) system to support the change.

USPS Response: The Postal Service has been working proactively to increase the number of flat trays and pallets into the MTE system meet the increased demand for both items. We believe this concern will be mitigated via changes in the supply change process for MTE.

Comment: Commenters expressed concerns about costs to the mailers related to banding equipment for bundles and for flat trays and about having to acquire additional space for MTE storage. This equipment is versatile enough to be used for letter trays, flat trays, and bundles.

USPS Response: The Postal Service hopes that through new efficiencies related to increased bundles for flats, standardizing preparations standards based on shape rather than class of mail, and impacts network changes the increased costs will be mitigated. The Postal Service also believes the storage concern can be mitigated by just-in-time MTE supply management and through better inventory control using METEOR.

Comment: Commenters cited concerns that they cannot implement these changes until their software vendors have time to make changes in the software. As such, the commenters suggested a delay until at least April for implementation. Indeed, all commenters against the proposals are concerned about being ready by the end of January.

USPS Response: The Postal Service has been working proactively with software developers and programmers from the industry in preparation of these potential changes. It is believed that with 30 days' notice prior to the implementation, the Postal Service and customers will be ready for this implementation.

Comment: The commenters describe operational impacts based on the flexibility in working with sacks. Sacks are flexible and conform to the pallet container, while tubs are more rigid, requiring a specific amount of space and cause an increase in the amount of empty space (air) being shipped in the container.

USPS Response: The Postal Service believes that by driving more of the flats to bundles, eliminating dumping of sacks, and the ability to move flat trays directly to flat operations for working, mailers will find increased efficiencies

and reduce costs related to flats operations. This will provide benefits to both the customers and the Postal Service.

Comment: Finally, one comments suggested a way to mitigate the flat tub constraints, allowing Mixed NDC and Mixed ADC containers to require no minimums for bundles pallets to eliminate any need to use sacks or trays.

USPS Response: The Postal Service agrees to this recommendation to mitigate impacts and has modified the proposal to eliminate the 100 lb. minimum for bundles on pallets for Mixed NDC and Mixed ADC residual pallets of flats.

The Postal Service adopts the following changes to *Mailing Standards of the United States Postal Service, Domestic Mail Manual (DMM)*, incorporated by reference in the *Code of Federal Regulations*. See 39 CFR 111.1.

We will publish an appropriate amendment to 39 CFR part 111 to reflect these changes.

List of Subjects in 39 CFR Part 111

Administrative practice and procedure, Postal Service.

Accordingly, 39 CFR part 111 is amended as follows:

PART 111—[AMENDED]

■ 1. The authority citation for 39 CFR part 111 continues to read as follows:

Authority: 5 U.S.C. 552(a); 13 U.S.C. 301–307; 18 U.S.C. 1692–1737; 39 U.S.C. 101, 401, 403, 404, 414, 416, 3001–3011, 3201–3219, 3403–3406, 3621, 3622, 3626, 3632, 3633, and 5001.

■ 2. Revise the *Mailing Standards of the United States Postal Service, Domestic Mail Manual (DMM)* as follows:

Mailing Standards of the United States Postal Service, Domestic Mail Manual (DMM)

* * * * *

200 Commercial Letters, Cards, Flats, and Parcels

* * * * *

203 Basic Postage Statement, Documentation, and Preparation Standards

* * * * *

3.0 Standardized Documentation for First-Class Mail, Periodicals, USPS Marketing Mail, and Flat-Size Bound Printed Matter

* * * * *

3.4 Sortation Level

* * * * *

Sortation level	Abbreviation
* * * * *	
<i>[Revise the item beginning with "Merged 5-Digit" to read as follows:]</i> Merged 5-Digit [flat trays and pallets (Periodicals and USPS Marketing Mail flats); sacks and pallets (irregular parcels)]	M5D
<i>[Revise the item beginning with "Merged 5-Digit Scheme" to read as follows:]</i> Merged 5-Digit Scheme [flat trays and pallets (Periodicals and USPS Marketing Mail flats); sacks and pallets (irregular parcels)]	M5DS
* * * * *	
<i>[Revise the item beginning with "Merged 3-Digit" to read as follows:]</i> Merged 3-Digit [flat trays (Periodicals flats); sacks (irregular parcels)]	M3D
* * * * *	
<i>[Revise the item beginning with "SCF" to read as follows:]</i> SCF [flat trays and pallets (Periodicals flats and USPS Marketing Mail); sacks and pallets (Bound Printed Matter and irregular parcels less than 6 ounces)]	SCF

* * * * *

4.0 Bundles

* * * * *

[Revise the title of 4.4 to read as follows:]

4.4 Exception to Bundle Preparation—Full Letter and Flat Trays

* * * * *

4.6 Address Visibility for Flats and Parcels

* * * * *

[Revise the items 4.6b and 4.6c to read as follows:]

b. Bundles placed in or on 5-digit or 5-digit scheme (L001) flat trays or pallets.

c. Bundles placed in carrier route and 5-digit carrier routes flat trays or sacks.

* * * * *

[Revise the title of 4.8 to read as follows:]

4.8 Preparing Bundles in Sacks and Flat Trays

[Revise the introductory text of 4.8 to read as follows:]

In addition to following the standards in 4.5 through 4.7, mailers must prepare bundles placed in flat trays and sacks as follows:

* * * * *

[Revise the title of 4.10 to read as follows:]

4.10 Additional Standards for Unsacked/Untrayed Bundles Entered at DDU Facilities

[Revise the introductory text of 4.10 to read as follows:]

Mailers may enter unsacked, untrayed, or nonpalletized bundles of carrier route, Periodicals, or USPS Marketing Mail flats and unsacked bundles of Bound Printed Matter (BPM) flats or irregular parcels (BPM only) at destination delivery units (DDUs) if all the following conditions are met:

* * * * *

4.11 Pieces With Simplified Address

[Revise the last sentence of the introductory text of 4.11 to read as follows:]

* * * Bundles must be secure and stable subject to weight limits in 705.8.0 if placed on pallets, and weight and height limits in 4.8 if placed in flat trays.

* * * * *

5.0 Letter and Flat Trays

5.1 General Standards

[Revise the last sentence of the introductory text of 5.1 to read as follows:]

* * * Periodicals and USPS Marketing Mail flat-size mailings must be prepared in flat trays with white lids under 207.22.7, 207.25.5, 245.8.7, and 245.10.4.3 and strapped under 5.6.2e.

* * * * *

[Add an item (5.1c) to read as follows:]

c. Flat trays used in a Periodicals or USPS Marketing Mail flat-size mailing

may be nested into each other on a pallet without lids and the pallet then shrink-wrapped.
* * * * *

5.6.2 Preparation for Flats in Flat Trays

[Revise the text of item (e) to read as follows:]

e. Each tray must be covered (with the green side of the lid facing up for First Class mail and the white side facing up for Periodicals and USPS Marketing

Mail). Each covered flat tray must then be secured with two plastic straps placed tightly around the width of the tray (the shorter dimension).
* * * * *

204 Barcode Standards

* * * * *

3.0 Standards for Barcoded Tray Labels, Sack Labels, and Container Labels

* * * * *

3.2 Specifications for Barcoded Tray and Sack Labels

* * * * *

3.2.4 3-Digit Content Identifier Numbers

* * * * *

Exhibit 3.2.4 3-Digit Content Identifier Numbers

* * * * *

[Revise Exhibit 3.2.4 to read as follows:]

Class and mailing	CIN	Human-readable content line
* * * * *	*	*

[Revise the text of “Per Flats—Carrier Route,” “Per Flats—Barcoded,” “Per Flats—Nonbarcoded,” “Per Flats—Cosacked Barcoded and Nonbarcoded,” and “Per Flats—Merged Carrier Route, Barcoded, and Nonbarcoded” to read as follows:]

PER Flats—Carrier Route:		
car. rt. sacks or flat trays—saturation	387	PER FLTS WSS ¹ .
car. rt. sacks or flat trays—high density	388	PER FLTS WSH ¹ .
car. rt. sacks or flat trays—basic	385	PER FLTS CR ¹ .
5-digit carrier routes sacks or flat trays	386	PER FLTS 5D CR—RTS.
5-digit scheme carrier routes sacks or flat trays	371	PER FLTS CR—RTS SCH.
3-digit carrier routes flat trays	351	PER FLTS 3D CR—RTS.
PER Flats—Barcoded:		
5-digit flat trays	372	PER FLTS 5D BC.
5-digit scheme flat trays	372	PER FLTS 5D SCH BC.
3-digit flat trays	373	PER FLTS 3D BC.
SCF flat trays	377	PER FLTS SCF BC.
ADC flat trays	374	PER FLTS ADC BC.
mixed ADC flat trays	375	PER FLTS BC WKG.
Origin mixed ADC flat trays	381	PER FLTS WKG W FCM.
PER Flats—Nonbarcoded:		
5-digit scheme flat trays	378	PER FLT 5D SCH NON BC.
5-digit flat trays	378	PER FLTS 5D NON BC.
3-digit flat trays	379	PER FLTS 3D NON BC.
SCF flat trays	384	PER FLTS SCF NON BC.
ADC flat trays	380	PER FLTS ADC NON BC.
mixed ADC flat trays	382	PER FLTS NON BC WKG.
origin mixed ADC flat trays	381	PER FLTS WKG W FCM.
PER Flats—Co-trayed Barcoded and Nonbarcoded:		
5-digit scheme flat trays	321	PER FLT 5D SCH BC/ NBC.
5-digit flat trays	321	PER FLTS 5D BC/NBC.
3-digit flat trays	322	PER FLTS 3D BC/NBC.
SCF flat trays	329	PER FLTS SCF BC/ NBC.
ADC flat trays	331	PER FLTS ADC BC/ NBC.
mixed ADC flat trays	332	PER FLTS BC/NBC WKG.
origin mixed ADC flat trays	381	PER FLTS WKG W FCM.
PER Flats—Merged Carrier Route, Barcoded, and Nonbarcoded:		
merged 5-digit sacks or flat trays	339	PER FLTS CR/5D.
merged 5-digit scheme sacks or flat trays	349	PER FLTS CR/5D SCH.
merged 3-digit flat trays	352	PER FLTS CR/5D/3D.

Class and mailing	CIN	Human-readable content line
* * * * *	*	*
<i>[Revise the text of “NEWS Flats—Carrier Route,” “NEWS Flats—Barcoded,” “NEWS Flats—Nonbarcoded,” “NEWS Flats—Cosacked Barcoded and Nonbarcoded,” and “NEWS Flats—Merged Carrier Route, Barcoded and Nonbarcoded” to read as follows:]</i>		
NEWS Flats—Carrier Route:		
car. rt. sacks or flat trays—saturation	487	NEWS FLTS WSS ¹ .
car. rt. sacks or flat trays—high density	488	NEWS FLTS WSH ¹ .
car. rt. sacks or flat trays—basic	485	NEWS FLTS CR ¹ .
5-digit carrier routes sacks or flat trays	486	NEWS FLTS 5D CR—RTS.
5-digit scheme carrier routes sacks or flat trays	471	NEWS FLTS CR—RTS SCH.
3-digit carrier routes flat trays	451	NEWS FLTS 3D CR—RTS.
NEWS Flats—Barcoded:		
5-digit flat trays	472	NEWS FLTS 5D BC.
5-digit scheme flat trays	472	NEWS FLTS 5D SCH BC.
3-digit flat trays	473	NEWS FLTS 3D BC.
SCF flat trays	477	NEWS FLTS SCF BC.
ADC flat trays	474	NEWS FLTS ADC BC.
mixed ADC flat trays	475	NEWS FLTS BC WKG.
origin mixed ADC flat trays	481	NEWS FLTS WKG W FCM.
NEWS Flats—Nonbarcoded:		
5-digit scheme flat trays	478	NEWS FLT 5D SCH NON BC.
5-digit flat trays	478	NEWS FLTS 5D NON BC.
3-digit flat trays	479	NEWS FLTS 3D NON BC.
SCF flat trays	484	NEWS FLTS SCF NON BC.
ADC flat trays	480	NEWS FLTS ADC NON BC.
mixed ADC flat trays	482	NEWS FLTS NON BC WKG.
origin mixed ADC flat trays	481	NEWS FLTS WKG W FCM.
NEWS Flats—Co-trayed Barcoded and Nonbarcoded:		
5-digit scheme flat trays	421	NEWS FLT 5D SCH BC/NBC.
5-digit flat trays	421	NEWS FLTS 5D BC/NBC.
3-digit flat trays	422	NEWS FLTS 3D BC/NBC.
SCF and origin/entry SCF flat trays	429	NEWS FLTS SCF BC/NBC.
ADC flat trays	431	NEWS FLTS ADC BC/NBC.
mixed ADC flat trays	432	NEWS FLTS BC/NBC WKG.
origin mixed ADC flat trays	481	NEWS FLTS WKG W FCM.
NEWS Flats—Merged Carrier Route, Barcoded, and Nonbarcoded:		
merged 5-digit	439	NEWS FLTS CR/5D.
merged 5-digit scheme	449	NEWS FLTS CR/5D SCH.
merged 3-digit flat trays	452	NEWS FLTS CR/5D/3D.
* * * * *	*	*

[Revise the text of “Enhanced Carrier Route Flats—Nonautomation,” “MKT Flats—Cosacked Automation and Nonautomation,” “MKT Flats—Merged Carrier Route, Automation, and Presorted,” “MKT Flats—Automation,” “MKT Flats—Nonautomation,” and “MKT Flats—Residual Pieces Subject to FCM Single-Piece Prices” to read as follows:]

Enhanced Carrier Route Flats—Nonautomation:		
saturation price sacks or flat trays	587	MKT FLTS ECRWSS ¹ .
high density or high density plus price sacks or flat trays	588	MKT FLTS ECRWSH ¹ .
basic price sacks or flat trays	589	MKT FLTS ECRLOT ¹ .
5-digit carrier routes sacks or flat trays	586	MKT FLTS CR—RTS.

Class and mailing	CIN	Human-readable content line
5-digit scheme car. rts. sacks or flat trays	529	MKT FLTS CR-RTS SCH.
MKT Flats—Co-trayed Automation and Nonautomation:		
5-digit scheme flat trays	521	MKT FLT 5D SCH BC/NBC.
5-digit flat trays	521	MKT FLTS 5D BC/NBC.
3-digit and origin/entry 3-digit flat trays	522	MKT FLTS 3D BC/NBC.
ADC flat trays	531	MKT FLTS ADC BC/NBC.
mixed ADC flat trays	532	MKT FLTS BC/NBC WKG.
MKT Flats—Merged Carrier Route, Automation, and Presorted:		
merged 5-digit	539	MKT FLTS CR/5D.
merged 5-digit scheme	549	MKT FLTS CR/5D SCH.
MKT Flats—Automation:		
5-digit flat trays	572	MKT FLTS 5D BC.
5-digit scheme flat trays	572	MKT FLTS 5D SCH BC.
3-digit flat trays	573	MKT FLTS 3D BC.
ADC flat trays	574	MKT FLTS ADC BC.
mixed ADC flat trays	575	MKT FLTS BC WKG.
MKT Flats—Nonautomation:		
5-digit scheme flat trays	578	MKT FLT 5D SCH NON BC.
5-digit flat trays	578	MKT FLTS 5D NON BC.
3-digit flat trays	579	MKT FLTS 3D NON BC.
ADC flat trays	580	MKT FLTS ADC NON BC.
mixed ADC flat trays	582	MKT FLTS NON BC WKG.
MKT Flats—Residual Pieces Subject to FCM Single-Piece Prices:		
residual flat trays	582	MKT FLTS WKG.
* * * * *		

PACKAGE SERVICES

* * * * *

BPM Flats—Co-sacked Barcoded and Presorted:

[Revise the text of “BPM—Co-sacked Barcoded and Presorted” to read as follows:]

5-digit scheme sacks	648	PSVC FLTS 5D SCH BC/NBC.
5-digit sacks	648	PSVC FLTS 5D BC/NBC.
3-digit sacks	661	PSVC FLTS 3D BC/NBC.
SCF sacks	667	PSVC FLTS SCF BC/NBC.
ADC sacks	668	PSVC FLTS ADC BC/NBC.
mixed ADC sacks	669	PSVC FLTS BC/NBC WKG.

* * * * *

207 Periodicals

* * * * *

2.0 Price Application and Computation

2.1 Price Application

* * * * *

2.1.8 Applying Outside-County Bundle Prices

[Revise the third sentence in the Introductory text of 2.1.8 to read as follows:]

* * * Bundle prices do not apply to barcoded letter-size mail prepared in full letter trays.***

* * * * *

13.0 Carrier Route Eligibility

* * * * *

13.2 Sorting

13.2.1 Basic Standards

* * * * *

[Revise the text of 13.2.1b(2) and 13.2.1b(3) to read as follows:]

2. Bundles in carrier route, 5-digit scheme carrier routes, 5-digit carrier routes sacks/flat trays, or 3-digit carrier routes flat trays under 23.0. Sacks/flat trays may be palletized under 705.8.0.

3. Unsacked/untrayed bundles entered at a destination delivery unit under 23.4.2 and 29.6.5.
* * * * *

18.0 General Mail Preparation

* * * * *

18.4 Mail Preparation Terms

* * * * *

[Revise the text of 18.4j to read as follows:]

j. A 5-digit scheme carrier routes sort for carrier route Periodicals flats prepared in sacks/flat trays and irregular parcels prepared in sacks or as bundles on pallets yields a 5-digit scheme carrier routes sack/flat tray or pallet for those 5-digit ZIP Codes listed in L001 and 5-digit carrier routes sacks/flat trays or pallets for other areas. The 5-digit ZIP Codes in each scheme are treated as one presort destination. Sacks/flat trays or pallets prepared for a 5-digit scheme carrier routes destination that contain carrier route bundles for only one of the schemed 5-digit areas are still considered to be sorted to 5-digit scheme carrier routes. Preparation of 5-digit scheme carrier routes sacks/flat trays or pallets must be done for all 5-digit scheme destinations.
* * * * *

[Revise the text of 18.4s to read as follows:]

s. An origin/entry SCF flat tray contains all 5-digit and 3-digit bundles (regardless of quantity) for the SCF in whose service area the mail is verified. At the mailer's option, such a flat tray may be prepared for the SCF area of each entry Post Office. This presort level applies only to nonletter-size Periodicals prepared in flat trays.
* * * * *

[Revise the first sentence in 8.4y to read as follows:]

y. A "logical" presort destination represents the total number of pieces that are eligible for a specific presort level based on the required sortation, but which might not be contained in one bundle or in one container (flat tray, sack, or pallet) due to preparation requirements or the piece size. * * *
* * * * *

20.0 Sacks and Trays

20.1 Basic Standards

20.1.1 General

[Revise the first sentence of 20.1.1 to read as follows:]

Mailings must be prepared in letter trays (letters), flat trays (flats) under 22.7 and 25.5, or sacks (carrier route, 5-digit scheme cr-rt and 5-digit cr-rt flats, or 5-digit flats entered at a DDU, 3-digit/SCF

destination SCF flats, and all periodicals parcels).* * *
* * * * *

22.0 Preparing Nonbarcoded (Presorted) Periodicals

* * * * *

22.3 Firm Bundles

[Revise the last sentence of 22.3 to read as follows:]

* * * Firm bundles must not be placed in 5-digit scheme flat trays.

22.4 Bundles With Fewer Than Six Pieces

* * * * *

[Revise the text of 22.4a to read as follows:]

a. Place bundles in only 5-digit, 3-digit, and SCF flat trays that contain at least 24 pieces, or in origin/entry SCF flat trays, as appropriate.
* * * * *

[Revise the title of 22.5 to read as follows:]

22.5 Letter Tray Preparation—Letter-Size Pieces

* * * * *

[Revise the title of 22.6 to read as follows:]

22.6 Sack Preparation—Parcels

For mailing jobs that also contain a barcoded mailing, see 22.1.2. For other mailing jobs, preparation sequence, sack size, and labeling:

[Delete item 22.6a in its entirety and renumber the remaining items as (a) through (g) respectively; revise the new items a through g to read as follows:]

a. 5-digit, required at 72 pieces, optional at 24 pieces minimum.

1. Line 1: use city, state, and 5-digit ZIP Code on mail (see 21.0 for overseas military mail).

2. Line 2: "PER" or NEWS" as applicable; followed by "IRREG" as applicable; followed by "5D".

b. 3-digit, required at 72 pieces, optional at 24 pieces minimum.

1. Line 1: use L002, Column A.

2. Line 2: "PER" or "NEWS" as applicable; followed by "IRREG" as applicable; followed by "3D".

c. SCF, required at 72 pieces, optional at 24 pieces minimum.

1. Line 1: use L002, Column C.

2. Line 2: "PER" or "NEWS" as applicable; followed by "IRREG" as applicable; followed by "SCF".

d. Origin/entry SCF, required for the SCF of the origin (verification) office, optional for the SCF of an entry office other than the origin office, (no minimum); for Line 1 use L002, Column C.

1. Line 1: use L002, Column C.

2. Line 2: "PER" or "NEWS" as applicable; followed by "IRREG" as applicable; followed by "SCF".

e. ADC, required at 72 pieces, optional at 24 pieces minimum.

1. Line 1: use L004, Column B.

2. Line 2: "PER" or "NEWS" as applicable; followed by or "IRREG" as applicable; followed by "ADC".

f. Origin mixed ADC, required; no minimum; for any remaining bundles for destinations in L201, Column B, corresponding to the origin ZIP Code in Column A.

1. Line 1: Use L201, Column C.

2. Line 2: "PER" or "NEWS" as applicable, followed by "IRREG" as applicable, followed by "WKG W FCM."

g. Mixed ADC, required (no minimum).

1. Line 1: Use L009, Column B.

2. Line 2: "PER" or "NEWS" as applicable; followed by "IRREG" as applicable; followed by "WKG" for irregular parcels.

[Revise the title of 22.7 to read as follows:]

22.7 Tray Preparation—Flat-Size Nonbarcoded Pieces

[Revise the Introductory text of 22.7 to read as follows:]

Mailers must place flat sized pieces in flat trays (see 203.5.6) instead of sacks unless prepared as direct carrier route, 5-digit scheme carrier route, or 5-digit carrier route (see 23.4.1 and 705.9.0 or 705.10.0), or 5-digit and entered at a DDU or 3-digit/SCF destination SCF flats. Mailers must also prepare nonmachinable (see 26.0) flats in flat trays. Bundling is not permitted unless a bundle is more finely presorted than the tray's presort destination. The trays are subject to a container charge, and any bundles are subject to a bundle charge. Tray preparation, sequence, and labeling: * * *
* * * * *

23.0 Preparing Carrier Route Periodicals

* * * * *

23.6 Bundles With Fewer Than Six Pieces

[Revise the text of 23.6a to read as follows:]

* * * * *

a. Place bundles in only 5-digit scheme carrier routes and 5-digit carrier routes sacks/flat trays that contain at least 24 pieces, or 3-digit carrier routes or merged 3-digit flat trays that contain at least one six-piece carrier route bundle.

* * * * *

23.7 Multi-Box Section Bundles—Optional Preparation

[Revise the text of 23.7e to read as follows:]

e. Place bundles in existing carrier-route flat trays, 5-Digit scheme carrier routes, or 5-Digit carrier routes sacks/flat trays.

* * * * *

25.0 Preparing Flat-Size Barcoded (Automation) Periodicals

25.1 Basic Standards

* * * * *

25.1.7 Exception—Barcoded and Nonbarcoded Flats on Pallets

* * * * *

[Revise the text of 25.1.7b and 25.1.7c to read as follows:]

b. Mailing jobs prepared entirely in flat trays and qualifying for this exception must be cobundled under 705.11.0.

c. As an alternative to 705.9.0 through 705.13.0, if a portion of the job is prepared as palletized barcoded flats, the nonbarcoded portion may be prepared as palletized flats and paid for at nonbarcoded machinable and carrier route prices. The nonbarcoded price pieces that cannot be placed on ADC or finer pallets may be prepared as flats in flat trays and paid at the nonbarcoded prices.

25.1.8 Bundles With Fewer Than Six Pieces

* * * * *

[Revise the text of 25.1.8a to read as follows:]

a. Place 5-digit and 3-digit bundles in only 5-digit scheme, 5-digit, 3-digit, and SCF flat trays, as appropriate, that contain at least 24 pieces, or in merged 3-digit flat trays that contain at least one six-piece carrier route bundle, or in origin/entry SCF flat trays.

* * * * *

[Revise the text of 25.1.8c to read as follows:]

c. Place 5-digit scheme and 3-digit scheme bundles in only 5-digit scheme, 3-digit, and SCF flat trays, as appropriate, that contain at least 24 pieces, or in merged 3-digit flat trays that contain at least one six-piece carrier route bundle, or in origin/entry SCF flat trays.

* * * * *

[Revise the title of 25.1.9 to read as follows:]

25.1.9 Cotraying and Cobundling With Nonbarcoded and Carrier Route Price Mail

* * * * *

[Revise the text of 25.1.9b and 25.1.9c to read as follows:]

b. If the mailing job contains a machinable barcoded and nonbarcoded mailing, then it must be prepared under the cotraying standards in 705.9.0. Machinable barcoded and nonbarcoded pieces may be cobundled under the standards in 705.11.0.

c. If the mailing job contains a carrier route mailing and a machinable barcoded mailing, then it must be separately trayed under 23.0 and 25.0 or prepared using the merged flat tray option under 705.10.0.

* * * * *

240 Commercial Mail USPS Marketing Mail

243 Prices and Eligibility

* * * * *

5.0 Additional Eligibility Standards for Nonautomation USPS Marketing Mail Letters, Flats, and Presorted USPS Marketing Mail Parcels

* * * * *

5.6 Nonautomation Price Application—Flats

5.6.1 5-Digit Prices for Flats

[Revise item a to read as follows:]

a. In a 5-digit/scheme bundle of 10 or more pieces, or 15 or more pieces, as applicable; properly placed in a 5-digit/scheme flat tray (see full flat tray 245.1.4).

* * * * *

[Revise item c to read as follows:]

c. In a 5-digit bundle of 10 or more pieces, or 15 or more pieces, as applicable; properly placed in a merged 5-digit/scheme or 5-digit flat tray under 705.10.0.

5.6.2 3-Digit Prices for Flats

[Revise item a to read as follows:]

a. In a 5-digit/scheme bundle of 10 or more pieces, or 15 or more pieces, as applicable, or in a 3-digit/scheme bundle of 10 or more pieces; properly placed in a 3-digit flat tray (see full flat tray 245.1.4).

5.6.3 ADC Prices for Flats

[Revise items a and b to read as follows:]

a. In a 5-digit/scheme, 3-digit/scheme, or ADC bundle of 10 or more pieces properly placed in an ADC flat tray (see full flat tray 245.1.4).

b. In an optional 3-digit/scheme origin/entry flat tray.

* * * * *

5.6.4 Mixed ADC Prices for Flats

[Revise the text of 5.6.4 to read as follows:]

Mixed ADC prices apply to flat-size pieces in bundles that do not qualify for 5-digit, 3-digit, or ADC prices; placed in mixed ADC flat trays or on ASF, NDC, or mixed NDC pallets under 705.8.0.

* * * * *

6.3 Basic Price Enhanced Carrier Route Standards

* * * * *

6.3.4 Basic Carrier Route Bundles on a 5-digit/Direct Container (Basic-CR Bundles/Container) Price Eligibility—Flats

[Revise the text of 6.3.4 to read as follows:]

The Basic-CR Bundles/Container discount applies to each piece in a carrier route bundle of 10 or more pieces that are palletized under 705.8.0, 705.10.0, 705.12.0, or 705.13.0 on a 5-digit merged, 5-digit (scheme) merged, 5-digit carrier route or 5-digit scheme carrier route pallet entered at an Origin (None), DNDC, DSCF, or DDU entry or in a carrier route sack or flat tray under 245.9.7a or 203.5.8 and entered at the DDU.

* * * * *

6.5 High Density and High Density Plus (Enhanced Carrier Route) Standards—Flats

* * * * *

6.5.3 High Density Carrier Route Bundles on a 5-Digit/Direct Container (High Density-CR Bundles/Container Discount Eligibility)—Flats

[Revise the text of 6.5.3 to read as follows:]

The High Density-CR Bundles/Container discount applies to 125 or more High Density-eligible pieces that are palletized under 705.8.0, 705.10.0, 705.12.0, or 705.13.0 on a 5-digit merged, 5-digit (scheme) merged, 5-digit carrier route, 5-digit carrier routes, or 5-digit scheme carrier route pallet entered at an Origin (None), DNDC, DSCF, or DDU entry or in a carrier route sack or flat tray under 245.9.7a or 203.5.8 and entered at the DDU.

6.5.4 High Density Plus Carrier Route Bundles on a 5-Digit/Direct Container (High Density Plus-CR Bundles/Container Discount Eligibility)—Flats

[Revise the text of 6.5.4 to read as follows:]

The High Density Plus-CR Bundles/Container discount applies to 300 or more High Density Plus-eligible pieces that are palletized under 705.8.0, 705.10.0, 705.12.0, or 705.13.0 on a 5-digit scheme, 5-digit (scheme) merged, 5-digit carrier route, 5-digit carrier routes, or 5-digit scheme carrier route

pallet entered at an Origin (None), DNDC, DSCF, or DDU entry or in a carrier route sack or flat tray under 245.9.7a or 203.5.8 and entered at the DDU.

* * * * *

6.7 Saturation Enhanced Carrier Route Standards—Flats

* * * * *

6.7.2 Saturation Prices for Flats

* * * * *

[Revise item c to read as follows:]

c. Placed in a merged 5-digit scheme or merged 5-digit flat tray.

[Add new item d to read as follows:]

d. Placed in a 5-digit scheme carrier routes or 5-digit carrier routes sack/flat tray.

* * * * *

245 Mail Preparation

* * * * *

1.0 General Information for Mail Preparation

* * * * *

1.3.2 Flats

* * * * *

[Revise item c. to read as follows:]

c. *5-digit scheme (bundles and flat trays) for flats meeting the automation-compatibility standards in 201.4.0:* the ZIP Code in the delivery address on all pieces is one of the 5-digit ZIP Code areas processed by the USPS as a single scheme, as shown in L007.

* * * * *

[Revise item e. to read as follows:]

e. *Merged 5-digit flat trays:* the carrier route bundles and/or automation price 5-digit bundles and/or Presorted price 5-digit bundles in a flat tray are all for a 5-digit ZIP Code that has an “A” or “C” indicator in the Carrier Route Indicators field in the City State Product that allows combining carrier route price bundles with automation price 5-digit bundles and Presorted price 5-digit bundles in the same 5-digit container.

* * * * *

[Revise item g. to read as follows:]

g. *Merged 5-digit scheme flat tray:* the 5-digit ZIP Codes on pieces in carrier route bundles and/or automation price 5-digit bundles and/or Presorted price 5-digit bundles in a flat tray are all for 5-digit ZIP Codes that are part of a single scheme as shown in L001, and the automation price 5-digit bundles and/or the Presorted price 5-digit bundles also are for 5-digit ZIP Codes that have an “A” or “C” indicator in the Carrier Route Indicators field in the City State Product that allows combining carrier route bundles with automation price 5-

digit bundles and Presorted price 5-digit bundles in the same 5-digit container.

* * * * *

[Revise item q. to read as follows:]

q. *Residual pieces/bundles/flat trays:* contain material remaining after completion of a presort sequence. Residual mail lacks the volume set by standard to require or allow preparation to a particular destination, and usually does not qualify for a presort price.

* * * * *

1.4 Preparation Definitions and Instructions

* * * * *

[Add new item (e) to read as follows; renumber current items (e) through (y) as (f) through (z):]

e. A full flat tray is one that is physically full. Although a specific minimum volume is required (at least a single stack of mail lying flat on the bottom of the tray and filling the tray to the bottom of the handholds) before a tray may or must be prepared to the corresponding presort destination, trays must be filled with additional available pieces (up to the reasonable capacity of the tray) when standards require preparation of full trays.

[Revise new item f. to read as follows:]

f. A full sack is defined in the standards for the class and price claimed.

* * * * *

[Revise new item h. to read as follows:]

h. *A 5-digit scheme sort for flats meeting the automation-compatibility standards in 201.3.0* yields 5-digit scheme bundles for those 5-digit ZIP Codes identified in L007 and 5-digit bundles for other ZIP Codes. When standards require 5-digit/scheme sort, mailers must prepare all possible 5-digit scheme bundles and flat trays of flats, then prepare all possible 5-digit bundles and flat trays. The 5-digit ZIP Codes in each scheme are treated as a single presort destination subject to a single minimum volume, with no further separation required. Bundles prepared for a 5-digit scheme destination that contain pieces for only one of the schemed 5-digit ZIP Codes are still considered 5-digit scheme sorted and are labeled accordingly. Bundles must be labeled using an optional endorsement line (OEL) under 203.7.0 or with a red “5 SCH” bundle label. Bundles are placed in appropriate containers using the OEL “label to” 5-digit ZIP Code or using L007 column B.

* * * * *

[Revise new items k. through m. to read as follows:]

k. *A merged 5-digit sort for USPS Marketing Mail flats prepared in flat trays* yields merged 5-digit flat trays that contain carrier route bundles and/or automation price 5-digit bundles, and/or Presorted price 5-digit bundles that are all for a 5-digit ZIP Code that has an “A” or “C” indicator in the Carrier Route Indicators field in the City State Product that allows combining carrier route bundles, automation price 5-digit bundles, and Presorted price 5-digit bundles in the same 5-digit flat tray or pallet. The merged 5-digit sort is optional for USPS Marketing Mail flats prepared in flat trays. Flat trays prepared for a merged 5-digit destination that contain only a single price level of bundle(s) (only carrier route bundle(s) or only automation price 5-digit bundle(s) or only Presorted price 5-digit bundle(s)) or that contain only two price levels of bundle(s) are still considered to be merged 5-digit sorted and are labeled accordingly. If preparation of merged 5-digit flat trays is performed, it must be done for all 5-digit ZIP Code destinations with an “A” or “C” indicator in the Carrier Route Indicators field in the City State Product that allows combining carrier route bundles, automation price 5-digit bundles, and Presorted price 5-digit bundles in the same 5-digit container.

l. *A merged 5-digit sort for USPS Marketing Mail flats prepared as bundles on pallets* yields merged 5-digit pallets that contain carrier route bundles and noncarrier route 5-digit bundles (automation price 5-digit bundles) and/or Presorted price 5-digit bundles). The merged 5-digit sort is optional for USPS Marketing Mail flats prepared in flat trays under 705.10.0. Flat trays or pallets prepared for a merged 5-digit destination that contain only a single price level of bundle(s) (only carrier route bundle(s) or only automation price 5-digit bundle(s) or only Presorted price 5-digit bundle(s)) or only two price levels of bundle(s) are still considered to be merged 5-digit sorted and must be labeled accordingly.

m. *A merged 5-digit scheme sort for USPS Marketing Mail flats prepared in flat trays under 705.10.0* yields merged 5-digit scheme flat trays that contain carrier route bundles and noncarrier route 5-digit bundles (automation price 5-digit bundles and/or Presorted price 5-digit bundles) for those 5-digit ZIP Codes that are part of a single scheme as shown in L001. Flat trays prepared for a merged 5-digit scheme destination that contain only a single price level of bundle(s) (only carrier route bundle(s) or only automation price 5-digit bundle(s) or only presorted price 5-digit bundle(s)), or only two price levels of

bundle(s), or bundles for only one of the
schemed 5-digit ZIP Codes are still
considered to be merged 5-digit scheme
sorted and must be labeled accordingly.
If preparation of merged 5-digit scheme
flat trays is performed, it must be done
for all 5-digit scheme destinations in
L001.

* * * * *
[Revise new item y. to read as
follows:]

y. A "logical" presort destination
represents the total number of pieces
that are eligible for a specific presort
level based on the required sortation,
but which might not be contained in a
single bundle or in a single container
(flat tray, sack, or pallet) due to
applicable preparation requirements or
the size of the individual pieces. For
example, there may be 42 mailpieces for
ZIP Code 43112 forming a USPS
Marketing Mail "logical" 5-digit bundle,
and they are prepared in three physical
5-digit bundles because of the
applicable weight and height
restrictions on bundles. For pallets,
2,800 pounds of mail may be destined
to an SCF destination, and these would
form the "logical" SCF pallet, but the
mail is placed on two physical SCF
pallets each weighing 1,400 pounds
because of the 2,200 pound maximum
pallet weight requirement.

* * * * *

3.0 Letter Trays, Flat Trays, and
Sacks

[Revise the second sentence of 3.0 to
read as follows:]

* * * Flat mailings must be prepared
in flat trays or sacks (carrier route, 5-
digit scheme carrier route and 5-digit
carrier route only) except when
permitted to be prepared in letter trays
under other applicable standards in this
section. * * *

* * * * *

8.0 Preparing Nonautomation Flats

* * * * *

8.1 Basic Standards

* * * * *

[Revise the text of 8.1b2 to read as
follows:]

2. Unless excepted by standard, all
pieces must be in the flat-size
processing category and must be
prepared in flat trays or on pallets.
Certain flat-size pieces may be prepared
in letter trays under 3.0.

8.4 Loose Packing

[Revise the text to read as follows:]

District managers may authorize loose
packing of unbundled pieces in flat
trays if no pieces in a flat tray would be

more finely sorted if bundled. Pieces
must be faced and packed to remain
oriented in transit. Requests for loose
packing must be made in advance
through the Post Office of mailing.

[Revise the title of 8.5 to read as
follows.]

8.5 Required Traying

[Revise the text of 8.5 to read as
follows:]

Except as provided in 8.6, a flat tray,
or a letter tray under 3.0, must be
prepared when the quantity of mail for
a required presort destination reaches a
full flat tray (up to the handholds),
subject to these conditions: * * *

[Revise the text of 8.5b(2) to read as
follows:]

2. The actual piece count or mail
weight for each tray is used, if
documentation can be provided with
the mailing that shows for each tray the
number of pieces and the total weight.

* * * * *

[Revise the title of 8.7 to read as
follows:]

8.7 Traying, and Labeling

[Revise the introductory sentence to
read as follows:]

Preparation sequence, flat tray and
labeling:

* * * * *

[Revise items 8.7a to read as follows:]

a. 5-digit/scheme (required); scheme
sort required (before 5-digit sort), only
for pieces meeting the automation flats
criteria in 201.6.0, see definition in 1.4j;
full flat tray; labeling: * * *

[Revise items 8.7a(1) and 8.7a(2) to
read as follows:]

1. Line 1: For 5-digit scheme flat trays
use L007, Column B. For 5-digit flat
trays, use city, state, and 5-digit ZIP
Code destination on pieces. (See
203.5.11 for overseas military mail).

2. Line 2: For 5-digit scheme flat trays,
"STD FLT 5D SCH NON BC." For 5-
digit flat trays, "STD FLTS 5D NON
BC."

[Revise items 8.7b to read as follows:]

b. 3-digit (required); full flat tray;
labeling: * * *

* * * * *

[Revise items 8.7d to read as follows:]

d. ADC (required); full flat tray;
labeling: * * *

* * * * *

8.8 Cotraying and Cobundling Flats
With Automation Mail

* * * * *

[Revise items b, c, and d to read as
follows:]

b. If the mailing job contains an
automation mailing and a
nonautomation mailing, then it must be

prepared under the cotrayed standards
in 705.9.0.

c. If the mailing job contains a carrier
route mailing and a nonautomation
mailing, then it must be separately
sacked or trayed under 5.0 and 9.0 or
prepared using the merged sacking/
traying option in 705.10.0.

d. If the mailing job contains a carrier
route mailing and an automation
mailing, then it must be separately
sacked or trayed under 9.0 and 10.0 or
prepared using the merged sacking/
traying option in 705.10.0.

* * * * *

8.9 Merged Containerization of
Carrier Route, Automation, and
Nonautomation Flats

[Revise the text of 8.9 to read as
follows:]

Under the optional preparation in
705.10.0, nonautomation 5-digit bundles
prepared under 5.2 through 8.8 are
cotrayed with carrier route bundles
prepared under 9.0 and with automation
5-digit bundles prepared under 10.0 in
merged 5-digit scheme flat trays and
merged 5-digit flat trays. Under the
optional preparation in 705.10.0,
705.12.0, or 705.13.0, nonautomation 5-
digit bundles are copalletized with
carrier route bundles prepared under 9.0
and with automation 5-digit bundles
prepared under 10.0 on merged 5-digit
scheme pallets and merged 5-digit
pallets. See 8.8a for information on
when preparation under 705.10.0 may
be required.

8.10 Residual Pieces

[Revise the introductory text of 8.10 to
read as follows:]

Mailers entering USPS Marketing
Mail residual pieces that do not qualify
for USPS Marketing Mail prices, and
paying the First-Class Mail prices (but
prepared "as is" under 244.5.0), must
separately bundle and flat tray residual
pieces from the automation and presort
pieces. Mailers must label flat trays
under 204.3.0 using the CIN code 582
for use with residual flat trays. Label flat
trays as follows: * * *

* * * * *

9.0 Preparing Enhanced Carrier Route
Flats

* * * * *

9.6 Required Flat Tray/Sack
Minimums

[Revise the introductory text of 9.6 to
read as follows:]

When traying/sacking is required,
mailers must prepare a flat tray/sack
when the quantity of mail for a required
presort destination reaches either up to
the handholds (see full flat tray 245.1.4),

125 pieces or 15 pounds of pieces (sacks), whichever occurs first. The following conditions apply:

* * * * *

[Revise item c. to read as follows:]

c. Less than full flat trays (see 245.1.4) and sacks with fewer than 125 pieces or less than 15 pounds of pieces may be prepared to a carrier route when the saturation price is claimed for the contents and the applicable density standard is met.

* * * * *

9.8 Merged Containerization of Carrier Route, Automation, and Presorted Price Flats

[Revise the first sentence of 9.8 to read as follows:]

Under the optional preparation in 705.10.0, carrier route price bundles prepared under 9.3 and 9.4 are cotrayed with Presorted price 5-digit bundles prepared under 8.0 and with automation price 5-digit bundles prepared under 10.0 in merged 5-digit scheme flat trays and merged 5-digit flat trays. * * *

* * * * *

10.0 Preparing Automation Flats

[Revise the last sentence of 10.1 to read as follows:]

10.1 Basic Standards

* * * Flat trays must bear the appropriate barcoded container labels under 4.0.

* * * * *

[Revise the title of 10.4 to read as follows:]

10.4 USPS Marketing Mail Bundle and Flat Tray Preparation

* * * * *

[Revise the title of 10.4.2 to read as follows:]

10.4.2 Required Traying

[Revise the introductory text of 10.4.2 to read as follows:]

A flat tray or a letter tray under 3.0, must be prepared when the quantity of mail for a required presort destination reaches either a full flat tray (1.4e), 125 pieces, or 15 pounds of pieces, whichever occurs first, subject to these conditions:

* * * * *

[Revise the text of 10.4.2b to read as follows:]

b. For nonidentical-weight pieces, mailers must either use the minimum that applies to the average piece weight for the entire mailing (divide the net weight of the mailing by the number of pieces; the resulting average single-piece weight determines whether the 125-piece or 15-pound minimum

applies) or tray by the actual piece count or mail weight for each flat tray, if documentation can be provided with the mailing that shows (specifically for each flat tray) the number of pieces and their total weight.

[Revise the title of 10.4.3 to read as follows:]

10.4.3 Traying and Labeling

[Revise the first sentence of 10.4.3 to read as follows:]

Preparation sequence, flat tray size, and labeling:

* * * * *

[Revise the text of items 10.4.3a, 10.4.3a(1) and 10.4.3a(2) to read as follows:]

a. 5-digit/scheme (required); scheme sort required before 5-digit sort; see definition in 1.4g.; full flat tray, 125-piece, or 15-pound minimum, labeling:

1. Line 1: For 5-digit scheme flat trays use L007, Column B. For 5-digit flat trays use city, state, and 5-digit ZIP Code on mail (see 203.5.11 for overseas military mail).

2. Line 2: For 5-digit scheme flat trays, “STD FLTS 5D SCH BC.” For 5-digit flat trays, “STD FLTS 5D BC.”

[Revise the text of items 10.4.3b to read as follows:]

b. 3-digit (required); full flat tray, 125-piece, or 15-pound minimum; labeling:

* * * * *

[Revise the text of items 10.4.3d to read as follows:]

d. ADC (required); full flat tray, 125-piece, or 15-pound minimum; labeling:

* * * * *

602 Addressing

* * * * *

3.0 Use of Alternative Addressing

* * * * *

3.2 Simplified Address

* * * * *

3.2.3 Mail Preparation

[Revise the introductory paragraph of 3.2.3 to read as follows:]

Mailers must prepare letter-size pieces in trays. Mailers must prepare flat-size pieces in carrier route bundles in sacks, flat trays, or directly on pallets. Mailers must prepare irregular parcels in carrier route bundles in sacks or directly on pallets. Bundles, sacks, or trays may be placed on SCF, 3-digit, 5-digit, or 5-digit scheme pallets under 705.8.10. In addition to the required simplified address, each bundle must bear a facing slip showing the desired distribution (for example, 5-digit ZIP Code and route number) or the top piece of each bundle must include the route

number and ZIP Code. Mailers may obtain delivery statistics for routes as described in 509.1.0. The following also applies: * * *

* * * * *

700 Special Standards

* * * * *

705 Advanced Preparation and Special Postage Payment Systems

* * * * *

8.0 Preparing Pallets

* * * * *

8.5 General Preparation

* * * * *

8.5.3 Minimum Load

* * * * *

[Revise the text of 8.5.3a(1) to read as follows:]

1. In a single mailing, the minimum load per pallet is 250 pounds of bundles, parcels, or sacks, except as provided in items 2 through 4 below. When preparing letter trays on pallets, the minimum load is 36 linear feet or three layers of trays, except as provided in items 2 and 4 below. When preparing flat trays on pallets, the minimum load is 24 linear feet or three layers of flat trays, except as provided in items 2 and 4 below.

* * * * *

[Add a new item 8.5.3a(6) to read as follows:]

6. There is no minimum load for MNDC pallets of bundles or flat trays of USPS Marketing Mail flats.

* * * * *

8.10 Pallet Presort and Labeling

* * * * *

8.10.2 Periodicals—Bundles, Sacks, Letter, or Flat Trays

* * * * *

[Revise the text of 8.10.2f to read as follows:]

f. 5-digit, required, except for letter trays; permitted for bundles, trays, and sacks (irregular parcels only). Pallet must contain only automation price and/or Presorted price mail for the same 5-digit ZIP Code or the same 5-digit scheme under L007 (for automation-compatible flats only under 201.6.0). Five-digit scheme bundles are assigned to pallets according to the “label to” 5-digit ZIP Code in L007. Labeling: * * *

* * * * *

[Revise the text of 8.10.2h to read as follows:]

h. SCF, required, permitted for bundles, trays, and sacks (irregular parcels only). Pallet may contain carrier route, automation price, and/or

Presorted price mail for the 3-digit ZIP Code groups in L005. Mailers may place origin mixed ADC (OMX) sacks (irregular parcels only) or flat trays on origin SCF pallets. Labeling: * * *

[Revise the text of 8.10.2i to read as follows:]

i. ADC, required, permitted for bundles, trays, and sacks (irregular parcels only). Pallet may contain carrier route, automation price, and/or Presorted price mail for the 3-digit ZIP Code groups in L004. Labeling: * * *

[Revise the text of 8.10.2j to read as follows:]

j. Origin Mixed ADC (OMX), optional for sacks and trays; allowed with no minimum and required at 100 pounds of mail for bundles of flats. Bundles of flats totaling less than 100 pounds in weight must be trayed if not palletized. Pallet may contain carrier route, automation price, and presorted price mail. Labeling: * * *

[Revise the text of 8.10.2k to read as follows:]

k. Mixed ADC, optional for sacks (irregular parcels only) and trays; allowed with no minimum and required at 100 pounds of mail for bundles of flats. Bundles of flats totaling less than 100 pounds in weight must be trayed if not palletized. Pallet may contain carrier route, automation price, or presorted price mail. Pallets must not contain sacks, trays or bundles that should be properly placed on the origin mixed ADC (OMX) pallet. Labeling: * * *

* * * * *

8.10.3 USPS Marketing Mail or Parcel Select Lightweight—Bundles, Sacks, or Trays

* * * * *

[Add new item d to read as follows and renumber items d through i as items e through j:]

d. 5-digit, required except for trays, permitted for bundles, trays, and sacks (irregular parcels only). Pallet must contain only automation price and/or Presorted price mail for the same 5-digit ZIP Code or same 5-digit scheme. 5-digit scheme bundles and trays are assigned to 5-digit pallets according to the “label to” 5-digit ZIP Code. Labeling: * * *

[Revise the text of renumbered 8.10.3f to read as follows:]

f. SCF, required, permitted for bundles, trays, and sacks (irregular parcels only). Pallet may contain carrier route, automation price, and/or Presorted price mail for the 3-digit ZIP Code groups in L005, or L051 for Parcel Select Lightweight sacks. Mailers may, at their option, place AADC trays on

SCF pallets when the tray’s “label to” 3-digit ZIP Code (from L801) is within that SCF’s service area. Mailers may also, at their option, place mixed ADC or mixed AADC trays, labeled per L010, on an SCF pallet entered at the SCF facility responsible for the processing of mixed ADC or mixed AADC trays for that NDC/ASF facility. The SCF Pallet discount applies to 3-Digit, ADC, 5-Digit, Carrier Route, High Density, High Density Plus, Saturation (including EDDM—Not Retail) USPS Marketing Mail flat shaped pieces on a SCF pallet entered at an Origin (None), DNDC, or DSCF entry. SCF pallet discount does not apply to Marketing Mail letters or parcels. Labeling: * * *

* * * * *

[Revise the text of renumbered 8.10.3g to read as follows:]

g. ASF, required unless bundle reallocation used under 8.13, permitted for bundles, trays, and sacks (irregular parcels only). Pallet may contain carrier route, automation price, and/or Presorted price mail for the 3-digit ZIP Code groups in L602. ADC bundles, sacks, or trays are assigned to pallets according to the “label to” ZIP Code in L004 as appropriate. AADC trays are assigned to pallets according to the “label to” ZIP Code in L801. At the mailer’s option, appropriate mixed ADC bundles and trays of flats; and mixed ADC and mixed AADC trays of letters, may be sorted to ASF pallets according to the “label to” ZIP Code in L010. All mixed ADC bundles, sacks, and trays and mixed AADC trays must contain only pieces destinating within the ASF as shown in L602. Labeling: * * *

[Revise the text of renumbered 8.10.3h to read as follows:]

h. NDC, required, permitted for bundles, trays, and sacks (irregular parcels only). Pallet may contain carrier route, automation price, and/or Presorted price mail for the 3-digit ZIP Code groups in L601. ADC bundles, sacks, or trays are assigned to pallets according to the “label to” ZIP Code in L004 as appropriate. AADC trays are assigned to pallets according to the “label to” ZIP Code in L801. At the mailer’s option, appropriate mixed ADC bundles and trays of flats; and mixed ADC trays and mixed AADC trays of letters, may be sorted to NDC pallets according to the “label to” ZIP Code in L010. All mixed ADC bundles, sacks, and trays and mixed AADC trays must contain only pieces destinating within the NDC as shown in L601. Labeling: * * *

[Revise the text of renumbered 8.10.3i to read as follows:]

i. Mixed NDC, optional, permitted for bundles, trays, and sacks (irregular

parcels only); allowed with no minimum and required at 100 pounds of mail for bundles of flats. Bundles of flats totaling less than 100 pounds in weight must be trayed if not palletized. Pallet may contain carrier route, automation, and/or Presorted mail. Mailers must place trays and sacks (irregular parcels only) containing pieces paid at the single-piece price on the mixed NDC pallet (unless required to be presented separately by special postage payment authorization). Labeling: * * *

* * * * *

8.11 Bundle Reallocation To Protect SCF Pallet for Periodicals Flats and Irregular Parcels and USPS Marketing Mail Flats on Pallets

* * * * *

8.11.3 Reallocation of Bundles if Optional 3-Digit Pallets Are Prepared

* * * * *

[Revise the text of 8.11.3d to read as follows:]

d. If no single 5-digit level pallet within the SCF service area contains an adequate volume of mail to allow reallocation of a portion of the mail on a pallet as described in 8.11.3c, then no bundles will be reallocated and an SCF pallet will not be prepared; the mail that falls beyond the SCF pallet level must be placed on the next appropriate pallet (ADC, ASF, NDC or MNDC) or in the next appropriate sack (irregular parcels) or flat tray.

8.11.4 Reallocation of Bundles if Optional 3-Digit Pallets Are Not Prepared

* * * * *

[Revise the text of 8.11.4b to read as follows:]

b. If no single 5-digit level pallet within the SCF service area contains an adequate volume of mail to allow reallocation of a portion of the mail on a pallet as described in 8.11.4a, then no bundles will be reallocated and a SCF pallet will not be prepared; the mail that falls beyond the SCF pallet level must be placed on the next appropriate pallet (ADC, ASF, NDC, or MNDC) or in the next appropriate sack (irregular parcels) or flat tray.

* * * * *

8.12 Bundle Reallocation To Protect ADC Pallet for Periodicals Flats and Irregular Parcels on Pallets

8.12.1 Basic Standards

[Revise the text of 8.12.1 to read as follows:]

Bundle reallocation to protect the ADC pallet is an optional preparation method authorized for mailers using

PAVE-certified presort software and may be used to create pallets under the standards in 8.12.2 and 8.12.3. Presort software determines if mail for an ADC service area falls beyond the ADC level if all finer level pallets are prepared. Reallocation is performed only when there is mail for the ADC service area that falls beyond the ADC pallet level (e.g., to sacks or flat trays). Reallocate only the minimum number of bundles necessary to create an ADC pallet at the minimum required weight.

* * * * *

[Revise the title of 705.9.0 to read as follows:]

9.0 Combining Bundles of Automation and Nonautomation Flats in Flat Trays

* * * * *

9.2 Periodicals

9.2.1 Basic Standards

[Revise the text of the introductory paragraph of 9.2.1 to read as follows:]

Bundles of flat-size pieces in a machinable barcoded (automation) price mailing must be cotrayed with bundles of flat-size pieces in a machinable nonbarcoded price mailing under the following conditions:

* * * * *

[Revise the text of 9.2.1b through 9.2.1f to read as follows:]

b. The machinable barcoded price mailing must meet the eligibility criteria in 207.14.0, except that the traying and documentation criteria in 9.2.1, 9.2.3, and 9.2.4 must be met rather than the traying and documentation criteria in 207.25.0.

c. The machinable nonbarcoded price mailing must meet the eligibility criteria in 207.12.0, except that the traying and documentation criteria in 9.2.1, 9.2.3, and 9.2.4 must be met rather than the traying and documentation criteria in 207.25.0.

d. The bundles prepared from the machinable barcoded price mailing and the bundles prepared from the machinable nonbarcoded price mailing must be sorted into the same flat trays as described in 9.2.3 and 9.2.4.

e. A complete, signed, appropriate postage statement(s), using the correct USPS form or an approved facsimile, must accompany each mailing job prepared under these procedures. In addition to the applicable postage statement, documentation produced by PAVE-certified software or standardized documentation under 203.3.0 must be submitted with each cotrayed mailing job that describes for each flat tray sortation level the number of pieces qualifying for each applicable price.

f. Barcoded tray labels under 204.3.0 must be used to label flat trays.

* * * * *

9.2.3 Bundles With Fewer Than Six Pieces

[Revise the text of 9.2.3 to read as follows:]

5-digit and 3-digit bundles prepared under 207.22.0 and 207.25.0 may contain fewer than six pieces when the publisher determines that such preparation improves service. These low-volume bundles may be placed in 5-digit, 3-digit, and SCF flat trays that contain at least 24 pieces or on 5-digit, 3-digit, or SCF pallets. Pieces in low-volume bundles must claim the applicable mixed ADC price (Outside-County) or basic price (In-County).

[Revise the title of 9.2.4 to read as follows:]

9.2.4 Optional Sack Preparation and Labeling

[Revise the text 9.2.4 to read as follows:]

Allowed for 3-digit and SCF non-palletized sacks entered at the Destination SCF and 5-digit sacks entered at a DDU. Machinable barcoded price and machinable nonbarcoded price bundles must be presorted together into sacks (cosacked) in the sequence listed below. Sacks must be labeled using the following information for Lines 1 and 2 and 207.21.0 for other sack label criteria. If, due to the physical size of the mailpieces, the machinable barcoded price pieces are considered flat-size under 201.6.0 and the machinable nonbarcoded price pieces are considered irregular parcels under 201.7.6, the processing category shown on the sack label must show "FLTS."

a. 3-digit, required at 72 pieces, optional at 24 pieces minimum; labeling:

1. Line 1: use L002, Column A.
2. Line 2: "PER" or "NEWS" as applicable and "FLTS 3D BC/NBC."

b. SCF, required at 72 pieces, optional at 24 pieces minimum; labeling:

1. Line 1: use L002, Column C.
2. Line 2: "PER" or "NEWS" as applicable and "FLTS SCF BC/NBC."

[Revise the title of 9.2.5 to read as follows:]

9.2.5 Flat Tray Preparation—Flat-Size Machinable Pieces

[Revise the introductory text 9.2.5 to read as follows:]

See 207.20.0 for use of flat trays. Machinable pieces meeting the criteria in 201.6.0—Mailables must either bundle or group all pieces as specified in 207.25.0 and 207.22.0 for each 5-digit scheme, 5-digit, 3-digit scheme, 3-digit,

SCF, and ADC destination. Bundling is not permitted unless it achieves a finer presort than the presort destination of the tray. The trays are subject to a container charge, and any bundles are subject to a bundle charge. Tray preparation, sequence, and labeling: * * *

* * * * *

9.3 USPS Marketing Mail

9.3.1 Basic Standards

[Revise the introductory text of 9.3.1 to read as follows:]

Bundles of flats in an automation price mailing must be cotrayed with bundles of flats in a Presorted price mailing under the following conditions:

* * * * *

[Revise the text of 9.3.1c through 9.3.1i to read as follows:]

c. The automation price mailing must meet the eligibility criteria in 243.7.0, except that the traying and documentation criteria in 9.3.1, 9.3.4, and 9.3.5 must be met rather than the traying and documentation criteria in 245.7.0.

d. The Presorted price mailing must meet the eligibility criteria in 243.2.0 and 243.3.0, except that the traying and documentation criteria in 9.3.1, 9.3.4, and 9.3.5 must be met rather than the traying and documentation criteria in 245.5.0.

e. The prices for pieces in the automation price mailing are applied based on the number of pieces in the bundle and the level of bundle to which they are sorted under 243.7.0. The prices for pieces in the Presorted price mailing are based on the number of pieces in the bundle and the level of flat tray in which they are placed under 243.3.6 and 243.3.7.

f. The pieces must be marked according to 202.

g. The bundles prepared from the automation price mailing and the bundles prepared from the Presorted price mailing must be sorted into the same flat trays as described in 9.3.4 and 9.3.5.

h. A complete, signed postage statement(s), using the correct USPS form or an approved facsimile, must accompany each mailing job prepared under these procedures. In addition to the applicable postage statement, documentation produced by PAVE-certified software or standardized documentation under 203.3.0 must be submitted with each cotrayed mailing job that describes for each flat tray sortation level the number of pieces qualifying for each applicable automation price and the number of

pieces qualifying for each applicable Presorted price.

i. Barcoded tray labels under 204.3.0 must be used to label the trays.

* * * * *

[Revise the title of 9.3.4 to read as follows:]

9.3.4 Traying Rules

[Revise the text of 9.3.4 to read as follows:]

When a full flat tray is specified for a sortation level in 9.3.5, the provisions of 245.1.4e apply.

[Revise the title of 9.3.5 to read as follows:]

9.3.5 Flat Tray Preparation and Labeling

[Revise the introductory text of 9.3.5 to read as follows:]

Presorted price and automation price bundles prepared under 9.3.2 and 9.3.3 must be presorted together into flat trays (cotrayed) in the sequence listed below. Flat trays must be labeled using the following information for Lines 1 and 2, and 245.4.0 for other flat tray label criteria.

* * * * *

[Revise the text of items 9.3.5a, 9.3.5a(1) and 9.3.5a(2) to read as follows:]

a. 5-digit/scheme, required; scheme sort required, only for pieces meeting the automation-compatibility criteria in 201.6.0; full tray minimum; labeling:

1. Line 1: For 5-digit scheme flat trays, use L007, Column B. For 5-digit flat trays, use city, state, and 5-digit ZIP Code destination on pieces.

2. Line 2: For 5-digit scheme flat trays, "STD FLT 5D SCH BC/NBC"; for 5-digit flat trays, "STD FLT 5D BC/NBC."

[Revise item 9.3.5b to read as follows:]

b. 3-digit, required, full flat tray minimum; labeling: * * *

* * * * *

[Revise item 9.3.5d to read as follows:]

d. ADC, required, full flat tray minimum; use L004 to determine ZIP Codes served by each ADC; labeling: * * *

* * * * *

[Revise the title of 9.3.6 to read as follows:]

9.3.6 Letter Tray Preparation and Labeling

* * * * *

10.0 Merging Bundles of Flats Using the City State Product

10.1 Periodicals

10.1.1 Basic Standards

[Revise the introductory text of 10.1.1 to read as follows:]

Carrier route bundles in a carrier route mailing may be placed in the same flat trays or on the same pallet as 5-digit bundles from machinable (barcoded or nonbarcoded) price mailings (including pieces cobundled under 11.0) under the following conditions:

[Revise the text of 10.1.1a to read as follows:]

a. A carrier route mailing must be part of the mailing job, unless cobundled under 11.0 using 5-digit scheme (L007) or 3-digit scheme (L008) bundle preparation, and trayed under 10.1.4.

* * * * *

[Revise the text of 10.1.1c to read as follows:]

c. Pieces in the machinable price mailing must meet the flats criteria in 201.6.0; pieces that meet the flats criteria in 207.26.0 must also be trayed under this option. Pieces in the machinable nonbarcoded price mailing and the carrier route mailing must be flat-size.

* * * * *

[Revise the text of 10.1.1e through 10.1.1j to read as follows:]

e. Carrier route bundles may be cotrayed or copalletized with machinable barcoded price 5-digit bundles, machinable nonbarcoded price 5-digit bundles, and cobundled 5-digit bundles only for those 5-digit ZIP Codes that have an "A" or "C" indicator in the Carrier Route Indicators field in the City State Product indicating eligibility for such cotraying or copalletization. Containers of mail sorted in this manner are called "merged 5-digit" flat trays or pallets. Containers of mail sorted in this manner for which scheme (L001) sortation is also performed are called "merged 5-digit scheme" flat trays or pallets. Pieces in 5-digit scheme (L007) bundles may not be placed in merged 5-digit containers.

f. If sortation under this section is performed, merged 5-digit flat trays or pallets must be prepared for all 5-digit ZIP Codes with an "A" or "C" indicator in the City State Product that permits such preparation when there is enough volume for the 5-digit ZIP Code to prepare such a flat tray under 10.1.4 or such a pallet under 10.1.5. In addition, all possible merged 5-digit scheme flat trays must be prepared under 10.1.4, or all possible merged 5-digit scheme and 5-digit scheme pallets must be prepared under 10.1.5.

g. For mailings prepared in flat trays, mailers may not combine firm bundles and 5-digit scheme pieces in 5-digit scheme bundles or in 5-digit scheme flat trays. Firm bundles must be placed in a separate individual 5-digit flat tray under 10.1.4g to maintain 5-digit price

eligibility. Mailers may combine firm bundles with 5-digit scheme, 3-digit scheme, and other presort destination bundles in carrier route, 5-digit, 3-digit, SCF, ADC, and mixed ADC flat trays. Only an In-County firm bundle can contribute toward the six-piece minimum for price eligibility.

h. The bundles from each separated mailing must be sorted together into flat trays (cotrayed) under 10.1.4 or on pallets (copalletized) under 10.1.5 using presort software that is PAVE-certified.

i. A complete, signed postage statement(s), using the correct USPS form or an approved facsimile, must accompany each mailing job prepared under these procedures. In addition to the postage statement(s), documentation prepared by PAVE-certified software must be submitted with each cotrayed or copalletized mailing job that describes for each flat tray sortation level and flat tray, or each pallet sortation level and pallet, the number of pieces qualifying for each applicable price.

j. Barcoded tray labels under 204.3.0 must be used to label flat trays.

* * * * *

10.1.3 Bundles With Fewer Than Six Pieces

[Revise the introductory text of 10.1.3 to read as follows:]

Carrier route, 5-digit scheme, 5-digit, 3-digit scheme, and 3-digit bundles may contain fewer than six pieces when the publisher determines that such preparation improves service. Pieces in these low-volume bundles must be claimed at the applicable mixed ADC price (Outside-County) or basic price (In-County). Low-volume bundles are permitted only when they are sacked (as applicable), trayed, or prepared on pallets as follows:

* * * * *

[Revise the text of items 10.1.3a(1) through 10.1.3a(3) to read as follows:]

1. Carrier route, merged 5-digit scheme, 5-digit scheme carrier routes, merged 5-digit, 5-digit carrier routes, 5-digit, 3-digit, and SCF sacks (5-digit scheme carrier routes and 5-digit carrier routes only) or flat trays that contain at least 24 pieces.

2. Merged 3-digit flat trays that contain at least one six-piece carrier route bundle.

3. Origin/entry SCF flat trays.

* * * * *

[Revise the text of 10.1.3b to read as follows:]

b. Place low-volume 5-digit scheme bundles in only 5-digit scheme, 3-digit, and SCF flat trays that contain at least 24 pieces, or in origin/entry SCF flat

trays, or on 3-digit or SCF pallets, as appropriate.

[Revise the title of 10.1.4 to read as follows:]

10.1.4 Sack and Flat Tray Preparation and Labeling

[Revise the introductory text of 10.1.4 to read as follows:]

All carrier route bundles must be placed in sacks/flat trays under 10.1.4a through 10.1.4e and 10.1.4h as described below. When sorting is performed under this section, mailers must prepare merged 5-digit scheme sacks (irregular parcels) or flat trays, 5-digit scheme carrier routes sacks/flat trays, and merged 5-digit sacks (irregular parcels) or flat trays for all possible 5-digit schemes or 5-digit ZIP Codes as applicable, using L001 (merged 5-digit scheme and 5-digit scheme carrier routes sort only) and the Carrier Route Indicators field in the City State Product when there is enough volume for the 5-digit scheme or 5-digit ZIP Code to prepare such sacks (irregular parcels) or flat trays under 10.1.4. Mailers must label sacks/flat trays according to the Line 1 and Line 2 information listed below and under 207.20.1. If, due to the physical size of the mailpieces, the barcoded pieces are considered flat-size under 207.26.0, and the carrier route pieces and nonbarcoded pieces are considered irregular parcels under 201.7.6, “FLTS” must be shown as the processing category on the sack/tray label. If a mailing job does not contain barcoded price pieces and the carrier route pieces and the nonbarcoded pieces are irregular parcel shaped, use “IRREG” for the processing category on the contents line of the label. Mailers must prepare sacks/flat trays containing carrier route and 5-digit bundles from the carrier route, barcoded, and nonbarcoded mailings in the mailing job in the following manner and sequence:

* * * * *

[Revise the text of item 10.1.4b to read as follows:]

b. Merged 5-digit scheme, required at 72 pieces, optional at 24 pieces minimum. Must contain at least one 5-digit ZIP Code in the scheme with an “A” or “C” indicator in the City State Product. May contain carrier route bundles for any 5-digit ZIP Code(s) in a single scheme listed in L001 as well as machinable barcoded price 5-digit bundles and machinable nonbarcoded price 5-digit bundles for those 5-digit ZIP Codes in the schemes that have an “A” or “C” indicator in the City State Product. For 5-digit ZIP Code(s) in a scheme that has a “B” or “D” indicator in the City State Product, prepare

sack(s) (irregular parcels only) or flat tray(s) under 10.1.4g and 10.1.4h. For 5-digit ZIP Codes not included in a scheme, prepare sacks (irregular parcels only) or flat trays under 10.1.4d through 10.1.4h. Labeling: * * *

* * * * *

[Revise the text of item 10.1.4h to read as follows:]

h. Merged 3-digit. Required for carrier route, 5-digit, and 5-digit scheme bundles remaining after preparing sacks (irregular parcels only) or flat trays under 10.1.4a through 10.1.4g, and any 3-digit and 3-digit scheme bundles with a minimum of 24 pieces for a 3-digit area. Labeling: * * *

* * * * *

10.2 USPS Marketing Mail

10.2.1 Basic Standards

[Revise the introductory text of 10.2.1 and item 10.2.1a to read as follows:]

Carrier route bundles from a carrier route price mailing may be placed in the same flat tray or on the same pallet as 5-digit bundles from an automation price mailing and 5-digit bundles from a Presorted price mailing (including pieces cobundled under 11.0) under the following conditions:

a. A carrier route mailing must be part of the mailing job, unless cobundled under 11.0 utilizing 5-digit scheme (L007) or 3-digit scheme (L008) bundle preparation and trayed under 10.1.4.

* * * * *

[Revise the text of items 10.2.1e through 10.2.1g to read as follows:]

e. Carrier route bundles may be cotrayed or copalletized with automation price 5-digit bundles, Presorted price 5-digit bundles, and cobundled 5-digit bundles only for those 5-digit ZIP Codes that have an “A” or “C” indicator in the Carrier Route Indicators field in the City State Product indicating eligibility for such cotraying or copalletization. Containers of mail sorted in this manner are called “merged 5-digit” flat trays or pallets. Containers of mail sorted in this manner for which scheme (L001) sortation is also performed are called “merged 5-digit scheme” flat trays or pallets. Pieces in 5-digit scheme (L007) bundles may not be placed in merged 5-digit containers.

f. If sortation under this section is performed, merged 5-digit flat trays or pallets must be prepared for all 5-digit ZIP Codes with an “A” or “C” indicator in the City State Product that permits such preparation when there is enough volume for the 5-digit ZIP Code to prepare that flat tray or pallet.

g. For trayed mailings, the prices for pieces in the carrier route mailing are

based on the criteria in 243.6.0, the prices for pieces in the automation price mailing are applied based on the number of pieces in the bundle and the level of bundle to which they are sorted under 243.7.0, and the prices for pieces in the Presorted price mailing are based on the number of pieces in the bundle and the level of flat tray to which they are sorted under 243.5.0.

* * * * *

[Revise the text of 10.2.1j to read as follows:]

j. The bundles from each separate mailing must be sorted together into flat trays (cotrayed) under 10.2.3 and 10.2.4 or on pallets (copalletized) under 10.2.5 using presort software that is PAVE-certified.

* * * * *

[Revise the text of items 10.2.1l and 10.2.1m to read as follows:]

l. In addition to the applicable postage statement, documentation produced by PAVE-certified software must be submitted with each cotrayed or copalletized mailing job that describes for each sack/flat tray sortation level and flat tray, or each pallet sortation level and pallet, the number of pieces qualifying for each applicable carrier route price, each applicable automation price, and each applicable Presorted price.

m. Barcoded tray labels under 204.3.0 must be used to label flat trays.

* * * * *

[Revise the title and text of 10.2.3 to read as follows:]

10.2.3 Sacking and Traying Rules

When the minimum quantity of 125 pieces or 15 pounds of mail for sacks or a full flat tray is specified for a sortation level in 10.2.4, the provisions of 245.7.4 and 245.1.4e apply.

10.2.4 Sack/Flat Tray Preparation and Labeling

[Revise the introductory text of 10.2.4 to read as follows:]

Mailers must prepare sacks and flat trays in the following manner and sequence. All carrier route bundles must be placed in sacks or flat trays under 10.2.4a through 10.2.4e as described below. Mailers must prepare all merged 5-digit scheme flat trays, 5-digit scheme carrier routes sacks or flat trays, and merged 5-digit flat trays that are possible in the mailing based on the volume of mail to the destination using L001 and the Carrier Route Indicators field in the City State Product. Mailers must label sacks/flat trays according to the Line 1 and Line 2 information listed below and under 245.4.0.

* * * * *

[Revise the text of 10.2.4b to read as follows:]

b. Merged 5-digit scheme, required and permitted only when there is at least one 5-digit ZIP Code in the scheme with an "A" or "C" indicator in the City State Product. May contain carrier route bundles for any 5-digit ZIP Code(s) in a single scheme listed in L001 as well as automation price 5-digit bundles and Presorted price 5-digit bundles for those 5-digit ZIP Codes in the scheme with an "A" or "C" indicator in the City State Product. When preparation of this flat tray level is permitted, a flat tray must be prepared if there are any carrier route bundle(s) for the scheme. If there is not at least one carrier route bundle for any 5-digit destination in the scheme, preparation of this flat tray is required when there is at least a full flat tray (245.1.4), 125 pieces or 15 pounds of pieces in 5-digit bundles for any of the 5-digit ZIP Codes in the scheme that have an "A" or "C" indicator in the City State Product (smaller volume not permitted). For a 5-digit ZIP Code(s) in a scheme with a "B" or "D" indicator in the City State Product, prepare flat tray(s) for the automation price and Presorted price bundles under 10.2.4g and 10.2.4h. For 5-digit ZIP Codes not included in a scheme, prepare flat trays under 10.2.4d through 10.2.4h. Labeling: * * *

* * * * *

[Revise the text of 10.2.4d to read as follows:]

d. Merged 5-digit, required. Must be prepared only for those 5-digit ZIP Codes that are not part of a scheme and that have an "A" or "C" indicator in the City State Product. May contain carrier route bundles, automation price 5-digit bundles, and Presorted price 5-digit bundles. Must be prepared if there are any carrier route bundles for the 5-digit destination. If there is not at least one carrier route bundle for the 5-digit destination, must be prepared when there is at least a full flat tray (245.1.4), 125 pieces or 15 pounds of pieces in 5-digit bundles for the same 5-digit destination (smaller volume not permitted). Labeling: * * *

[Revise the text of 10.2.4h to read as follows:]

h. 3-digit through Mixed ADC flat trays. Any 5-digit scheme and 5-digit bundles remaining after preparing flat trays under 10.2.4a through 10.2.4g, and all 3-digit, ADC, and Mixed ADC bundles, must be trayed and labeled according to the applicable requirements under 9.3 for cosacking/cotraying of automation price and Presorted price bundles, except if there are no automation price bundles in the

mailing job, tray and label under 245.5.0, or, if there are no Presorted price bundles in the mailing job, tray and label under 245.7.4.

10.2.5 Pallet Preparation and Labeling

* * * * *

[Add a new item (j) to read as follows:]

j. Mixed NDC, use 8.10.3h, as applicable, to prepare and label Mixed NDC pallets. * * * * *

11.0 Combining Automation Price and Nonautomation Price Flats in Bundles

* * * * *

11.2 Periodicals

11.2.1 Basic Standards

[Revise the third sentence of the introductory text of 11.2.1 to read as follows:]

* * * Mailing jobs (for flats meeting the criteria in 201.6.0) prepared using the 5-digit scheme and/or the 3-digit scheme bundle preparation must be trayed under 9.0 or 10.0 or palletized under 10.0, 12.0, or 13.0. * * *

* * * * *

[Revise the text of 11.2.1b to read as follows:]

b. Mailings prepared in flat trays must meet the basic standards in 9.0 or 10.0.

* * * * *

11.2.3 Bundles With Fewer Than Six Pieces

[Revise the last sentence of the introductory text of 11.2.3 to read as follows:]

* * * Low-volume bundles are permitted only when they are trayed or prepared on pallets as follows:

[Revise the text of items 11.2.3a and 11.2.3b to read as follows:]

a. Place low-volume 5-digit and 3-digit bundles in only 5-digit scheme, 5-digit, 3-digit, and SCF flat trays that contain at least 24 pieces; or in origin/entry SCF flat trays; or on merged 5-digit scheme, 5-digit scheme, merged 5-digit, 5-digit, 3-digit, or SCF pallets, as appropriate.

b. Place low-volume 5-digit scheme and 3-digit scheme bundles in only 5-digit scheme, 3-digit, and SCF flat trays that contain at least 24 pieces, or in origin/entry SCF flat trays, or on 3-digit or SCF pallets, as appropriate.

11.3 USPS Marketing Mail

11.3.1 Basic Standards

[Revise the introductory text of 11.3.1 to read as follows:]

Mailers may choose to cobundle (see 245.1.4u.) automation price and nonautomation price flat-size pieces as an option to the basic bundling

requirements in 245.5.0 and 245.7.0. All pieces in the same bundle must meet the standards in 201.6.0. 5-digit scheme and 3-digit scheme bundles must meet the additional standards in 245.1.4f. and 245.1.4m. Mailing jobs prepared using the 5-digit scheme and/or 3-digit scheme bundle preparation (for flats meeting the criteria in 201.6.0) must be trayed under 10.0 or palletized under 10.0, 12.0, or 13.0. All bundles are subject to the following conditions:

* * * * *

[Revise the text of 11.3.1b to read as follows:]

b. Mailings prepared in flat trays must meet the basic standards in 9.0 or 10.0.

* * * * *

12.0 Merging Bundles of Flats on Pallets Using a 5% Threshold

12.1 Periodicals

12.1.1 Basic Standards

* * * * *

[Revise the text of 12.1.1g to read as follows:]

g. Portions of the mailing job that cannot be palletized must be prepared in sacks/flat trays.

* * * * *

12.2 USPS Marketing Mail

12.2.1 Basic Standards

* * * * *

[Revise the text of 12.2.1l to read as follows:]

l. Portions of the mailing job that cannot be palletized must be prepared in flat trays.

* * * * *

12.2.3 Pallet Preparation and Labeling

* * * * *

[Add a new item (j) to read as follows:]

j. Mixed NDC, use 8.10.3h, as applicable, to prepare and label Mixed NDC pallets.

* * * * *

13.0 Merging Bundles of Flats on Pallets Using the City State Product and a 5% Threshold

13.1 Periodicals

13.1.1 Basic Standards

* * * * *

[Revise the text of 13.1.1h to read as follows:]

h. Portions of the mailing job that cannot be palletized must be prepared in flat trays.

* * * * *

13.2 USPS Marketing Mail

13.2.1 Basic Standards

* * * * *

[Revise the text of 13.2.1m to read as follows:]

a. Portions of the mailing job that cannot be palletized must be prepared in flat trays.

* * * * *

13.2.4 Pallet Preparation and Labeling

[Add a new item (j) to read as follows:]

j. Mixed NDC, use 8.10.3h, as applicable, to prepare and label Mixed NDC pallets

* * * * *

Sarah Sullivan,

Attorney, Ethics & Legal Compliance.

[FR Doc. 2022–28587 Filed 1–4–23; 8:45 am]

BILLING CODE P

ENVIRONMENTAL PROTECTION AGENCY

40 CFR Part 52

[EPA–R04–OAR–2022–0782; FRL–10215–02–R4]

Air Plan Approval; NC; Miscellaneous NSR Revisions and Updates; Updates to References to Appendix W Modeling Guideline

AGENCY: Environmental Protection Agency (EPA).

ACTION: Final rule.

SUMMARY: The Environmental Protection Agency (EPA) is finalizing the approval of a State Implementation Plan (SIP) revision, submitted by North Carolina on April 13, 2021. Specifically, EPA is approving updates to the incorporation by reference of Federal new source review (NSR) regulations and federal guidelines on air quality modeling in the North Carolina SIP. EPA is also converting a previous conditional approval regarding the infrastructure SIP prevention of significant deterioration (PSD) elements, for the 2015 ozone national ambient air quality standards (NAAQS) for North Carolina to a full approval. EPA is also approving updates to North Carolina's NSR regulations to better align them with the federal rules. EPA is approving these changes pursuant to the Clean Air Act (CAA or Act).

DATES: This rule is effective February 6, 2023.

ADDRESSES: EPA has established a docket for this action under Docket ID No. EPA–R04–OAR–2022–0782. All documents in the docket are listed on the www.regulations.gov website. Although listed in the index, some information may not be publicly

available, *i.e.*, Confidential Business Information or other information whose disclosure is restricted by statute.

Certain other material, such as copyrighted material, is not placed on the internet and will be publicly available only in hard copy form. Publicly available docket materials are available either electronically through www.regulations.gov or in hard copy at the Air Regulatory Management Section, Air Planning and Implementation Branch, Air and Radiation Division, U.S. Environmental Protection Agency, Region 4, 61 Forsyth Street SW, Atlanta, Georgia 30303–8960. EPA requests that, if at all possible, you contact the person listed in the **FOR FURTHER INFORMATION CONTACT** section to schedule your inspection. The Regional Office's official hours of business are Monday through Friday 8:30 a.m. to 4:30 p.m., excluding Federal holidays.

FOR FURTHER INFORMATION CONTACT:

Josue Ortiz Borrero, Air Planning and Implementation Branch, Air and Radiation Division, U.S. Environmental Protection Agency, Region 4, 61 Forsyth Street SW, Atlanta, Georgia 30303–8960. The telephone number for Mr. Ortiz Borrero is (404) 562–8085. Mr. Ortiz Borrero can also be reached via electronic mail at ortizborrero.josue@epa.gov.

SUPPLEMENTARY INFORMATION:

I. Background

On October 1, 2015, EPA promulgated a revised primary and secondary NAAQS for ozone, revising the 8-hour ozone standards from 0.075 parts per million (ppm) to a new more protective level of 0.070 ppm. *See* 80 FR 65292 (October 26, 2015). Pursuant to section 110(a)(1) of the CAA, states are required to submit SIP revisions meeting the applicable requirements of section 110(a)(2) within three years after promulgation of a new or revised NAAQS or within such shorter period as EPA may prescribe.¹ For the 2015 8-hour ozone NAAQS, states were required to submit such SIP revisions (also known as iSIPs) no later than October 1, 2018.

On September 27, 2018, North Carolina met the requirement to submit an iSIP for the 2015 8-hour ozone NAAQS by the October 1, 2018, deadline. Through previous rulemakings, EPA approved most of the

infrastructure SIP elements for the 2015 ozone NAAQS for North Carolina.² However, regarding the PSD elements of section 110(a)(2)(C), (D)(i)(II) (prong 3), and (J) (herein referred to as element C, Prong 3, and element J, respectively), EPA conditionally approved³ these portions of North Carolina's iSIP submission because of outdated references to the federal guideline on air quality modeling found in Appendix W of 40 CFR part 51.⁴

As discussed in the conditional approval for the 2015 ozone iSIP PSD elements, North Carolina's SIP contained outdated references to Appendix W, and the State committed to update the outdated references and submit a SIP revision within one year of EPA's final rule conditionally approving these PSD elements. Accordingly, North Carolina was required to make its submission by April 15, 2021. North Carolina met its commitment by submitting a SIP revision to correct the deficiencies on April 13, 2021.

Through a Notice of Proposed Rulemaking (NPRM), EPA proposed to approve the changes to the North Carolina SIP and to also convert the April 15, 2020, conditional approval to a full approval regarding element C, Prong 3, and element J for the 2015 8-hour ozone NAAQS infrastructure SIP. *See* 87 FR 61548 (October 12, 2022). Comments on the October 12, 2022, NPRM were due on or before November 14, 2022. No comments were received on the October 12, 2022, NPRM, and EPA is now finalizing the changes.

II. Incorporation by Reference

In this document, EPA is finalizing regulatory text that includes incorporation by reference. In accordance with the requirements of 1 CFR 51.5, EPA is finalizing the incorporation by reference of North Carolina regulations 15A NCAC 02D .0530, "Prevention of Significant Deterioration," state effective on October 1, 2020, and .0544, "Prevention of Significant Deterioration Requirements for Greenhouse Gases,"

² EPA approved most elements for North Carolina, except for the Interstate Transport provisions (Prongs 1 & 2) and the PSD provisions (elements C, Prong 3, and J), on March 11, 2020. *See* 85 FR 14147. EPA approved the interstate transport provisions (Prongs 1 & 2) for North Carolina on December 2, 2021. *See* 86 FR 68413.

³ Under CAA section 110(k)(4), EPA may conditionally approve a SIP revision based on a commitment from a state to adopt specific enforceable measures by a date certain, but not later than one year from the date of approval. If the state fails to meet the commitment within one year of the final conditional approval, the conditional approval will be treated as a disapproval and EPA will issue a finding of disapproval.

⁴ *See* 85 FR 20836 (April 15, 2020).

¹ Section 110(a)(2) requires states to address basic SIP elements such as requirements for monitoring, basic program requirements, and legal authority that are designed to assure attainment and maintenance of the NAAQS. This particular type of SIP is commonly referred to as an "infrastructure SIP" or "iSIP."